



*Spare Parts
for Heavy Duty*

厚料設備
及零配件

www.kwokhing.com

國興針車公司
Kwok Hing Sewing Machine Co.

前言 Preface

本書為國興針車公司2015年出版的目錄，內容主要介紹本公司適用於皮革、汽車座椅、安全氣囊、梳化、皮包、布藝等生產的零件(如針位組、傍位、助縫器、旋梭等)設備及配件。
我們的產品繁多，書中不能盡錄。如果未能在書中找到閣下所需，敬請聯絡我們。本公司的網頁 www.kwokhing.com 亦會提供最新產品資訊，歡迎閣下瀏覽參考及指教。謝謝！

This catalogue is published in 2015 by Kwok Hing Sewing Machine Co. This guidebook has drawn on the expert knowledge of production in leathers (such as car seats, air bags, sofas and leather bags). It provides the information of our gauge sets, guides, attachments, rotary hooks, etc.

As we have so many products which cannot be included in this catalogue, please visit our website www.kwokhing.com for more selections. It has the most updated information of new products. You are always welcome to visit and give us your valuable comments. Thank you very much.

其他主要目錄 Other Main Catalogues:



女仕服裝縫製設備 Spare Parts & Attachments of Lingerie

主要介紹適用於女仕服裝、胸罩和內衣褲等生產的零件、助縫器等配件
Spare Parts & Attachments for Brassieres, Lingeries and other Ladies' Wears



襯衫 · 休閒 · 運動 Shirts · Leisurewear · Sports

主要介紹襯衫、休閒服、褲子、流行服飾等生產的零件、壓腳、助縫器等設備及配件，包括：平車、雙針、多針、埋夾、特殊針位、拖輪等
Gauge Sets & Attachments for Shirts, Leisurewears & Fashions. Including Single needle, Double needle, Multi-needle, Feed-of-the-arm, Particular Gauge Sets, Pullers, etc.



繡縫零件 Spare Parts for Interlock Stitch Machines

適用於繡縫機的針位組、助縫器等配件 (包含百多款針板、送布牙、壓腳、針頭等)
Gauge Set & Attachments for Interlock Stitch Machines. Including more than hundred kinds of needle plates, feed dogs, presser feet, needle clamps, etc.



KHF 助縫設備 KHF Attachments

過百種助縫器介紹，適用於多款不同車種
More than hundred kinds of Attachments, suitable for different kinds of sewing machines



滾輪式壓腳 Roller Feet

多款滾輪式壓腳介紹，適用於不同車種，使黏滯性物料於縫製時更暢順
Roller Feet for different kinds of sewing machine. The workpieces (such as leathers & rubberized fiber) can be sewed smoothly.



卡迪亞縫紉機旋梭 Kardia Rotary Hook for Sewing Machines

適用於人字縫、高速縫、繡花機及厚類等車種的縫紉機旋梭
Rotary Hooks for zig-zag, embroidery, high-speed type and heavy duty machines.

內容 Contents

DURKOPP ADLER 杜克普		Machine Models 機種型號	Page 頁 1-33
Standard Feet	標準壓腳	367, 467, 767	1-2
Guiding Feet (Single Needle)	傍位壓腳 (單針)	367, 467, 767	3
Piping Gauge Sets	繩管針位	367, 467, 767	4-5
Gauge Sets (Single Needle)	單針針位	467, 767	5-6
Double Needle Feet	雙針壓腳	467, 767	7-8
Gauge Set (Double Needle)	雙針針位	467, 767	8
Gauge Sets (Double Needle)	雙針針位	767, 768	9
Sewing Feet (12mm stitch length)	12mm行程壓腳	867, 868	10-11
Gauge Sets (Single Needle)	單針針位	867	11-12
Gauge Sets (Double Needle)	雙針針位	867, 868	13
Spare Parts	配件	467, 767, 768, 867, 868	14
Spare Parts	配件	467, 767, 768	15-16
Spare Parts	配件	867, 868	17
Pneumatic Guides	氣動傍位	767, 768, 867, 868	18-19
Attachments	助縫設備	467, 767, 867	20-21
Attachments	助縫設備	768, 868	22
Sewing Feet	壓腳	69, 267, 269	23-24
Gauge Sets	針位	69, 267, 269	25
Attachments	助縫設備	669	26
Gauge Set	針位	195	26
Gauge Sets & Attachments	針位及助縫設備	205-370	27
Gauge Sets	針位	291, 294, 295	28
Gauge Set & Attachment	針位及助縫設備	1230i	29
Suspending Edge Guides	吊傍		29-32
Rotary Hooks	旋梭	467, 767, 768, 867	32-33
PFAFF 百福		Machine Models 機種型號	Page 頁 34-45
Sewing Feet	壓腳	335, 345, 1245	34-35
Gauge Sets & Attachments	針位及助縫設備	335, 345, 346, 1245	35-36
Gauge Sets & Attachments	針位及助縫設備	1246, 1296	37
Gauge Sets & Attachments	針位及助縫設備	1445, 1525	38-39
Gauge Sets	針位	1526	40
Double Needle Feet	雙針壓腳	2545, 2546 Powerline	40-41
Gauge Sets	針位	244	41-42
Spare Parts	配件	293, 474, 491, 493, 1244	42
Pneumatic Guides	氣動傍位		43
Suspending Edge Guides	吊傍		44-45

內容 Contents

JUKI 重機		Machine Models 機種型號	Page 頁 1-9, 46-51
Standard Feet	標準壓腳	LU-2210	1-2
Guiding Feet (Single Needle)	傍位壓腳 (單針)	LU-2210	3
Piping Gauge Sets	繩管針位	LU-2210	4-5
Gauge Sets (Single Needle)	單針針位	LU-2210	5-6
Double Needle Feet	雙針壓腳	LU-2260	7-8
Gauge Sets (Double Needle)	雙針針位	LU-2260	8-9
Gauge Sets	針位	LU-1510N	46-47
Gauge Sets	針位	LU-1560N	47
Gauge Set	針位	TSC-441	48
Walking Feet & Edge Guide	上下送料壓腳及吊傍	DU-141 / DSC-245	48
Double Needle Feet	雙針壓腳	LU-2860	49
Gauge Set	針位	LU-2860	50
Pneumatic Guides	氣動傍位	PLC-1760	51
SEIKO 精工		Machine Models 機種型號	Page 頁 52-55
Gauge Sets	針位	LSWN28BL-3	52
Gauge Set	針位	LSWN27BL-3	53
Gauge Set	針位	BBWP-28BL	53
Gauge Set	針位	LCW-28BL	53
Gauge Set	針位	LSW-28BL	54
Needle Plates & Feed Dogs	針板及送布牙		54-55
MITSUBISHI 三菱		Machine Models 機種型號	Page 頁 54
Gauge Sets	針位	LU2-400	54
OTHERS 其他			Page 頁 56-65
Walking Feet	上下送料壓腳		56-58
Suspending Edge Guides	吊傍		59-63
Attachments	助縫設備		64
Miscellaneous	雜項		65
INDEX 索引			Page 頁 66-68

STANDARD FEET

Durkopp Adler 杜克普 / Juki 重機


標準壓腳

367, 467, 767 / LU-2210, LU-2810A

DURKOPP ADLER 杜克普


JUKI 重機

KP367W




Feeding foot width 內壓腳闊: 8mm
0367-220993 + 0467-220013

KP367N




Feeding foot width 內壓腳闊: 5.8mm
0367-225053 + 0367-225043

KP367F




For binding 包邊用
Feeding foot width 內壓腳闊: 12.2mm
0367-220103 + 0067-220993

KP367LN




Left cording feet set 左單邊壓腳
0367-220343 + 0067-220703

KP367RN




Right cording feet set 右單邊壓腳
0367-220283 + 0067-220713

KP367T




For zipping 傍膠條用
Feeding foot width 內壓腳闊: 6mm
0367-220103 + 0067-220993

KP367-N081




Presser foot width 外壓腳闊: 10mm
Feeding foot width 內壓腳闊: 4.5mm

KP367-L081



Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm


KP367-R081



Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm


Presser feet set for narrow operation. They must be used together with "KH467N081-NP" needle plate and "KH467N081-FD" feed dog.
以上壓腳組適用於狹窄縫製空間，需配搭 "KH467N081-NP" 針板和 "KH467N081-FD" 送布牙使用。

KP467Q




For upturned material, head rest or seam with a large drop-height
適用於上翹形物料/頭枕用
* Must be used with KH467Q-NP/FD
需配搭 KH467Q-NP/FD 針板/送布牙使用

KP367VX



Climbing over cross seams
適用於縫製十字縫
0767-220013 + 0467-220483

KP367VC



Climbing over thicker materials
適用於縫製特厚物料
0367-221543 + 0367-221553

STANDARD FEET

標準壓腳


Durkopp Adler 杜克普 / Juki 重機

367, 467, 767 / LU-2210, LU-2810A

DURKOPP ADLER 杜克普


JUKI 重機

KP367S




For small operation 精巧工序用

KP367TP




Tape attaching tube on feeding feed
Tape width : 5mm or tailor-made
落網條用，網條寬度：5mm或訂造

KP367B




For binding. Working together with KH467B
needle plate & feed dog and KHB767
包邊用，可配搭KH467B 針板/送布牙
及KHB767 擺架一起使用


KP367ZP



Feet for invisible zipper, used together with KHF844
隱形拉鍊用，可配搭KHF844 拉筒一起使用




KP367LV




Left cording foot for climbing cross seams
左單邊壓腳，適用於縫製十字縫

KP367RV




Right cording foot for climbing cross seams
右單邊壓腳，適用於縫製十字縫

KP467LW




Left cording foot for heavy materials
左單邊壓腳，特厚料用

KP467RW




Right cording foot for heavy materials
右單邊壓腳，特厚料用

KP10711703



Climbing over thicker materials
特厚料用


KH367FG



Finger guard for KP367W/ N/ LN/ RN/ F/ T
護針罩，KP367W/ N/ LN/ RN/ F/ T 用

* Right hand side model is available
* 另有右邊型號可供選擇

KH367FG2



Stronger finger guard 加強型護針罩

* Right hand side model is available
* 另有右邊型號可供選擇


GUIDING FEET (SINGLE NEEDLE)

傍位壓腳(單針)

Durkopp Adler 杜克普 / Juki 重機

367, 467, 767 / LU-2210, LU-2810A


GL367



Left compensating guide feet
左邊彈弓傍位壓腳

2, 3, 4, 5, 6, 8, 9 mm


GR367



Right compensating guide feet
右邊彈弓傍位壓腳

2, 3, 4, 5, 6, 8, 9 mm


GL367X



Stronger left compensating guide &
wider feeding foot for HEAVY DUTY
特強左邊彈弓傍位壓腳，特闊送料

3, 4, 5, 6, 8, 9 mm


GR367X



Stronger right compensating guide &
wider feeding foot for HEAVY DUTY
特強右邊彈弓傍位壓腳，特闊送料

3, 4, 5, 6, 8, 9 mm


GL367H



Deeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

4, 5, 6, 7, 8, 9 mm


GR367H



Deeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

4, 5, 6, 7, 8, 9 mm


R367R



Right roller guide feet
右邊傍位滾輪壓腳

3, 4, 5, 6 mm

GD367



Double compensating guide feet
左右雙傍壓腳

3/32", 1/8", 3/16", 1/4"

PIPING GAUGE SETS

繩管針位

Durkopp Adler 杜克普 / Juki 重機

367, 467, 767 / LU-2210, LU-2810A

DURKOPP ADLER 杜克普

JUKI 重機

KH367-NP

Needle plate for piping, which is used together with KH367-FDP or KH367-FD

繩管用針板
配搭KH367-FDP或
KH367-FD 同時使用

Grooved feed dog's main purpose is solving the problem of unbalance between upper and lower layers. It must be used together with KH367PL/ PR/ PF/ PB/ PC/ PCS presser feet

有坑送布牙用於縫製繩管部份，需配搭KH367PL/ PR/ PF PB/ PC/ PCS 壓腳同時使用。


KH367-HNP

Needle plate for larger piping, which is used together with KH367-HFD

粗繩管用針板
配搭KH367-HFD
同時使用

Groove Size 坑闊:
6mm, 9mm


KH767WG



Welt groove is integrated one half each in the presser foot and feeding foot
It can be used together with KHF767WS
粗飾邊用，針孔貼齊坑邊
可配搭KHF767WS一起使用

5mm (W) x 5mm (H), 5mm (W) x 7mm (H)

KH767TG



Welt groove is integrated one half each in the presser foot and feeding foot
It can be used together with KHF767TS
粗飾邊用，針孔貼齊坑邊
可配搭KHF767TS一起使用

4, 5, 6, 8 mm

KH367-FDP

Grooved feed dog for 5mm piping, totally 11.5mm wide
送布牙11.5mm 闊
坑5mm闊

KH367-FD

Feed dog for piping, 11.5mm wide
送布牙11.5mm 闊


KH367-HFD

Grooved feed dog for larger piping, which is used together with KH367-HNP

粗繩管用牙
配搭KH367-HNP 同時使用

Groove Size 坑闊:
6mm, 9mm


KH367PF



Cording groove on the left of the needle
左坑，繩管用雙趾壓腳

3, 4, 5, 6, 8, 9 mm


KH367PL



Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

3, 4, 5, 6, 8, 9 mm


KH367PR



Cording groove on the right of the needle
右坑，繩管用單左趾壓腳

3.2, 4.8, 6.4 mm


KH367PB



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

4, 5, 6, 8, 9 mm


KH367PC



Piping operation to the left of the needle
左坑，繩管用雙趾壓腳

4, 5, 6, 8, 9 mm

KH367PCS



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

4, 5, 6, 8, 9 mm


PIPING GAUGE SETS

繩管針位

Durkopp Adler 杜克普 / Juki 重機

367, 467, 767 / LU-2210, LU-2810A


KH367PD



Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

3/16" x 2, 1/4" x 2, 3/8" x 2
5mm x 2, 6mm x 2, 8mm x 2


KH367PJ



Cording groove on the left of the needle.
Groove position is adjustable in order to adjust
the space between the needle and the cord.
左坑，單左趾壓腳，繩管與落針距離可調教

3, 4, 5, 6, 7, 8, 9 mm

KH367TG



Cording groove on the left of the needle
its welt groove is integrated one half each
in the presser feet and feeding feet
左坑，繩管用單左趾壓腳，針孔貼齊坑邊

3, 4, 5, 6 mm


GAUGE SETS (SINGLE NEEDLE)

單針針位

Durkopp Adler 杜克普 / Juki 重機


467, 767 / LU-2210

KH467-NP6/FD




Feed dog 8mm wide, max stitch length 6mm
送布牙面寬 8mm，最長行程 6mm

KH467-NP11/FD




Feed dog 8mm wide, max stitch length 11mm
送布牙面寬 8mm，最長行程 11mm

0467-210070




Feed dog 8mm wide
送布牙面寬 8mm

KH467N081-NP/FD



* Must be used with KP367-N081/L081/R081
presser feet for narrow operation
需配搭 KP367-N081/L081/R081 壓腳使用，
適合狹窄面料


KH467Q-NP/FD



For upturned material, head rest or
seam with a large drop-height
適用於上翹形物料/頭枕用


* Must be used with KP467Q presser feet
需配搭 KP467Q 壓腳使用

KH467K-NP/FD




For thin material
薄料用

KH467B




Feed dog enable the binder and rocking with moving arm KHB767
配搭KHB767包邊擺架使用

KCU467-GS 467/767 Edge cutting gauge set 切邊針位組



Standard width 標準寬度: 3.0mm, 4.8mm

0767-200030




Needle plate for 767-KFA-373-RAF-HP
Max stitch length 9mm
767-KFA-373-RAF-HP針板，最長行程 9mm

0367-232010KH




Needle bar for single needle
using with KH767-NCS
單針針柱
需配搭KH767-NCS使用

0767-120050KH



Needle bar complete
for single needle
單針針柱


0767-120064KH



Needle bar complete
for single needle
單針針柱 (連線耳)


0767-120060 Needle bar 針柱
0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲

0767-210030



Feed dog for 767-KFA-373-RAF-HP
767-KFA-373-RAF-HP送布牙

0367-200340 + 0367-210230




Wider feeding area for
piping or other operations
特闊送布牙面，為飾邊等操作而設

KH767-NCS



Single needle holder with screw,
using on 0367-232010KH
單針針頭連螺絲
安裝於0367-232010KH使用

0291-000159 + 9203-312411



0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲
(for 用於 0767-120064KH)

DOUBLE NEEDLE FEET


Durkopp Adler 杜克普 / Juki 重機

雙針壓腳

467, 767, 768 / PLC-1760, LU-2260

DURKOPP ADLER 杜克普


KP767



Spring type center guide feet set
彈弓中分刀雙針壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767-SO



Spring type center guide foot
彈弓中分刀雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767-SI



Feeding foot for center guide
中分刀雙針內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768AO



Pneumatic center guide foot
氣動中分刀外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-I



Compensating inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-IX



Compensating foot with
a center guide on right toe
高低互補內壓腳連中分刀(右趾)

6, 8, 10, 12, 14 mm


KP768-HI



Support larger difference in height
可應付大高度落差

8, 10, 12, 14, 16 mm


KP767S



For small operation
精巧工序用

6, 8, 10, 12, 14 mm


KP767SK



For small operation with center guide
精巧工序用(中分刀)

6, 8, 10, 12 mm


KP767UD



Double needle presser feet set
雙針壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KP767U



Double needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767D



Double needle feeding foot
雙針內壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

JUKI 重機


DOUBLE NEEDLE FEET

雙針壓腳

Durkopp Adler 杜克普 / Juki 重機

467, 767, 768 / PLC-1760, LU-2260


KP767EP



Zipper feet used together with KHF844
拉鍊壓腳，配搭KHF844使用

10, 12, 14 mm


KP768-MO + KP768-MI



For center cording/piping
中間繩管內外壓腳

8, 10 mm


GA767R



Double needle feet with right guide
Guide pressure and guide level are adjustable
雙針右傍壓腳，傍位壓力及高度均可調教

5, 6, 8, 10, 12, 14 mm


KP768-ZO



Pneumatic center guide foot for small operation
精巧工序用氣動中分刀外壓腳

6, 8, 10, 12 mm

KP768-ZI



Pneumatic center guide feeding foot for small operation
精巧工序用氣動中分刀內壓腳

6, 8, 10, 12 mm

DURKOPP ADLER 杜克普

JUKI 重機


GAUGE SET (DOUBLE NEEDLE)

雙針針位

Durkopp Adler 杜克普 / Juki 重機

467, 767 / LU-2260


KH767-NP



Needle plate for 767
767 針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH767-FD



Feed dog for 767
767 送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH767-NC



Needle clamp for double needle
雙針針頭

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


GAUGE SETS (DOUBLE NEEDLE)

雙針針位

Durkopp Adler 杜克普 / Juki 重機

467, 767, 768 / PLC-1760, LU-2260


KH768-NP



Needle plate for 768
768 針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH768-NPT



Needle plate for 768 with thread trimmer
768 針板 (剪線車用)

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH768-FD



Feed dog for 768
768 送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH768-NPC



Needle plate carrier for 768
768 針板橋


3, 4, 5, 6, 8, 10, 12, 14, 16 mm

0367-232010KH



Needle bar for double needle
using with KH767-NC
雙針針柱，需配搭KH767-NC使用

KH767AS Asymmetric gauge set 不對稱針位




This gauge set is a convenient solution for the user who use alternately single needle and double needle.

The center is at the right needle hole, but not the middle between two needles.

此針位設計為不對稱地偏向左邊，針位中心置於右針上。目的為方便交替單針及雙針縫製。

6, 8, 10, 12 mm

KH867-OSNC



Flip-up needle clamp for double needle
雙跳針針頭

6, 8, 10, 12 mm

SEWING FEET (12mm stitch length)


Durkopp Adler 杜克普

12mm行程壓腳

867, 868

DURKOPP ADLER 杜克普


KP867UD



Double needle presser feet set
雙針壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP867U



Double needle presser foot
雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767D



Double needle feeding foot
雙針內壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP868



Spring type center guide feet set
彈弓中分刀雙針壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP868-SO



Spring type center guide foot
彈弓中分刀雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767-SI



Feeding foot for center guide
中分刀雙針內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP868AO



Pneumatic center guide foot
氣動中分刀外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-I



Compensating inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm


GL867



Left compensating guide feet
左邊彈弓傍位壓腳

3, 4, 5, 6, 8, 9 mm


GR867



Right compensating guide feet
右邊彈弓傍位壓腳

3, 4, 5, 6, 8, 9 mm


GL867H



Deeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

5, 6, 8, 9 mm

GR867H



Deeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

5, 6, 8, 9 mm


SEWING FEET (12mm stitch length)

12mm行程壓腳

Durkopp Adler 杜克普


867, 868

KP867W




Standard feet
標準壓腳

KP867LN



Left cording feet set
左單邊壓腳

KP867RN



Right cording feet set
右單邊壓腳

GAUGE SETS (SINGLE NEEDLE)

單針針位

Durkopp Adler 杜克普


867

KH867-NB




Needle Bar 針柱

0867-200010




Maximum stitch length 6 mm
最長行程 6mm

0867-200020




Maximum stitch length 9 mm
最長行程 9mm

0867-200030




Maximum stitch length 12 mm
最長行程 12mm

0867-210010A




Feed dog 送布牙

0867-210010B




Feed dog 送布牙

KH867-BNP




Needle plate for binding (Moving arm KH867)
包邊用針板 (配搭KH867擺架使用)

KH867-BFD




Feed dog for binding (Moving arm KH867)
包邊用送布牙 (配搭KH867擺架使用)

0867-210010FDH



Bigger needle hole: 4.2 x 3.2mm
大針孔送布牙: 4.2 x 3.2mm


KH867-HNP



Needle plate for larger piping
Use together with KH867-HFD
特大飾邊用針板 (配合KH867-HFD送布牙用)

Groove Size坑闊: 6mm, 9mm



KH867-HFD



Groove feed dog for larger piping
Use together with KH867-HNP
特大飾邊用有坑送布牙 (配合KH867-HNP針板用)


Groove Size坑闊: 6mm, 9mm

KCU867-GS 867 Edge cutting gauge set 切邊針位組



3.0mm , 4.8mm

0291-000159 + 9203-312411



0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲
(for 用於 0767-120064KH)


GAUGE SETS (DOUBLE NEEDLE)

雙針針位

Durkopp Adler 杜克普

867, 868


KH867-DNP



Needle plate for 867
867針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH867-DFD



Feed dog for 867
867送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH868-NP



Needle plate for 868, max stitch length 12mm
868針板，最長行程12mm

5, 6, 8, 10, 12, 14, 16 mm

KH868-FD



Feed dog for 868, needle hole size 3mm
868送布牙，針孔尺寸3mm


5, 6, 8, 10, 12, 14, 16 mm

0367-232010KH



Needle bar for double needle
using with KH767-NC
雙針針柱，需配搭KH767-NC使用


KH868-NPC



Lateral covers
針板橋

5, 6, 8, 10, 12, 14, 16 mm


KH767-NC



Needle clamp for double needle
雙針針頭

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH867-OSNC



Flip-up needle clamp for double needle
雙跳針針頭

6, 8, 10, 12 mm

KH867AS Asymmetric gauge set 不對稱針位




This gauge set is a convenient solution for the user who use alternately single needle and double needle.

The center is at the right needle hole, but not the middle between two needles.

此針位設計為不對稱地偏向左邊，針位中心置於右針上。目的為方便交替單針及雙針縫製。

6, 8, 10, 12 mm


0245-001660A



Bobbin 線芯

Diameter 直徑: 26mm


0245-001660AS



Bobbin with spiral lining 螺旋紋線芯

Diameter 直徑: 26mm


0667-150830



Bobbin 線芯

Diameter 直徑: 32mm


0667-156530



Bobbin 線芯

Diameter 直徑: 22mm


KDB-867(26)



Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯

Diameter 直徑: 26mm

KDB-867(32)



Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯


Diameter 直徑: 32mm

0367-150270KH




Supporting spring for 26mm diameter bobbin
26mm 直徑線芯用梭內彈弓

0767-150590




Supporting spring for 32mm diameter bobbin
32mm 直徑線芯用梭內彈弓

0211-001033-1




Slot type screw for genuine needle clamp
一字槽上針螺絲(杜克普原廠針頭用)

0211-001033-6




Hexagon type screw for genuine needle clamp
內六角上針螺絲(杜克普原廠針頭用)

KH767NC-1S




Slot type screw for KH767-NC
一字槽上針螺絲(KH767-NC用)

KH767NC-6S




Hexagon type screw for KH767-NC
內六角上針螺絲(KH767-NC用)

0367-120284




Rock frame needle bar
針柱搖擺套筒

0367-120023



Needle bar block
針柱座

Spare Parts for Unison Feed 同步進料組件



0367-120040




Slide block
擺針柱戒指

0367-120110




Threaded bolt
螺栓

0367-140320




Left slide plate 左推板

0367-140090



Right slide plate 右推板

0367-140090F



Right slide plate for attachment installation
安裝拉筒用右推板

0216-000134KH




Hexagon type screw for 467/767 needle plate
467/767 內六角上針板螺絲

9400-000228KH



Hexagon type screw for 768 needle plate
768 內六角上針板螺絲


0099-004700KH1.6



Stronger conic spring 特強壓線彈弓

Spring diameter 彈弓直徑: 1.6mm

0367-170040




Fixing clamp
打線機芯彈簧

0367-170044




Winder shaft
打線機芯

0367-350060



Fixing clamp for 767
767用彈簧片

0068-000280KH




Take-up spring for 767
767用引線彈弓

0068-004910KH




Take-up spring for 767
767用引線彈弓

0467-160200



Oscillating frame
牙橋帶動組件

0467-160220



Bolt
螺栓

0367-150413




Spur wheel
齒輪

0367-150433



Driving shaft
齒輪軸


KH867PBA



Presser and feeding foot bar asm.
外內壓腳柱組合


0667-315053 Presser foot bar 外壓腳柱
+ 0667-315113 Feeding foot bar 內壓腳柱
+ 0867-310430 Bolt 螺栓

0667-355110




Moving knife
剪線刀

0667-355130




Counter knife
剪線刀

0667-355140




Fixing clamp
彈簧片

0867-140020




Right slide plate with graduation
含刻度右推板

0867-140030




Front plate
前推板

0867-140010 + 0867-140040




Left & right slide plate for KH867-DNP 4 - 6mm
KH867-DNP 4 - 6mm 用左右推板

0867-140050 + 0867-140060




Left & right slide plate for KH867-DNP 8 - 10mm
KH867-DNP 8 - 10mm 用左右推板

0867-140070 + 0867-140080




Left & right slide plate for KH867-DNP 12 - 14mm
KH867-DNP 12 - 14mm 用左右推板

0867-140090 + 0867-140100



Left & right slide plate for KH867-DNP 16 - 18mm
KH867-DNP 16 - 18mm 用左右推板

KG768VP



Pneumatic guiding set for 768
768 氣動傍位

KG768Y




9700-10040 Piston with holder 氣筒連座

KG768V




Guiding knife for decorative topstitching
分邊面縫傍位

KG868VP




Pneumatic guiding set for 868
868 氣動傍位

KG768M




Guiding knife for decorative topstitching with piping
飾邊面縫傍位

KG768C



Guiding knife for decorative topstitching
分邊面縫傍位

KG777




KG777 is a pneumatic guide for universal machines. It can be used together with our guide brackets for fixing on different machines.

By adjusting the position of guide and bracket, it can guide at the right side, left side or the middle of the seam.

KG777 為泛用型氣動傍位，可配合我們的轉接配件來安裝在不同機種上。

透過調整支架及傍位位置，可以導傍於接縫的左方、右方或正中央。


KG778



KG778 is a pneumatic lifted edge guide for all universal machines. It can be used together with our guide brackets for fixing on different machines.


KG778 為泛用型氣動升降傍位，可配合我們其他基座來裝置在不同機種上。

KHM700-1H




Heel action switch
腳跟後踏拉桿

KG-OFS




On / Off switch 開關掣

KG0010-F



F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器


KP767U



Double needle presser foot
雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-I



Compensating inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-MO + KP768-MI



For center cording/piping
中間繩管內外壓腳


8, 10 mm

KHF467




Tape guide on front slide plate for 467 and 767
Adjustable between 15 and 25mm wide
467/767 前置導帶推板，寬度調教15至25mm

KHF767F




For 767 - Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
767用 - 上:可調教左右下褶邊 - 下:前置可調教(15-25mm)導帶推板

KHF867




Tape guide on front slide plate for 867
Adjustable between 15 and 25mm wide
867 前置導帶推板，寬度調教15mm至25mm

KHF867F




For 867 - Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
867用 - 上:可調教左右下褶邊 - 下:前置可調教(15-25mm)導帶推板

KA767




Tape guide for flat bed machine
平面縫紉機用前置導帶器

KA767R




Tape guide for flat bed machine with roller holder N900-001527
平面縫紉機用-前置導帶器(連桌下型網條盤N900-001527)

KHF767WS




Welting attachment used together with KH767WG piping feet
滾邊拉筒(配搭KH767WG繩管壓腳使用)

KHF767TS




Welting attachment used together with KH767TG piping feet
滾邊拉筒(配搭KH767TG繩管壓腳使用)

KHF767RG



N800-V91271 Left retainer guide + N800-V91180 Right retainer guide
N800-V91271 左邊導硬帶器 + N800-V91180 右邊導硬帶器

KHF767TA




N516-V91174 Tape guide, it is adjustable between 1.5cm & 4cm
N516-V91174 導帶器，可調教寬度: 1.5cm - 4cm

KHF767UL




Partition attachment separates the upper and lower layers,
to set the upper feeding and lower feeding different from each other
將上下層物料分開，達致不同步推送

KHF767WL




KHF767WL finishes functions of KHF767P1 & KHF767P2 simultaneously
KHF767WL能同一時間做到KHF767P1及KHF767P2的效果

KHF767P1




Welting attachment for thicker cord
粗繩管包縫器

KHF767P2




The center part binded cord has been made by KHF767P1 already
KHF767P2 help to add the upper and bottom layer
KHF767P2將KHF767P1已包好的繩管加上上下層物料

KHF844




Zipper folder, used together with KP367ZP
拉鏈拉筒，配搭KP367ZP使用

KHB767




Moving arm for 767 & 867, used together with KHF2, KHF3 or KHF4 binder
767及867包邊筒擺架，配搭KHF2, KHF3或KHF4 使用

KA768



Belt guide completed set for 20mm belt
送細條套裝 (20mm)


KA768-BG



Belt guide completed
導帶器

10, 12, 14, 16, 18, 20 mm


KA768-BI



Belt insert
導帶座膠


10, 12, 14, 16, 18, 20 mm

N522-005007




Shackle for 768
768 用導帶橫條

N522-005007L




Longer shackle for 868
868 用加長導帶橫條

N522-005008



Guiding plate
導帶片

N900-001527



Under table tape roller holder
桌下型細條盤

SEWING FEET


壓腳

Durkopp Adler 杜克普

69, 267, 269


DURKOPP ADLER 杜克普

KP269W




Regular feet set, feeding foot 7.5mm wide
標準壓腳，內壓腳闊7.5mm

KP269N




Regular feet set, feeding foot 6mm wide
標準壓腳，內壓腳闊6mm

KP269F




Presser feet for binding, feeding foot 11.1mm wide
包邊用壓腳，內壓腳闊11.1mm

KP269LN




Stitching on edges at the left of needle
左單邊壓腳

KP269RN




Stitching on edges at the right of needle
右單邊壓腳

KP269S




For small operation. Use together with KH69S
精巧工序用，配搭KH69S使用

KP269T




For zipping. Use together with KH69S
傍膠條用，配搭KH69S使用

KP269TS




Narrower feet set for zipping.
Use together with KH69S
特窄壓腳，傍膠條用，配搭KH69S使用

KP267Q



For upturned material, head rest or
seam with a large drop-height
適用於上翹形物料/頭枕用
* Must be used with KH267Q-NP/FD
需配搭 KH267Q-NP/FD 針板/送布牙使用


GL269



Left compensating guide feet
左邊傍位壓腳

3, 4, 5, 6 mm


GR269



Right compensating guide feet
右邊傍位壓腳

3, 4, 5, 6 mm


GD269



Double compensating guide feet
左右雙傍位壓腳

3/32", 1/8", 3/16", 1/4"


KH269PL



Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

Groove Size 坑闊: 3, 4, 5, 6, 8, 9 mm


KH269TG



Piping groove on the left side of needle, integrated
one half each in presser and feeding foot
左坑，繩管用單左趾壓腳，針孔貼齊坑邊

Groove Size 坑闊: 3, 4, 5, 6, 8, 9 mm


KH269PCS



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

Groove Size 坑闊: 4, 5, 6 mm


KP269UD



Double needle foot set
雙針壓腳

3, 4, 5, 6, 8, 10, 12 mm

KP269U



Double needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12 mm


KP269D



Double needle feeding foot
雙針內壓腳


3, 4, 5, 6, 8, 10, 12 mm

KP269DX



Feeding foot with center guide
內壓腳連中分刀


KP269



Double needle feet set with center guide
雙針壓腳連中分刀

6, 8, 10, 12 mm


KP269SK



For small operation with center guide
雙針壓腳連中分刀，精巧工序用

6, 8, 10, 12 mm


KH69R



Regular needle plate and feed dog set for 69
69標準針板/送布牙

Max. stitch length 最長行程: 8mm
Plate top 針板送料位置長: 18mm long


KH69D



Raised, small needle plate and feed dog set for 69
69升高短針板/送布牙

Max. stitch length 最長行程: 5mm
Plate top 針板送料位置長: 12mm long


KH69S



Extra small needle plate and feed dog set for 69
69特短針板/送布牙

Max. stitch length 最長行程: 3mm
Plate top 針板送料位置長: 8.5mm long


KH69F



Needle plate and feed dog set for binding on 69
69包邊用針板/送布牙


Max. stitch length 最長行程: 8mm
Plate top 針板送料位置長: 17.5mm long

KA69




Arm cover for binding on 69 machine
Use together with KHF2, KHF3 or KHF4 binder
69包邊拉筒架，可配搭KHF2, KHF3或KHF4使用

KH267-NP/FD



Regular needle plate and feed dog set
for 267 single needle machine
267單針標準針板/送布牙
Max. stitch length 最長行程: 12mm


KH267Q-NP/FD



For upturned material, head rest or
seam with a large drop-height
適用於上翹形物料/頭枕用

* Must be used with KP467Q presser feet
需配搭 KP467Q 壓腳使用


KH267-DNP/DFD



Regular needle plate and feed dog set
for 267 double needle machine
267雙針標準針板/送布牙


3, 4, 6, 8 mm

KH269-NP/FD



Regular needle plate and feed dog set
for 269 single needle machine
269單針標準針板/送布牙
Needle plate 針板: 269-200010
Feed dog 送布牙: 169-210080


KH269-DNP/DFD



Regular needle plate and feed dog set
for 269 double needle machine
269雙針標準針板/送布牙

5, 6, 8, 10 mm

KH269-NB



Needle bar for 267/269
267/269 針柱

* Must be used with KH767-NCS
or KH767-NC needle clamp
需配搭KH767-NCS
或KH767-NC針頭使用


KH767-NCS



Single needle holder for 267/269
267/269 單針針頭

* Must be used with KH269-NB
需配搭KH269-NB針柱使用

KH767-NC



Double needle holder
for 267/269
267/269 雙針針頭

* Must be used with KH269-NB
需配搭KH269-NB針柱使用

3, 4, 5, 6, 8,
10, 12, 14, 16 mm


ATTACHMENTS

助縫設備

Durkopp Adler 杜克普


669

KHB669



Moving arm for binding on 669 machine (Rocking with feed dog)
Use together with KHF2, KHF3 or KHF4 binder
669包邊用送料擺架(跟送布牙擺動)，可配搭KHF2, KHF3或KHF4使用

KHF669CU



Raw edge binder with tape cutting knife, which can cut the tape immediately after sewed.
More convenience and the tapes can be saved.
Suitable for most cylinder-bed machines.
帶切刀散口包邊筒，可於縫製後立即切料，既方便更可節省用料。適用於圓筒型機種。

-Tape size 入口: 3/4" -Thickness 料厚: 7 mm -Raw edge binding 散口包邊

DURKOPP ADLER 杜克普


GAUGE SET

針位

Durkopp Adler 杜克普

195


KP195



Regular feet 標準壓腳

6, 8, 10, 12 mm


KH195-NP



Needle plate 針板

6, 8, 10, 12 mm


KH195-FD



Feed dog 送布牙

6, 8, 10, 12 mm


KH195-NC



Needle clamp 針頭

6, 8, 10, 12 mm

KH195-NG



Needle guard 針傍


GAUGE SETS & ATTACHMENTS

Durkopp Adler 杜克普

針位及助縫設備

205-370

KH205RG-GS




Right guiding gauge set for 205-370
205-370 右傍針位

3, 4, 5, 6 mm


0268-350163 Holder 定針座

0367-100050 Flange 凸緣




0268-350163

KP205LN




Stitching on edges at the left side of needle
左單邊壓腳

KP205RN



Stitching on edges at the right side of needle
右單邊壓腳

KH205M




Needle plate and feed dog for small operation
針板/送布牙 (精巧工序用)

KHF205-91275


KHF205B

KHF205-91275S



N015 V91275


45° Moving binder, double folding
45° 可動雙環口包邊器



N800 005355

Support sheet 80° Moving binder, double folding
包邊器連接板 80° 可動雙環口包

KH205-NPB/FDB



0205 V91281


0205 V91282

Feed dog wide 牙面寬 : 11.4mm

Needle plate and feed dog for binding on 205-370 machine, use together with KP205B

205-370用包邊針板/送布牙，需與 KP205B 一同使用

KP205B




0205 V91284

0205 V91283

Presser feet for binding
Use together with KH205-NPB/FDB
包邊用壓腳，需與KH205-NPB/FDB一同使用


GR204



Right guide feet
右傍壓腳

4, 5, 6 mm


KH204PC



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳


Groove Size 坑闊 : 5, 6, 8, 9 mm

KP295W




Regular foot
標準壓腳

KP295LN




Stitching on edges at the left side of needle
左單邊壓腳

KP295RN



Stitching on edges at the right side of needle
右單邊壓腳


GL291



Left compensating guide feet
左邊傍位壓腳

3, 4, 5, 6 mm


GR291



Right compensating guide feet
右邊傍位壓腳


3, 4, 5, 6 mm

KH295SS-NP/FD



For soft and thin material (Smooth feed dog)
適合柔滑較薄物料 (光滑送布牙面)

KH295ST-NP/FD



For soft and thin material
適合柔滑較薄物料


GAUGE SET & ATTACHMENT

針位及助縫設備

Durkopp Adler 杜克普

1230i


KP1230-D



Regular presser foot
標準壓腳

3.5, 5, 6, 8, 10, 12 mm


GR1230



Right guide foot 右傍邊壓腳
Guiding distance 傍邊距離: 1.8mm

5, 6 mm


KH1230-NC



Needle clamp 針頭

3.5, 5, 6, 8, 10, 12 mm


KH1230-NP



Needle plate 針板

3.5, 5, 6, 8, 10, 12 mm


KH1230-FD



Feed dog 送布牙

3.5, 5, 6, 8, 10, 12 mm

KHB1230




Bracket for folder
拉筒支架

SUSPENDING EDGE GUIDES

吊傍


Durkopp Adler 杜克普

KG367B



Roller and zipper guide for 367
367 滾輪及拉鏈傍位


KG767A



N800 075006


Long straight guide & 14mm dia. roller guide
長直形傍位及14mm直徑滾輪傍位

KG767B




Zipper guide & 14mm diameter roller guide
拉鏈傍位及14mm直徑滾輪傍位

KG767D




N800 025009
Double guide for 467 and 767
467/767 雙傍位

KG867A




Maximum adjustable height: 100mm
最大可調教高度: 100mm
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG967A




Extra long guiding, 20mm longer than KG867
特長傍位，比KG867長20mm
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG867S




4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位

KG867N




N type allows both hands holding the material
N 型傍位設計方便雙手同時把持物料
Long straight guide 11mm & 14mm diameter roller guide
長直形傍位、11mm及14mm直徑滾輪傍位

KG867D




Double guide for 867
867 雙傍位

KG767LR



Guiding on the left and/or right hand side
左右分別/同時導傍


KG867Y



Two steps adjustable guide
Maximum adjusting range
between two steps = 16mm
二段調節傍位
最寬調教距離16mm


Long straight guide
and 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG1087-6




6mm diameter roller guide
6mm直徑滾輪傍位

KG1087-16



16mm diameter roller guide
16mm直徑滾輪傍位

KG867A + EG01



KG867A suspending guide with EG-01 eye guard
KG867A 傍位連 EG-01 護目鏡


SUSPENDING EDGE GUIDES

Durkopp Adler 杜克普

吊傍

DURKOPP ADLER 杜克普


KG367T



The guide is free adjustable.
The cord can be inserted at
the right or left side of the guide.
傍位位置可隨意安放和調教，
繩管可置於左或右邊。

Cord size 繩管尺寸: 6mm, 9mm
Applicable for 適用於:
KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS


KG767T



The guide is free adjustable.
The cord can be inserted at
the right or left side of the guide.
傍位位置可隨意安放和調教，
繩管可置於左或右邊。


Cord size 繩管尺寸: 6mm, 9mm
Applicable for 適用於:
KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS

KB767



Bracket for 467, 767, 768
467, 767, 768 轉接配件


KB867



N800 080003


Bracket for 669, 867, 868
669, 867, 868 轉接配件

KB367




Bracket for 367
367 轉接配件

KB205




Bracket for 204-370, 205-370
204-370, 205-370 轉接配件

KB267



Bracket for 267, 268, 269
267, 268, 269 轉接配件


KB295



N900 003364


Bracket for 195, 243, 244, 291, 294, 296, 491
195, 243, 244, 291, 294, 296, 491 轉接配件

KB1230




Bracket for 1230i
1230i 轉接配件

KG-AA



Long straight guide
長直形傍位

KG-AB



Zipper / Long straight guide (Dual functions)
拉鏈/長直形兩用傍位


SUSPENDING EDGE GUIDES

Durkopp Adler 杜克普

吊傍


DURKOPP ADLER 杜克普

KG-B14




Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11




Roller diameter: 11mm
11mm直徑滾輪傍位

KG-S04




Roller diameter: 4mm
4mm直徑滾輪傍位

KG-AC




(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位

KG-BZ



Zipper guide
拉鏈傍位

KG-NR



Regulating guide for zipper
可調節拉鏈傍位


ROTARY HOOKS

Durkopp Adler 杜克普

旋梭

467, 767, 768, 867

	Coating 表面塗層	Thread Trimmer 剪線	
KDH-467TR	DLC	O	Oil free 無需添油
KDH-467A	DLC	X	Oil free 無需添油
KDH-768TR	DLC	O	Oil free 無需添油
KDH-768A	DLC	X	Oil free 無需添油
KDH-867(26) KDH-867(32)	DLC	O	Oil free 無需添油



What is DLC?
Diamond-like Carbon (DLC) is a class of amorphous carbon material that displays some of the typical properties of diamond (SP3 hybridization). The primary desirable qualities are hardness, wear resistance, and slickness. It makes our Kardia's DLC hooks to have the great precision and with superb properties of low friction, low noise, high wear resistance, and long lasting life, even without lubrication.

什麼是DLC?
類金剛石碳(DLC)是非晶結構，碳原子以金剛鑽(SP3)組織混合作為塗層，具有很高的硬度及高自潤性，且摩擦性低。這塗層使我們的Kardia卡迪亞DLC旋梭，可在不添油的情況下不停運作，仍然保持低噪音、低磨擦，十分耐用。

ROTARY HOOKS

旋梭

Durkopp Adler 杜克普

467, 767, 768, 867

KDH-467TR



For 467, 767 with thread trimmer
467, 767 剪線機用

KDH-467A



For 467, 767
467, 767 用

KDH-768TR



For 768 with thread trimmer
768 剪線機用

KDH-768A



For 768
768 用

KDH-867(26)



For 867 with thread trimmer
867 剪線機用

Diameter直徑: 26mm


KDH-867(32)



For 867
867 用

Diameter直徑: 32mm


0245-001660A



Bobbin 線芯

Diameter直徑: 26mm


0245-001660AS



Bobbin with spiral lining 螺旋紋線芯

Diameter直徑: 26mm


0667-150830



Bobbin 線芯

Diameter直徑: 32mm


0667-156530



Bobbin 線芯

Diameter直徑: 22mm


KDB-867(26)



Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯

Diameter直徑: 26mm


KDB-867(32)



Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯


Diameter直徑: 32mm

KP1245W




Regular feet
標準壓腳

KP1245LN




Left cording foot set
左單邊壓腳

KP1245RN




Right cording foot set
右單邊壓腳

KP1245-N071




Presser foot width 外壓腳寬度: 8mm
Feeding foot width 內壓腳寬度: 4.5mm

KP1245-L071




Presser foot width 外壓腳寬度: 6.5mm
Feeding foot width 內壓腳寬度: 4.5mm

KP1245-R071



Presser foot width 外壓腳寬度: 6.5mm
Feeding foot width 內壓腳寬度: 4.5mm


GL1245



Left compensating guide foot
左傍位壓腳

3, 4, 5, 6 mm


GR1245



Right compensating guide foot
右傍位壓腳


3, 4, 5, 6 mm

KP335S




For small operation
精巧操作用

KP335FA




For right angle binder
右邊包縫器用
91-049 534-04 + 91-049 327-93

KP335FB



For right angle binder
右邊包縫器用
91-044 227-04 + 91-042 819-93

KP335FC



For right angle binder
右邊包縫器用
91-040 432-04 + 91-040 629-93

SEWING FEET


Pfaff 百福

壓腳

335, 345, 1245


PFAFF 百福

KP335LB



91-049 558-04 C/D + 91-049 085-93/003


KH335PL



Left cording 繩管用左坑壓腳
91-044 102-04 + 91-044 101-93

1/8", 3/16", 1/4"


KH335TG



Left cording groove is integrated one half
of each in the presser foot and feeding foot
繩管用左坑壓腳，針孔貼齊坑邊

3, 4, 5, 6, 8, 9 mm

KP1245CS



For climbing cross seams
適用於縫十字縫
91-049 792-04 + 91-049 345-93


GAUGE SETS & ATTACHMENTS

Pfaff 百福

針位及助縫設備


335, 345, 1245

KH1245-NP/FD




Needle plate & feed dog for 1245
1245 用針板/送布牙

KH1245-NPT/FDT



Needle plate & feed dog
for 1245 with thread trimmer
1245 用剪線針板/送布牙

KH1245-NPB/FDB



Needle plate & feed dog for binding
Using with KP335FA/KP335FB/KP335FC & KHF91045
包縫用針板/送布牙，
配合KP335FA/KP335FB/KP335FC 及 KHF91045使用

GAUGE SETS & ATTACHMENTS


Pfaff 百福

針位及助縫設備

335, 345, 1245

335-S3 Needle plate 針板


335-S4 Feed dog 送布牙



For 335
335 用

91-158 206-04 Needle plate 針板


91-059 229-04 Feed dog 送布牙



For 335
335 用

91-150 555-05 Needle plate 針板


91-059 703-05 Feed dog 送布牙



For 335
335 用


91-046 498-05 Needle plate 針板

91-046 497-04 Feed dog 送布牙




For 335 with right angle binder
335 右邊包邊用

91-014 636-35




For 335
335 用

KH345-NPW/FDW




For 345, feed dog wide: 10.5mm
345 用, 牙寬: 10.5mm

KH345-NPN/FDN



For 345, feed dog wide: 8.5mm
345 用, 牙寬: 8.5mm


KH346-GS



Double needle gauge set for 346
346 雙針針位


3.2mm, 4.8mm, 6.4 mm

KHF91040



91-040 894-21 Binding bracket 包邊筒架
+ 91-044 251-21
+ 91-000 380-15 for 335

KHF91045



91-045 607-90
Binding bracket for 1245
1245 包邊筒擺架

PFAFF 百福

GAUGE SETS & ATTACHMENTS


Pfaff 百福

針位及助縫設備

1246, 1296

PFAFF 百福


KP1296UD



Double needle feet
雙針壓腳

4, 5, 6, 8, 10, 12 mm

KP1246




Spring type center guiding feet
彈弓中分刀雙針壓腳

5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"

KP1296AO (Stitch length 行程: 9mm)


KP1296AO-N11 (Stitch length 行程: 11mm)



Pneumatic center guiding foot
氣動中分刀壓腳

6, 8, 10, 12 mm


KP1296-I



Inner compensating foot
內互補壓腳

6, 8, 10, 12 mm


KH1246-NP/FD



Needle plate & feed dog for 1246
1246 用針板/送布牙

4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"


KH1246-NPT/FDT



Needle plate & feed dog
for 1246 with thread trimmer
1246 剪線用針板/送布牙

4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"


KH1296-NP/FD



Needle plate & feed dog for 1296
1296 用針板/送布牙

4, 5, 6, 8, 10, 12 mm
1/4", 3/8"

KH1296-NPT/FDT




Needle plate & feed dog
for 1296 with thread trimmer
1296 剪線用針板/送布牙

4, 5, 6, 8, 10, 12 mm
1/4", 3/8"

KH1296-NPJT (Stitch length 行程: 9mm)


KH1296NPJT-N11 (Stitch length 行程: 11mm)



Needle plate with adjustable tape guide
針板連可調教導帶傍位


6, 8, 10, 12 mm

N900-001527



Under table tape roller holder
using with KH1296-NPJT
桌下用細條盤，配搭KH1296-NPJT使用

KH1296-NC



Needle clamp
針頭

4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"

GAUGE SETS & ATTACHMENTS


Pfaff 百福

1445, 1525

針位及助縫設備


PFAFF 百福

KP1525W




Feeding foot width 內壓腳闊: 8mm

KP1525N




Feeding foot width 內壓腳闊: 5.8mm

KP1525LN




Left cording feet set 左單邊壓腳

KP1525RN




Right cording feet set 右單邊壓腳

KP1525-N071




Presser foot width 外壓腳闊: 8mm
Feeding foot width 內壓腳闊: 4.5mm

KP1525-L071




Presser foot width 外壓腳闊: 6.5mm
Feeding foot width 內壓腳闊: 4.5mm

KP1525-R071



Presser foot width 外壓腳闊: 6.5mm
Feeding foot width 內壓腳闊: 4.5mm


GL1525



Left compensating guide feet
左傍位壓腳

3, 4, 5, 6, 8, 9 mm


GR1525



Right compensating guide feet
右傍位壓腳

3, 4, 5, 6, 8, 9 mm


GL1525H



Deeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

4, 5, 6, 8, 9 mm


GR1525H



Deeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

4, 5, 6, 8, 9 mm

KP1525B



For binding 包邊用
Working together with
KH1525-NPB/FDB and KHF91045
配搭KH1525-NPB/FDB及KHF91045使用

GAUGE SETS & ATTACHMENTS


Pfaff 百福

針位及助縫設備

1445, 1525

PFAFF 百福


KH1525PL



Cording groove on the left of the needle
左坑，繩管用壓腳

3, 4, 5, 6, 8, 9 mm


KH1525PR



Cording groove on the right of the needle
右坑，繩管用壓腳

3, 4, 5, 6, 8, 9 mm


KH1525TG



Similar to KH1525PL, but its welt groove is integrated one half each in the presser feet and feeding foot
與KH1525PL相似，粗飾邊用，針孔貼齊坑邊


3, 4, 5, 6, 8, 9 mm

KH1525A



KH1525A-NP Needle plate 針板
KH1525A-FD Feed dog 送布牙


KH1525B



KH1525B-NP Needle plate 針板
KH1525B-FD Feed dog 送布牙


91-150 602-05 Needle plate 針板

KH1525A-FD Feed dog 送布牙




Max. Stitch length 最長行程: 8mm

KH1525-NPB/FDB



Needle plate & feed dog for binding
Using with KP1525B & KHF91045
包縫用針板/送布牙，
配合KP1525B 及 KHF91045使用

KHF91045



91-045 607-90 Binding bracket for 1525
1525 用包邊擺架


GAUGE SETS

Pfaff 百福

針位

1526


KP1526UD



Double needle feet set
雙針壓腳

6, 8, 10, 12 mm


KP1526



Spring type center guiding feet set
雙針中分刀壓腳

6, 8, 10, 12 mm


KP768AO



Pneumatic center guiding foot
氣動中分刀外壓腳

6, 8, 10, 12 mm


KH1526-I



Inner compensating foot
內互補壓腳

6, 8, 10, 12 mm


KH1526-NP/FD



Needle plate & feed dog for 1526
1526 用針板/送布牙

6, 8, 10, 12 mm

KH1296-NC



Needle clamp
針頭

6, 8, 10, 12 mm

PFaff 百福


DOUBLE NEEDLE FEET

Pfaff 百福

雙針壓腳

2545, 2546 Powerline


KP767



Spring type center guiding feet
for 9mm stitch length
彈弓中分刀外壓腳，適合 9mm 行程用

5, 6, 8, 10, 12, 14, 16 mm

KP868



Spring type center guiding feet
for 12mm stitch length
彈弓中分刀外壓腳，適合 12mm 行程用

6, 8, 10, 12, 14, 16 mm

KP768AO



Pneumatic center guiding feet
for 9mm stitch length
氣動中分刀外壓腳，適合 9mm 行程用

5, 6, 8, 10, 12, 14, 16 mm

91-149 370-91 6mm
91-149 372-91 8mm
91-149 374-91 10mm
91-149 376-91 12mm
91-149 380-91 16mm

DOUBLE NEEDLE FEET

雙針壓腳

Pfaff 百福

2545, 2546 Powerline

KP868AO




91-149 381-91 8mm
91-149 382-91 10mm
91-149 383-91 12mm
91-149 384-91 16mm

Pneumatic center guiding foot
for 12mm stitch length
氣動中分刀外壓腳，適合 12mm 行程用

6, 8, 10, 12, 14, 16 mm

KP768-I




91-154 978-91/001 6mm
91-154 978-93/004 8mm
91-154 978-93/006 10mm
91-154 978-93/008 12mm
91-154 978-93/013 16mm

Compensating Inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP767UD




91-149 279-93/001 4mm
91-049 385-93/025
91-149 279-93/003 6mm
91-049 385-93/029
91-149 279-93/004 8mm
91-049 385-93/035
91-149 279-93/005 10mm
91-049 385-93/039
91-149 279-93/006 12mm
91-049 385-93/002

Double needle presser feet set
for 9mm stitch length
雙針壓腳，適合 9mm 行程用

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP867UD



Double needle presser feet set
for 12mm stitch length
雙針壓腳，適合 12mm 行程用

6, 8, 10, 12, 14, 16 mm

Most of the double needle feet on Pfaff 2546 Powerline are same as those for Durkopp Adler 767, 768, 867, and 868 machines. For more presser feet with special functions, please check Durkopp Adler 767 & 768 feet (For 9mm stitch length) on P.7-8 and Durkopp Adler 867 & 868 feet (For 12mm stitch length) on P.10

大部份百福 2546 雙針配件與杜克普767, 768, 867, 868 相同。
更多特種壓腳，請參閱杜克普767, 768 的 9mm 行程用壓腳 (P.7-8) 及杜克普867, 868 的 12mm 行程用壓腳 (P.10)。


GAUGE SETS

針位

Pfaff 百福

244


KP244N



Presser foot 壓腳

2.4mm, 3.2 mm


KH244N-NP/FD



Needle plate and feed dog
針板/送布牙

2.4mm, 3.2 mm

KH244-NC



Needle clamp 針頭

2.4mm, 3.2mm, 4.0 mm


GAUGE SETS

Pfaff 百福

針位

244


KH244-NG



Needle guard 針傍

2.4mm, 3.2mm, 4.0 mm


KH244-NP



Needle plate for stitching shoe uppers & other leather articles
鞋履表層或皮革用針板

2.4mm, 3.2mm, 4.0 mm

KH244-FD



Feed dog for stitching shoe uppers & other leather articles
鞋履表層或皮革用送布牙

2.4mm, 3.2mm, 4.0 mm

PFAFF 百福


SPARE PARTS

Pfaff 百福

配件

293, 474, 491, 493, 1244


Roller Presser 壓輪



K

Diameter 直徑: 25, 29, 35 mm

474NP



Needle plate (Double needle) for 474
474 雙針針板


1.6mm, 2.0mm, 2.4 mm

91-119 722-91 + 91-119 544-05



Lower roller 下滾輪


491NP



K


Needle plate (Single needle) for 491
491 單針針板

91-051 255-93/002




Roller presser for 293
293 壓輪

91-051 159-93/002



Roller presser for 1244
1244 壓輪

KG1296VP



KG768V


Pneumatic guiding set for most Pfaff post bed machines
百福立柱式縫紉機用氣動傍位

KG768V




Guiding knife for decorative topstitching
分邊面縫傍位

KG768M




Guiding knife for decorative topstitching with piping
飾邊面縫傍位

KG778




Pneumatic lifted edge guide
泛用型氣動升降傍位

KG777




Pneumatic guide
泛用型氣動傍位

KG768C




Guiding knife for decorative topstitching
分邊面縫傍位

KHM700-1H




Heel action switch
腳跟後踏拉桿

KG-OFS



On / Off switch 開關掣

KG0010-F




F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器

SUSPENDING EDGE GUIDES

Pfaff 百福


吊傍

KG1245




Long straight guide & 14mm dia. roller guide
長直傍位及14mm直徑滾輪傍位
For most Pfaff machine models
適合大部份百福機種

09-009 824-21




For Pfaff 1245
百福1245用

09-009 824-22




For Pfaff 1525 and 2545
百福1525及2545用

09-009 844-35




For Pfaff 1525 and 2545
百福1525及2545用

09-009 842-60




Guiding on the left and/or right hand side
左右分別/同時導傍

KG1525D




Double guides for Pfaff 1525 and 2545
百福1525及2545用雙傍位

09-009 851-98




For Pfaff 3834 百福3834用
Long straight guide & 14mm dia. roller guide
長直傍位及14mm直徑滾輪傍位

KG68




GB463




For Pfaff 463
百福463用

KG1087-6




6mm diameter roller guide
6mm直徑滾輪傍位

KG1087-16



16mm diameter roller guide
16mm直徑滾輪傍位

KG1245 + EG01



KG1245 suspending guide with EG-01 eye guard
KG1245 傍位連 EG-01 護目鏡

PFAFF 百福


SUSPENDING EDGE GUIDES

Pfaff 百福

吊傍


PFAFF 百福

KB09




Bracket for Pfaff machines
百福機型用轉接配件

KG-AA




Long straight guide
長直形傍位

KG-AB




Zipper / Long straight guide (Dual functions)
拉鏈/長直形兩用傍位

KG-B14




Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11




Roller diameter: 11mm
11mm直徑滾輪傍位

KG-S04




Roller diameter: 4mm
4mm直徑滾輪傍位

KG-AC




(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位

KG-BZ



Zipper guide
拉鏈傍位

KG-NR



Regulating guide for zipper
可調節拉鍊傍位


GAUGE SETS

Juki 重機

針位


LU-1510N

KP1510W




Feeding foot width 內壓腳寬: 8mm

KP1510LN




Left cording foot set
左單邊壓腳

KP1510RN




Right cording foot set
右單邊壓腳

KP1510F




For binding
包縫用

KP1510-N081




Presser foot width 外壓腳寬: 8mm
Feeding foot width 內壓腳寬: 4.5mm

KP1510-L081




Presser foot width 外壓腳寬: 6.5mm
Feeding foot width 內壓腳寬: 4.5mm

KP1510-R081



Presser foot width 外壓腳寬: 6.5mm
Feeding foot width 內壓腳寬: 4.5mm


GL1510



Left compensating guide feet
左邊彈弓傍位壓腳

3, 4, 5, 6 mm


GR1510



Right compensating guide feet
右邊彈弓傍位壓腳

3, 4, 5, 6 mm


GL1510H



Deeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳, 超厚物用

5, 6, 8, 9 mm


GR1510H



Deeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳, 超厚物用

5, 6, 8, 9 mm

KH1510TG



Left cording groove is integrated one half
of each in the presser foot and feeding foot
左坑繩管用, 針孔貼齊坑邊

3, 4, 5, 6 mm

JUKI 重機


GAUGE SETS

針位

Juki 重機

LU-1510N


KH1510PL



Cording groove on the left of the needle
左坑，繩管用左單趾壓腳

3, 4, 5, 6 mm

KH1510PR




Cording groove on the right of the needle
右坑，繩管用單左趾壓腳

3, 4, 5, 6 mm

B1109-563-000 Needle plate 針板

213-49204 Feed dog 送布牙




GAUGE SETS

針位

Juki 重機

LU-1560N


KP1560



Spring type center guide feet
彈弓中分刀壓腳

6, 8, 10, 12, 14 mm
3/16", 1/4", 5/16", 3/8", 1/2", 5/8"


KP1560CG



Fix center guide feet
固定中分刀壓腳

6, 8, 10, 12, 14 mm


KP1560AO



Pneumatic center guide foot
氣動中分刀外壓腳

6, 8, 10, 12, 14 mm


KP1560-I



Compensating inner feet
高低互補內壓腳

6, 8, 10, 12, 14 mm


KH1560-NP/FD



Needle plate and feed dog
針板/送布牙

6, 8, 10, 12, 14 mm

KH1560-NC



Needle clamp
針頭

6, 8, 10, 12, 14 mm


GAUGE SET

針位

Juki 重機

TSC-441

KH441RG-GS



Right guiding gauge set for TSC-441
TSC-441用右傍針位

3mm, 4mm, 5mm, 6 mm

JUKI 重機


WALKING FEET & EDGE GUIDE

上下送料壓腳及吊傍

Juki 重機


DU-141 / DSC-245

B1524-141-H00 Presser foot 外壓腳
B1525-141-HA0 Feeding foot 內壓腳




For Juki DU-141
重機DU-141用

B1524-245-000 Presser foot 外壓腳
B1470-245-000 Feeding foot 內壓腳




For Juki DSC-245
重機DSC-245用

MAQ093080A0 Presser foot 外壓腳
MAN10452000 Feeding foot 內壓腳




For binding on Juki DSC-245
重機DSC-245包縫用

B1529-245-0AA Presser foot 外壓腳
B1476-245-00A Feeding foot 內壓腳



For Juki DSC-245
重機DSC-245用

KG141



For Juki DU-141
重機DU-141用


DOUBLE NEEDLE FEET

Juki 重機

雙針壓腳

LU-2860


KP767



Spring type center guiding feet set
彈弓中分刀雙針壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767-SO



Spring type center guiding foot
彈弓中分刀雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP767-SI



Feeding foot for center guiding
中分刀雙針內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768AO



Pneumatic center guide foot
氣動中分刀外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-I



Compensating inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP768-IX



Compensating foot with
a center guide on right toe
高低互補內壓腳連中分刀(右趾)

6, 8, 10, 12, 14 mm


KP768-HI



Support larger difference in height
可應付大高度落差

8, 10, 12, 14, 16 mm


KP767S



For small operation
精巧工序用

6, 8, 10, 12, 14 mm


KP767SK



For small operation with center guide
精巧工序用(中分刀)

6, 8, 10, 12 mm


KP767UD



Double needle presser feet set
雙針壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KP767U



Double needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767D



Double needle feeding foot
雙針內壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


DOUBLE NEEDLE FEET

雙針壓腳

Juki 重機

LU-2860


KP767EP



Zipper feet used together with KHF844
拉鍊壓腳，配搭KHF844使用

10, 12, 14 mm


KP768-MO + KP768-MI



For center cording/piping
中間繩管內外壓腳

8, 10 mm


GA767R



Double needle feet with right guide
Guide pressure and guide level are adjustable
雙針右傍壓腳，傍位壓力及高度均可調教

5, 6, 8, 10, 12, 14 mm


KP768-ZO



Pneumatic center guide foot for small operation
精巧工序用氣動中分刀外壓腳

6, 8, 10, 12 mm

KP768-ZI



Pneumatic center guide feeding foot for small operation
精巧工序用氣動中分刀內壓腳

6, 8, 10, 12 mm

JUKI 重機


GAUGE SET

針位

Juki 重機

LU-2860


KH2860-NP



Needle plate for 2860
2860 針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH2860-FD



Feed dog for 2860
2860 送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


KH2860-NC



Needle clamp for double needle
雙針針頭


3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KG1760VP




Pneumatic guiding set for Juki PLC-1760
重機1760 氣動傍位

KG1760PG



Pneumatic guide set with F.R.L. unit, knee switch and valves for Juki PLC-1760
重機PLC-1760 氣動傍位連 F.R.L. 聯組、氣閥、膝控開關


KP28BL-3



Spring type center guide feet set
彈弓中分刀壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"

KP28BL-3-SO



Spring type center guide foot
彈弓中分刀外壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KP28BL-3-SI



Center guide feeding foot
中分刀內壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KP28BL-3-CG



Fix center guide feet
固定中分刀壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KP28BL-3-AO



Pneumatic center guide foot
氣動中分刀外壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KP28BL-3-I



Compensating inner foot
高低互補內壓腳

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KH28BL-3-DNP



Needle plate 針板

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


KH28BL-3-DFD



Feed dog 送布牙

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"

KH28BL-3-NC



Needle clamp 針頭

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"


GAUGE SET

Seiko 精工

針位

LSWN27BL-3

KH27BL-3-GS



1/8", 5/32", 3/16", 1/4", 5/16", 3/8"


GAUGE SET

Seiko 精工

針位

BBWP-28BL

KHBBWP28BL-GS



1/8", 5/32", 3/16", 1/4", 5/16", 3/8"


GAUGE SET

Seiko 精工

針位

LCW-28BL

KHLCW28BL-GS



4mm, 5mm, 6mm, 1/8", 3/16", 1/4"


GAUGE SET

針位

Mitsubishi 三菱 / Seiko 精工

LU2-400 / LSW-28BL

KHLSW28BL-GS




1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2"

NEEDLE PLATES & FEED DOGS

Seiko 精工


針板及送布牙

13022 Needle plate 針板
13020 Feed dog 送布牙




For CW-8B
CW-8B 用

13104 Needle plate 針板
13103 Feed dog 送布牙




For LCW-7
LCW-7 用

13240 Needle plate 針板
13243 Feed dog 送布牙




For CW-8V
CW-8V 用

10665 Needle plate 針板
10805 Feed dog 送布牙




For LSW-8BL
LSW-8BL 用

10665F Needle plate 針板
10805F Feed dog 送布牙



For LSW-8BL
LSW-8BL 用

10863 Needle plate 針板
10864 Feed dog 送布牙



For STW-7
STW-7 用


SEIKO 精工

NEEDLE PLATES & FEED DOGS

Seiko 精工


針板及送布牙

1380 Needle plate 針板
1376 Feed dog 送布牙




For SK-6F
SK-6F 用

28540 Needle plate 針板
28545 Feed dog 送布牙




For CH-2B(2)
CH-2B(2) 用

8065 Needle plate 針板
8063 Feed dog 送布牙




For TF6
TF6 用

17221 Needle plate 針板
17220 Feed dog 送布牙




For LSC-8B
LSC-8B 用

17221B Needle plate 針板
17220B Feed dog 送布牙




For LSC-8B
LSC-8B 用

112607SP




Slide plate for installing binder
包縫筒用推板

17073 Needle plate 針板
17089 Feed dog 送布牙



For LSC-8BV
LSC-8BV 用

17073-S Needle plate 針板
17089-S Feed dog 送布牙



For LSC-8BV
LSC-8BV 用

SEIKO 精工

WALKING FEET

Others 其他

上下送料壓腳

U192 Presser foot 外壓腳
U193 Feeding foot 內壓腳




Regular feet set
標準壓腳

U192B Presser foot 外壓腳
U193B Feeding foot 內壓腳



Wider feeding foot, toe on left side
較闊內壓腳，趾在左面


U192B Presser foot 外壓腳
U193SG Feeding foot 內壓腳



Feeding foot with right edge guide, toe on left side
右傍邊內壓腳，趾在左面

1/16", 3/32", 1/8", 5/32"


U192B Presser foot 外壓腳
U193TS Feeding foot 內壓腳



Feeding foot with right top stitch guide, toe on left side
右彈弓片傍位內壓腳，趾在左面

1/16", 3/32", 1/8", 5/32"


U192B Presser foot 外壓腳
Y350 Feeding foot 內壓腳



Feeding foot with compensating guide, toe on left side
高低傍位內壓腳，趾在左面


1/16", 3/32", 1/8", 5/32"

U192R Presser foot 外壓腳
U193R Feeding foot 內壓腳




Right zipper feet
右單邊壓腳

U192T Presser foot 外壓腳
U193T Feeding foot 內壓腳




Left zipper feet
左單邊壓腳

U194 Presser foot 外壓腳
U195 Feeding foot 內壓腳



For binding
包邊用


U194A Presser foot 外壓腳
U195A Feeding foot 內壓腳



Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

3/16", 1/4"


U194B Presser foot 外壓腳
U195B Feeding foot 內壓腳



Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm

3/16", 1/4"


U31A Presser foot 外壓腳
U30A Feeding foot 內壓腳



Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

3/16", 1/4"

U31B Presser foot 外壓腳
U30B Feeding foot 內壓腳



Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm

3/16", 1/4"

OTHERS 其他


WALKING FEET

Others 其他

上下送料壓腳

U68 Presser foot 外壓腳


U67 Feeding foot 內壓腳



Cording and piping feet
繩管嵌線壓腳

U68T Presser foot 外壓腳


U67T Feeding foot 內壓腳



Narrow cording and piping feet
窄繩管嵌線壓腳

0.0, 2.5, 4.0, 5.5 mm


DY350A



Piping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左

4.0, 5.0, 6.4, 8.0, 9.5 mm

DY350B




Piping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左

4.0, 5.0, 6.4, 8.0, 9.5 mm

10796 Presser foot 外壓腳


10795 Feeding foot 內壓腳



Regular feet
標準壓腳

10796H Presser foot 外壓腳


10795H Feeding foot 內壓腳



Wider feet
闊壓腳

10796L Presser foot 外壓腳


10795L Feeding foot 內壓腳



Left zipper feet
左單邊壓腳

10796LP Presser foot 外壓腳

10795LP Feeding foot 內壓腳




Piping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左

1/8", 3/16", 1/4"

10796K1-A Presser foot 外壓腳

10795K1-A Feeding foot 內壓腳




Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

1/8", 3/16", 1/4", 5/16", 3/8"

10796K1-B Presser foot 外壓腳

10795K1-B Feeding foot 內壓腳




Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm

1/8", 3/16", 1/4", 5/16", 3/8"

17083 Presser foot 外壓腳


17086 Feeding foot 內壓腳



For binding (large)
包邊用(大)

17083-B2 Presser foot 外壓腳

17086-B2 Feeding foot 內壓腳



Cording feet
單邊嵌線壓腳


OTHERS 其他

PRESSER FEET

Others 其他


壓腳

17084 Presser foot 外壓腳
17087 Feeding foot 內壓腳




For binding (small)
包邊用 (小)

13246 Presser foot 外壓腳
13249 Feeding foot 內壓腳



For binding
包邊用

LU-41A Presser foot 外壓腳
LU-41B Feeding foot 內壓腳



Piping feet 繩管壓腳
Extra roller on left side 左面輔助滾輪

4, 5, 6 mm


S31 Presser foot 外壓腳
S30 Feeding foot 內壓腳



Groove on the part of needle hole left & part of left toe
繩坑於部份左面針孔及部份左腳趾上

1/8", 3/16", 1/4", 5/16", 3/8"


S96 Presser foot 外壓腳
S95 Feeding foot 內壓腳



Piping feet 繩管壓腳
Groove on needle hole left 繩坑於針孔左面


3/16", 1/4"

S513 Presser foot 外壓腳
S512 Feeding foot 內壓腳




With up-feeding spikes
附送布尖釘

S537 Presser foot 外壓腳
S538 Feeding foot 內壓腳



With up-feeding spikes
附送布尖釘


120369 Presser foot 外壓腳
120370 Feeding foot 內壓腳



For Singer 16U
勝家 16U 用


1/8"

240148 Presser foot 外壓腳
240149 Feeding foot 內壓腳




Regular feet
標準壓腳

28057 Presser foot 外壓腳
28137 Feeding foot 內壓腳




97743 Presser foot 外壓腳
97738 Feeding foot 內壓腳



For Singer 132K6
勝家 132K6 用

97743P Presser foot 外壓腳
97738P Feeding foot 內壓腳



Piping foot for Singer 132K6
勝家 132K6 用繩管壓腳


OTHERS 其他

SUSPENDING EDGE GUIDES

Others 其他


吊傍

KG367B



Roller and zipper guide for Durkopp Adler 367
杜克普367用滾輪及拉鏈傍位


KG767A



N800 075006


Long straight guide & 14mm dia. roller guide
長直形傍位及14mm直徑滾輪傍位

KG767B



Zipper guide & 14mm diameter roller guide
拉鏈傍位及14mm直徑滾輪傍位


KG767D



N800 025009

Double guide for Durkopp Adler 467 and 767
杜克普467及767用雙傍位


KG867A



Maximum adjustable height: 100mm
最大可調教高度: 100mm

Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位


KG967A



Extra long guiding, 20mm longer than KG867
特長傍位，比KG867長20mm


Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG867S



4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位


KG867N



N type allows both hands holding the material
N 型傍位設計方便雙手同時把持物料


Long straight guide 11mm & 14mm diameter roller guide
長直形傍位，11mm及14mm直徑滾輪傍位

KG867D




Double guide
雙傍位

KG867E




Triple guide
叁傍位

KG767LR



Guiding on the left and/or right hand side
左右分別/同時導傍

KG867Y




2 steps adj. guide, max. adjusting range between 2 steps = 16mm
二段調節傍位，最寬調教距離為16mm

Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位


OTHERS 其他

KG1087-6




Roller guide 滾輪傍位: 6mm

KG1087-16




Roller guide 滾輪傍位 : 16mm

KG867A+EG01




KG867 傍位連 EG-01 護目鏡
KG867 suspending guide with EG-01 eye guard

KG367T




Applicable for 適用於: KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS
Cord size 繩管尺寸: 6mm, 9mm

KG767T




Applicable for 適用於: KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS
Cord size 繩管尺寸: 6mm, 9mm

KG777




Pneumatic guide for universal machines
泛用型氣動傍位

KG778




Pneumatic lifted edge guide for universal machines
泛用型氣動升降傍位

KG1245




Long straight guide & 14mm dia. roller guide
長直形傍位及14mm直徑滾輪傍位
For most Pfaff machine models
適合大部份百福機種

09-009 824-21



For Pfaff 1245
百福1245用

09-009 824-22




For Pfaff 1525 and 2545
百福1525及2545用

SUSPENDING EDGE GUIDES

Others 其他


吊傍

09-009 844-35




For Pfaff 1525 and 2545
百福 1525 及 2545 用

09-009 842-60




For Pfaff 1525 and 2545
百福 1525 及 2545 用

KG1525D




For Pfaff 1525 and 2545
百福 1525 及 2545 用

09-009 851-98




For Pfaff 3834
百福 3834 用

KG68




GB463




For Pfaff 463
百福 463 用

KG1245+EG01




KG1245 suspending guide with EG-01 eye guard
KG1245 傍位連 EG-01 護目鏡

KG141




For Juki DU-141
重機 DU-141 用


GB1




GB2



GB4





GB9




OTHERS 其他

GB7




可安裝在任何平縫機壓腳柱上，獨立壓腳裝置使之停留在機面上，不受壓腳升降影響。
It can be installed on presser bar of most flat-bed machine. Its independently pressing device keeps it always on the bed. There is no disturbance from lifting of presser feet.

KB767



Bracket for Durkopp Adler 467, 767, 768
杜克普 467, 767, 768 用轉接配件


KB867



N800 080003


Bracket for Durkopp Adler 669, 867, 868
杜克普 669, 867, 868 用轉接配件

KB367




Bracket for Durkopp Adler 367
杜克普 367 用轉接配件

KB205




Bracket for Durkopp Adler 204-370, 205-370
杜克普 204-370, 205-370 用轉接配件

KB267



Bracket for Durkopp Adler 267, 268, 269
杜克普 267, 268, 269 用轉接配件


KB295



N900 003364


Bracket for Durkopp Adler 195, 243, 244, 291, 294, 296, 491
杜克普 195, 243, 244, 291, 294, 296, 491 用轉接配件

KB1230




Bracket for Durkopp Adler 1230i
杜克普 1230i 用轉接配件

KB09




Bracket for Pfaff machines
百福縫紉機用轉接配件

KB591




Bracket for Pfaff 591
百福 591 用轉接配件

KB-8




Bracket for KG767LR, KG867D, KG867E
KG767LR, KG867D, KG867E 連接支架

KG-BZ




Zipper guide
拉鏈傍位

KG-NR




Regulating guide for zipper
可調節拉鏈傍位

KG-AA




Long straight guide
長直形傍位

KG-AB




Zipper / Long straight guide (Dual functions)
拉鏈/長直形兩用傍位

KG-AC




(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位

KG-B14




Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11



Roller diameter: 11mm
11mm直徑滾輪傍位


KG-S04




Roller diameter: 4mm
4mm直徑滾輪傍位

助縫配件


KHF2 / KHF3 / KHF4




KHF4410



KG4410 + KG4410F / KG4410T




KHF8A + KG4410F




Tape Size 入口: 5/8", 3/4", 7/8", 1"

KHF8B + KG4410F




Tape Size 入口		Finished Size 出口
1"	~	1/4"
1-1/4"	~	5/16"
1-1/4"	~	3/8"

KH341T + KG4410T




KHF48A + KG4410F




Tape Size 入口: 10, 12, 13, 14, 16, 18, 20, 22, 24, 26mm

Round Cap Screws 圓杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M3 x 0.5	4, 5, 6mm
M4 x 0.75	5, 6, 8mm
M5 x 0.8	6, 8, 10mm
M6 x 1.0	6, 8, 10mm

Head Cap Screws 杯頭螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5mm
M2.5 x 0.45	4, 6mm
M3 x 0.5	4, 6, 8, 10mm
M4 x 0.75	6, 8, 10, 12, 14, 16mm
M5 x 0.8	8, 10, 12, 14, 16mm
M6 x 1.0	8, 10, 12, 14, 16mm

Countersunk Head Screws 平杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5, 6, 8, 10mm
M2.5 x 0.45	5, 6, 8, 10mm
M3 x 0.5	6, 8mm
M4 x 0.75	6, 8mm
M5 x 0.8	6, 8, 10mm
M6 x 1.0	8, 10mm

Head Set Screws 基米螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	3, 4, 5, 6mm
M2.5 x 0.45	3, 4, 5, 6mm
M3 x 0.5	3, 4, 5, 6, 8, 10mm
M4 x 0.75	6, 8, 10, 12, 14, 16mm
M5 x 0.8	6, 8, 10mm

Plain Washers 平介(墊片)




Diameter 直徑 (Ø)
2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm

Hexagon Nuts 六角絲母




Diameter 直徑 (Ø)
M2, M2.5, M3, M4, M5, M6

Wave Washers 碟形墊圈




Diameter 直徑 (Ø)
8mm, 11mm, 13mm, 15mm, 21mm, 25mm, 27mm, 29mm, 31mm, 34mm

Internal Retaining Rings 內卡簧



Diameter 直徑 (Ø)
8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm

External Retaining Rings 外卡簧



Diameter 直徑 (Ø)
8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

Index

索引

零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page
Durkopp Adler 杜克普		0867-210010FDH	12	KG867Y	30	KH467Q-FD	5
0068-000280KH	16	0867-310430	17	KG868VP	18	KH467Q-NP	5
0068-004910KH	16	9203-312411	6, 12	KG967A	30	KH69D	25
0099-004700KH1.6	16	9400-000228KH	16	KG-AA	31	KH69F	25
0211-001033-1	14	GA767R	8	KG-AB	31	KH69R	25
0211-001033-6	14	GD269	23	KG-AC	32	KH69S	25
0216-000134KH	16	GD367	3	KG-B14	32	KH767AS	9, 13
0245-001660A	14, 33	GL269	23	KG-BZ	32	KH767-FD	8
0245-001660AS	14, 33	GL291	28	KG-NR	32	KH767-NC	8, 13, 25
0268-350163	27	GL367	3	KG-OFS	19	KH767NC-1S	14
0291-000159	6, 12	GL367H	3	KG-S04	32	KH767NC-6S	14
0367-100050	27	GL367X	3	KG-S11	32	KH767-NCS	6, 25
0367-120023	15	GL867	10	KH1230-FD	29	KH767-NP	8
0367-120040	15	GL867H	10	KH1230-NC	29	KH767TG	4
0367-120110	15	GR1230	29	KH1230-NP	29	KH767WG	4
0367-120284	15	GR204	27	KH195-FD	26	KH768-FD	9
0367-140090	15	GR269	23	KH195-NC	26	KH768-NP	9
0367-140090F	15	GR291	28	KH195-NG	26	KH768-NPC	9
0367-140320	15	GR367	3	KH195-NP	26	KH768-NPT	9
0367-150270KH	14	GR367H	3	KH204PC	27	KH867-BFD	12
0367-150413	16	GR367X	3	KH205-FDB	27	KH867-BNP	12
0367-150433	16	GR867	10	KH205M	27	KH867-DFD	13
0367-170040	16	GR867H	10	KH205-NPB	27	KH867-DNP	13
0367-170044	16	KA69	25	KH205RG-GS	27	KH867-HFD	12
0367-200340	6	KA767	20	KH267-DFD	25	KH867-HNP	12
0367-210230	6	KA767R	20	KH267-DNP	25	KH867-OSNC	9, 13
0367-232010KH	6, 9, 13	KA768	22	KH267Q-FD	25	KH867PBBA	17
0367-310210	15	KA768-BG	22	KH267Q-NP	25	KH868-FD	13
0367-350060	16	KA768-BI	22	KH267S-FD11	25	KH868-NB	11
0467-130283	15	KB1230	31	KH267S-NP11	25	KH868-NP	13
0467-160200	16	KB205	31	KH269-DFD	25	KH868-NPC	13
0467-160220	16	KB267	31	KH269-DNP	25	KHB1230	29
0467-210070	5	KB295	31	KH269-FD	25	KHB669	26
0467-310130	15	KB367	31	KH269-NB	25	KHB767	21
0467-310163	15	KB767	31	KH269-NP	25	KHF205-91275	27
0467-310180	15	KB867	31	KH269PC	24	KHF205-91275S	27
0467-310200	15	KCU467-GS	6, 12	KH269PL	24	KHF205B	27
0467-310213	15	KDB-867(26)	14, 33	KH269TG	24	KHF467	20
0467-310233	15	KDB-867(32)	14, 33	KH295SS-FD	28	KHF669CU	26
0667-150830	14, 33	KDH-467A	33	KH295SS-NP	28	KHF767F	20
0667-156530	14, 33	KDH-467TR	33	KH295ST-FD	28	KHF767P1	21
0667-315053	17	KDH-768A	33	KH295ST-NP	28	KHF767P2	21
0667-315113	17	KDH-768TR	33	KH367-FD	4	KHF767RG	21
0667-355110	17	KDH-867(26)	33	KH367-FDP	4	KHF767TA	21
0667-355130	17	KDH-867(32)	33	KH367FG	2	KHF767TS	20
0667-355140	17	KG0010-F	19	KH367FG2	2	KHF767UL	21
0767-120050KH	6	KG1087-16	30	KH367-HFD	4	KHF767WL	21
0767-120060	6	KG1087-6	30	KH367-HNP	4	KHF767WS	20
0767-120064KH	6	KG367B	29	KH367-NP	4	KHF844	21
0767-150590	14	KG367T	31	KH367PB	4	KHF867	20
0767-200030	6	KG767A	29	KH367PC	4	KHF867F	20
0767-210030	6	KG767B	29	KH367PCS	4	KHM700-1H	19
0867-140010	17	KG767D	30	KH367PD	5	KP10711703	2
0867-140020	17	KG767LR	30	KH367PF	4	KP1230-D	29
0867-140030	17	KG767T	31	KH367PJ	5	KP195	26
0867-140040	17	KG768C	18	KH367PL	4	KP205B	27
0867-140050	17	KG768M	18	KH367PR	4	KP205LN	27
0867-140060	17	KG768V	18	KH367TG	5	KP205RN	27
0867-140070	17	KG768VP	18	KH467B	6	KP267Q	23
0867-140080	17	KG768Y	18	KH467-FD11	5	KP269	24
0867-140090	17	KG777	19	KH467-FD6	5	KP269D	24
0867-140110	17	KG778	19	KH467K-FD	5	KP269DX	24
0867-200010	11	KG867A	30	KH467K-NP	5	KP269F	23
0867-200020	11	KG867A + EG01	30	KH467N081-FD	5	KP269LN	23
0867-200030	11	KG867D	30	KH467N081-NP	5	KP269N	23
0867-210010A	11	KG867N	30	KH467-NP11	5	KP269RN	23
0867-210010B	12	KG867S	30	KH467-NP6	5	KP269S	23

索引

零件號	頁數	零件號	頁數	零件號	頁數	零件號	頁數
Parts Number	Page	Parts Number	Page	Parts Number	Page	Parts Number	Page
KP269SK	24	335-S4	36	KH1525B	39	0467-210070	5
KP269T	23	474NP	42	KH1525-FDB	39	0767-120050KH	6
KP269TS	23	474RP	42	KH1525-NPB	39	0767-120060	6
KP269UD	24	491NP	42	KH1525PL	39	0767-120064KH	6
KP269W	23	91-014 636-35	36	KH1525PR	39	0767-200030	6
KP295LN	28	91-045 607-90	39	KH1525TG	39	0767-210030	6
KP295RN	28	91-046 497-04	36	KH1526-FD	40	213-49204	47
KP295W	28	91-046 498-05	36	KH1526-I	40	9203-312411	6
KP367B	2	91-051 159-93/002	42	KH1526-NP	40	B1109-563-000	47
KP367F	1	91-051 255-93/002	42	KH244-FD	42	B1470-245-000	48
KP367-L081	1	91-059 229-04	36	KH244-NC	41	B1524-141-H00	48
KP367LN	1	91-059 703-05	36	KH244N-FD	41	B1524-245-000	48
KP367LV	2	91-059 935-04/002	39	KH244-NG	42	B1525-141-HA0	48
KP367N	1	91-119 544-05	42	KH244N-NP	41	GA767R	8, 50
KP367-N081	1	91-119 720-91	42	KH244-NP	42	GD367	3
KP367-R081	1	91-150 555-05	36	KH335PL	35	GL1510	46
KP367RN	1	91-150 602-05	39	KH335TG	35	GL1510H	46
KP367RV	2	91-158 206-04	36	KH345-FDN	36	GL367	3
KP367S	2	GB463	44	KH345-FDW	36	GL367H	3
KP367T	1	GL1245	34	KH345-NPN	36	GL367X	3
KP367TP	2	GL1525	38	KH345-NPW	36	GR1510	46
KP367VC	1	GL1525H	38	KH346-GS	36	GR1510H	46
KP367VX	1	GR1245	34	KHF91040	36	GR367	3
KP367W	1	GR1525	38	KHF91045	36, 39	GR367H	3
KP367ZP	2	GR1525H	38	KHM700-1H	43	GR367X	3
KP467LW	2	KB09	43, 45	KP1245CS	35	KCU467-GS	6
KP467Q	1	KB867	43	KP1245-L071	34	KG0010-F	51
KP467RW	2	KG0010-F	43	KP1245LN	34	KG0020-V	51
KP767	7	KG1087-16	44	KP1245-N071	34	KG0030-S	51
KP767D	7	KG1087-6	44	KP1245-R071	34	KG141	48
KP767EP	8	KG1245	44	KP1245RN	34	KG1760PG	51
KP767S	7	KG1245 + EG01	44	KP1245W	34	KG1760VP	51
KP767-SI	7, 10	KG1296VP	43	KP1246	37	KH1510PL	47
KP767SK	7	KG1525D	44	KP1296AO	37	KH1510PR	47
KP767-SO	7	KG68	44	KP1296AO-N11	37	KH1510TG	46
KP767U	7, 19	KG768C	43	KP1296-I	37	KH1560-FD	47
KP767UD	7	KG768M	43	KP1296UD	37	KH1560-NC	47
KP768AO	7	KG768V	43	KP1525B	38	KH1560-NP	47
KP768-HI	7	KG777	43	KP1525-L071	38	KH2860-FD	50
KP768-I	7, 10, 19	KG778	43	KP1525LN	38	KH2860-NC	50
KP768-IX	7	KG-AA	45	KP1525N	38	KH2860-NP	50
KP768-MI	8, 19	KG-AB	45	KP1525-N071	38	KH367-FD	4
KP768-MO	8, 19	KG-AC	45	KP1525-R071	38	KH367-FDP	4
KP768-ZI	8	KG-B14	45	KP1525RN	38	KH367FG	2
KP768-ZO	8	KG-BZ	45	KP1525W	38	KH367FG2	2
KP867D	10	KG-NR	45	KP1526	40	KH367-HFD	4
KP867LN	11	KG-OFS	43	KP1526UD	40	KH367-HNP	4
KP867RN	11	KG-S04	45	KP244N	41	KH367-NP	4
KP867U	10	KG-S11	45	KP335FA	34	KH367PB	4
KP867UD	10	KH1245-FD	35	KP335FB	34	KH367PC	4
KP867W	11	KH1245-FDB	35	KP335FC	34	KH367PCS	4
KP868	10	KH1245-FDT	35	KP335LB	35	KH367PD	5
KP868AO	10	KH1245-NP	35	KP335S	34	KH367PF	4
KP868-SO	10	KH1245-NPB	35	KP767	40	KH367PJ	5
N522-005007	22	KH1245-NPT	35	KP767UD	41	KH367PL	4
N522-005007L	22	KH1246-FD	37	KP768AO	40	KH367PR	4
N522-005008	22	KH1246-FDT	37	KP768-I	41	KH367TG	5
N900-001527	22	KH1246-NP	37	KP867UD	41	KH441RG-GS	48
R367R	3	KH1246-NPT	37	KP868	40	KH467B	6
		KH1296-FD	37	KP868AO	41	KH467-FD11	5
		KH1296-FDT	37	N900-001527	37	KH467-FD6	5
Pfaff 百福						KH467K-FD	5
09-009 824-21	44	KH1296-NC	37, 40			KH467K-NP	5
09-009 824-22	44	KH1296-NP	37	Juki 重機		KH467N081-FD	5
09-009 842-60	44	KH1296-NPJT	37	0291-000159	6	KH467N081-NP	5
09-009 844-35	44	KH1296NPJT-N11	37	0367-200340	6	KH467-NP11	5
09-009 851-98	44	KH1296-NPT	37	0367-210230	6		
335-S3	36	KH1525A	39	0367-232010KH	6, 9	KH467-NP6	5

Index

索引

零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page
KH467Q-FD	5	Seiko 精工		24018	58	GB4	61
KH467Q-NP	5	1376	55	24019	58	GB463	61
KH767AS	9	1380	55	28057	58	GB7	62
KH767-FD	8	8063	55	28137	58	GB9	61
KH767-NC	8	8065	55	97738	58	KB-8	63
KH767-NCS	6	10665	54	97743	58	KB09	62
KH767-NP	8	10805	54	120369	58	KB1230	62
KH767TG	4	10863	54	120370	58	KB205	62
KH767WG	4	10864	54	10795H	57	KB267	62
KH768-FD	9	13020	54	10795K1-A	57	KB295	62
KH768-NP	9	13022	54	10795K1-B	57	KB367	62
KH768-NPC	9	13103	54	10795L	57	KB591	62
KH768-NPT	9	13104	54	10795LP	57	KB767	62
KH867-OSNC	9	13240	54	10796H	57	KB867	62
KP10711703	2	13243	54	10796K1-A	57	KB-AC	63
KP1510F	46	17073	55	10796K1-B	57	KG1087-16	60
KP1510-L081	46	17089	55	10796L	57	KG1087-6	60
KP1510LN	46	17220	55	10796LP	57	KG1245	60
KP1510-N081	46	17221	55	97738P	58	KG1245 + EG01	61
KP1510-R081	46	28540	55	97743P	58	KG141	61
KP1510RN	46	28545	55	DY350A	57	KG1525D	61
KP1510W	46	10665F	54	DY350B	57	KG367B	59
KP1560	47	10805F	54	LU-41A	58	KG367T	60
KP1560AO	47	112607SP	55	LU-41B	58	KG68	61
KP1560CG	47	17073S	55	S30	58	KG767A	59
KP1560-I	47	17089S	55	S31	58	KG767B	59
KP367B	2	17220B	55	S512	58	KG767D	59
KP367F	1	17221B	55	S513	58	KG767LR	59
KP367-L081	1	KH27BL-3-GS	53	S537	58	KG767T	60
KP367LN	1	KH28BL-3-DFD	52	S538	58	KG777	60
KP367LV	2	KH28BL-3-DNP	52	S95	58	KG778	60
KP367N	1	KH28BL-3-NC	52	S96	58	KG867A	59
KP367-N081	1	KHBBWP28BL-GS	53	U192	56	KG867A + EG01	60
KP367-R081	1	KHLCW28BL-GS	53	U192B	56	KG867D	59
KP367RN	1	KHLSW28BL-GS	54	U192R	56	KG867E	59
KP367RV	2	KP28BL-3	52	U192T	56	KG867N	59
KP367S	2	KP28BL-3-AO	52	U193	56	KG867S	59
KP367T	1	KP28BL-3-CG	52	U193B	56	KG867Y	59
KP367TP	2	KP28BL-3-I	52	U193R	56	KG967A	59
KP367VC	1	KP28BL-3-SI	52	U193SG	56	KG-AA	63
KP367VX	1	KP28BL-3-SO	52	U193TS	56	KG-AB	63
KP367W	1			U193TS	56	KG-B14	63
KP367ZP	2	Mitsubishi 三菱		U194	56	KG-BZ	63
KP467LW	2	10665	54	U194A	56	KG-NR	63
KP467Q	1	10805	54	U194B	56	KG-S04	63
KP467RW	2	10863	54	U195	56	KG-S11	63
KP767	7, 49	10864	54	U195A	56		
KP767D	7, 49	13020	54	U195B	56	Attachments 助縫配件	
KP767EP	8, 50	13022	54	U30A	56	KG4410	64
KP767S	7, 49	13103	54	U30B	56	KG4410F	64
KP767-SI	7, 49	13104	54	U31A	56	KG4410T	64
KP767SK	7, 49	13240	54	U31B	56	KHF2	64
KP767-SO	7, 49	13243	54	U67	57	KHF3	64
KP767U	7, 49	10665F	54	U67T	57	KHF4	64
KP767UD	7, 49	10805F	54	U68	57	KH341T	64
KP768AO	7, 49	KHLSW28BL-GS	54	U68T	57	KHF4410	64
KP768-HI	7, 49			Y350	56	KHF48A	64
KP768-I	7, 49	Walking Feet 上下送料壓腳				KHF8A	64
KP768-IX	7, 49	10795	57	Suspending edge guides 吊傍		KHF8B	64
KP768-MI	8, 50	10796	57	09-009 824-21	60		
KP768-MO	8, 50	13246	58	09-009 824-22	60		
KP768-ZI	8, 50	13249	58	09-009 842-60	61		
KP768-ZO	8, 50	17083	57	09-009 844-35	61		
MAN10452000	48	17084	58	09-009 851-98	61		
MAQ093080A0	48	17086	57	GB1	61		
R367R	3	17087	58	GB2	61		



*Spare Parts
for Heavy Duty*

厚料設備
及零配件

www.kwokhing.com

國興針車公司

香港九龍荔枝角道 103-107 號地下

Kwok Hing Sewing Machine Co.

G/F., 103-107 Lai Chi Kok Road, Kowloon, Hong Kong

Tel.: (852) 2394 8163

Fax: (852) 2789 2681

www.kwokhing.com

Email: hd@kwokhing.com / spareparts@kwokhing.com