

**Zigzag
Gauge Sets for
Durkopp & Pfaff**



523i, 524i, 525i, 527i 438, 938

**杜克普百福
曲折縫針位組**

www.kwokhing.com

www.khsew.com

國興針車公司
Kwok Hing Sewing Machine Co.

K 前言 Preface

本書內容主要介紹本公司杜克普 (523i, 524i, 525i, 527i) 及百福 (438, 938) 曲折縫針位組。我們的產品繁多，書中不能盡錄。如果未能在書中找到閣下所需，敬請聯絡我們。本公司的網頁 www.kwokhing.com 及 www.khsew.com 亦會提供最新產品資訊，歡迎閣下瀏覽參考及指教。謝謝！

This catalogue provides the information of our zigzag gauge sets for Durkopp (523i, 524i, 525i, 527i) and Pfaff (438, 938). As we have so many products which cannot be included in this catalogue, please visit our website www.kwokhing.com and www.khsew.com for more selections. It has the most updated information of new products. You are always welcome to visit and give us your valuable comments. Thank you very much.

其他主要目錄 Other Main Catalogues:



厚料設備及零配件 Spare Parts for Heavy Duty

主要介紹適用於皮革、汽車座椅、安全氣囊、梳化、皮包、布藝等生產的零件(如針位組、傍位、助縫器、旋梭等)設備及配件

Gauge sets, guides, attachment rotary hooks for heavy duty and leather products (such as car seats, air bags, sofas, and leather bags).



厚料傍位及助縫配件 Suspended guides & Attachments for Heavy Duty

主要介紹厚料傍位、助縫器及助縫配件(如擺架、針位組、轉接配件、包縫器等)

Suspended guides, attachments and the spare parts for attachments (such as moving arm, gauge sets, brackets, binders, etc.)



女仕服裝縫製設備 Spare Parts & Attachments of Lingerie

主要介紹適用於女仕服裝、胸罩和內衣褲等生產的零件、助縫器等配件

Spare Parts & Attachments for Brassieres, Lingeries and other Ladies' Wears



襯衫。休閒。運動 Shirts. Leisurewear. Sports

主要介紹襯衫、休閒服、褲子、流行服飾等生產的零件、壓腳、助縫器等設備及配件，包括：平車、雙針、多針、埋夾、特殊針位、拖輪等

Gauge Sets & Attachments for Shirts, Leisurewears & Fashions. Including Single needle, Double needle, Multi-needle, Feed-of-the-arm, Particular Gauge Sets, Pullers, etc.



繃縫零件 Spare Parts for Interlock Stitch Machines

適用於繃縫機的針位組、助縫器等配件 (包含百多款針板、送布牙、壓腳、針頭等)

Gauge Set & Attachments for Interlock Stitch Machines. Including more than hundred kinds of needle plates, feed dogs, presser feet, needle clamps, etc.



KHF 助縫設備 KHF Attachments

過百種助縫器介紹，適用於多款不同車種

More than hundred kinds of Attachments and bracket. Suitable for different kinds of sewing machines

Zigzag Standard Presser Feet

曲折縫標準壓腳


Durkopp Adler 杜克普/Pfaff 百福

523i, 524i, 525i, 527i / 438, 938

ZIGZAG STANDARD FEET
曲折縫標準壓腳




KP438-086



壓腳寬度 Presser foot width: 8mm
針孔寬度 Needle hole width: 5.5mm




KP438-375



壓腳寬度 Presser foot width: 11mm
針孔寬度 Needle hole width: 6.5mm



KP438B




標準壓腳連護針罩
Standard foot with needle guard

壓腳寬度 Presser foot width: 11mm
針孔寬度 Needle hole width: 6.5mm



KP438A




撮尾壓腳 Up tail foot

壓腳寬度 Presser foot width: 14.5mm
針孔寬度 Needle hole width: 7.5mm




KP438-314



壓腳寬度 Presser foot width: 17mm
針孔寬度 Needle hole width: 11.5mm



541566




撮尾壓腳 Up tail foot

壓腳寬度 Presser foot width: 18.5mm
針孔寬度 Needle hole width: 12mm



R438



滾輪壓腳 Roller foot

壓腳寬度 Presser foot width: 23mm
針孔寬度 Needle hole width: 11mm

Zigzag Guiding & Compensating Feet


曲折縫導傍及高低壓腳

Durkopp Adler 杜克普/Pfaff 百福

523i, 524i, 525i, 527i / 438, 938

GUIDING & COMPENSATING FEET
曲折縫導傍及高低壓腳


KP438-623



助縫器用 For binder
左傍壓腳 Left guiding foot

壓腳寬度 Presser foot width: 14.5mm
針孔寬度 Needle hole width: 7mm


KP438-624



助縫器用 For binder
左傍壓腳 Left guiding foot

壓腳寬度 Presser foot width: 16mm
針孔寬度 Needle hole width: 7mm


KP438-625



助縫器用 For binder
左傍壓腳 Left guiding foot

壓料位置寬度 Pressing width: 13mm
針孔寬度 Needle hole width: 10mm


KP438-7L



左傍壓腳 Left guiding foot

壓料位置寬度 Pressing width: 7mm
針孔寬度 Needle hole width: 6mm


KP438-10L



左傍壓腳 Left guiding foot

壓料位置寬度 Pressing width: 10mm
針孔寬度 Needle hole width: 9mm


KP438-8LF



左傍高低壓腳 Left compensating foot

右趾寬度 Right toe width: 7.5mm
針孔寬度 Needle hole width: 4.5mm


KP438-13



左傍高低壓腳 Left compensating foot

右趾寬度 Right toe width: 7mm
針孔寬度 Needle hole width: 6.5mm


KP938-LF



左傍高低壓腳 Left compensating foot

右趾寬度 Right toe width	針孔寬度 Needle hole width
6mm	5mm
7mm	6mm
8mm	6.5mm
9mm	7.5mm
10mm	8.5mm
11mm	9mm
12mm	10.5mm
13mm	10.5mm
14mm	10.5mm
15mm	10.5mm
17mm	10.5mm
30mm	10.5mm


KP438-CL



左傍高低壓腳 Left compensating foot

右趾寬度 Right toe width: 7.5mm
針孔寬度 Needle hole width: 6mm


KP438-CR



右傍高低壓腳 Right compensating foot

左趾寬度 Left toe width: 7.5mm
針孔寬度 Needle hole width: 6mm


KP438-DL



左傍高低壓腳 Left compensating foot

右趾寬度 Right toe width	針孔寬度 Needle hole width
8mm	7mm
11mm	9mm
15mm	12mm

KP438-DR



右傍高低壓腳 Right compensating foot

左趾寬度 Left toe width	針孔寬度 Needle hole width
8mm	7mm
11mm	9mm
15mm	12mm

Zigzag Guiding & Compensating Feet


曲折縫導傍及高低壓腳

Durkopp Adler 杜克普/Pfaff 百福

523i, 524i, 525i, 527i / 438, 938

GUIDING & COMPENSATING FEET
曲折縫導傍及高低壓腳


KCP Series 系列



互補高低壓腳 (薄物用)
Compensating feet for light fabric



KCP-L (3706)




左傍互補高低壓腳
Left guiding compensating foot

右趾寬度 Right toe width: 12mm
針孔寬度 Needle hole width: 11mm



KCP-R (3707)




右傍互補高低壓腳
Right guiding compensating foot

左趾寬度 Left toe width: 12mm
針孔寬度 Needle hole width: 11mm




KCP-M (266125)



中刀傍互補高低壓腳
Compensating foot with center guide

左/右趾寬度 Left/right toe width: 8.5mm
針孔寬度 Needle hole width: 11mm


KVP Series 系列



互補高低壓腳 (厚物用)
Compensating feet for thick fabric



KVP-L




左傍互補高低壓腳
Left guiding compensating foot

右趾寬度 Right toe width: 12mm
針孔寬度 Needle hole width: 11mm



KVP-R




右傍互補高低壓腳
Right guiding compensating foot

左趾寬度 Left toe width: 12mm
針孔寬度 Needle hole width: 11mm




KVP-M



中刀傍互補高低壓腳
Compensating foot with center guide

左/右趾寬度 Left/right toe width: 8.5mm
針孔寬度 Needle hole width: 11mm


KP438K



中分刀壓腳 Presser feet with center guide

壓腳寬度 Presser foot width: 17mm
針孔寬度 Needle hole width: 12mm

KAP Series 系列



適用於同時縫紉不同厚度物料：


- A) 兩邊壓腳底高度可個別調校
- B) 兩邊壓腳底壓力可個別調校



Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently


KP938-CL



左傍高低壓腳 (可調校)
Left compensating foot (adjustable)



K938L




左導傍高低壓腳
Left compensating foot

右趾寬度 Right toe width: 7.5mm
針孔寬度 Needle hole width: 7mm



K938R




右導傍高低壓腳
Right compensating foot

左趾寬度 Left toe width: 7.5mm
針孔寬度 Needle hole width: 7mm



K938M



左右導傍高低壓腳
Left/right compensating foot

左/右趾寬度 Left/right toe width: 10mm
針孔寬度 Needle hole width: 10mm


Zigzag Tape & Elastic Presser Feet

曲折縫網條及鬆緊帶壓腳

Durkopp Adler 杜克普/Pfaff 百福

523i, 524i, 525i, 527i / 438, 938


KP438-69



面貼壓腳 Tape attaching foot

坑闊 Groove size: 5, 6, 8, 10mm
針孔寬度 Needle hole width: 5, 6, 8, 10mm


KP438-770



面貼壓腳 Tape attaching foot

入口 Tape size: 5/8" 出口 Finished size: 5/16"
針孔寬度 Needle hole width: 10mm


KP438-770K



開式縫面貼壓腳 (附中央導向片)
Open seam tape attaching foot (with center guide)

入口 Tape size: 5/8" 出口 Finished size: 5/16"
針孔寬度 Needle hole width: 10mm


KP438GA



導帶坑面貼壓腳
Grooved tape attaching foot

鬆緊帶寬度 Elastic tape width: 5~16mm
針孔寬度 Needle hole width: 11mm


KP438GA-1



導帶落坑導傍壓腳
Guiding foot with groove


鬆緊帶寬度 Elastic tape width: 5~15mm
針孔寬度 Needle hole width: 11mm

KP438C




導帶壓腳 Guiding foot

鬆緊帶寬度 Elastic tape width: 7~22mm
針孔寬度 Needle hole width: 8mm




KP-ER(37)



導帶滾輪
Roller guide

最寬導傍尺寸
Maximum guiding width: 37mm


KP-ER(65)



導帶滾輪
Roller guide

最寬導傍尺寸
Maximum guiding width: 65mm


KP-TR



導帶滾輪 (連鬆緊帶調節)
Roller guide (with tension device)

最寬鬆緊帶尺寸
Maximum elastic tape size: 45mm


KP438-ER(37)



導帶滾輪壓腳
Roller guiding foot

最寬導傍尺寸 Max. tape size: 37mm
針孔寬度 Needle hole width: 11mm


KP438-ER(65)



導帶滾輪壓腳
Roller guiding foot

最寬導傍尺寸 Max. tape size: 65mm
針孔寬度 Needle hole width: 11mm

KP438-TR



導帶滾輪壓腳 (連鬆緊帶調節)
Roller guiding foot (with tension device)

最寬導傍尺寸 Max. tape size: 45mm
針孔寬度 Needle hole width: 11mm

TAPE & ELASTIC PRESSER FEET
曲折縫網條及鬆緊帶壓腳


Zigzag Tape & Elastic Presser Feet

曲折縫網條及鬆緊帶壓腳

Durkopp Adler 杜克普/Pfaff 百福


523i, 524i, 525i, 527i / 438, 938

KAP Series 系列



適用於同時縫紉不同厚度物料：


- A) 兩邊壓腳底高度可個別調校
- B) 兩邊壓腳底壓力可個別調校




Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently

KZZP-GL



確保網條緊貼旁邊
Ensure tape keeps closed to edge guide




左導傍面貼高低壓腳

Left compensating foot for tape attaching

最寬導傍尺寸 Max. tape size: 17mm
針孔寬度 Needle hole width: 12mm

K938-GL




左導傍面貼高低壓腳

Left compensating foot for tape attaching

最寬導傍尺寸 Max. tape size: 32mm
針孔寬度 Needle hole width: 10mm

K938-GR




右導傍面貼高低壓腳

Right compensating foot for tape attaching

最寬導傍尺寸 Max. tape size: 32mm
針孔寬度 Needle hole width: 10mm


R438CK



滾輪壓腳連導傍 Roller foot with guiding

最大鬆緊帶寬度 Max. elastic tape width: 20mm
針孔寬度 Needle hole width: 11mm

KP438-DG



面貼壓腳 Tape attaching foot

坑闊 Groove size	針孔寬度 Needle hole width
8mm	6mm
10mm	8mm
12mm	10mm

TAPE & ELASTIC PRESSER FEET
曲折縫網條及鬆緊帶壓腳

Zigzag Transparent Plastic Presser Feet


曲折縫透明塑膠壓腳

Durkopp Adler 杜克普/Pfaff 百福

523i, 524i, 525i, 527i / 438, 938




PT-938



全鋼壓腳頭
Steel presser foot head




T-086



壓腳寬度 Presser foot width: 11.5mm
針孔寬度 Needle hole width: 6mm




T-254



壓腳寬度 Presser foot width: 15mm
針孔寬度 Needle hole width: 8mm




T-314



壓腳寬度 Presser foot width: 19mm
針孔寬度 Needle hole width: 11.5mm



TL-107




左傍邊壓腳
Left edge guiding foot

壓料位置寬度 Pressing width: 11mm
針孔寬度 Needle hole width: 7mm



TR-107




右傍邊壓腳
Right edge guiding foot

壓料位置寬度 Pressing width: 11mm
針孔寬度 Needle hole width: 7mm



TL-457




左傍邊壓腳
Left edge guiding foot

壓料位置寬度 Pressing width: 15mm
針孔寬度 Needle hole width: 11.5mm



TR-457



右傍邊壓腳
Right edge guiding foot

壓料位置寬度 Pressing width: 15mm
針孔寬度 Needle hole width: 11.5mm

Other Zigzag Presser Foot


其他曲折縫壓腳

Durkopp Adler 杜克普/Pfaff 百福


523i, 524i, 525i, 527i / 438, 938




KP938BR-C Zigzag grooved foot with thread guiding 人字縫坑槽壓腳連附導線孔



針孔尺寸 Needle hole size:
8mm x 2mm




For tape or seam
細條或接縫用：



坑闊 Groove size:
4, 5, 6mm


For decorative threads
裝飾線用：



裝飾線孔直徑 Decorative thread hole diameter:
Ø 1mm




KB-PF1




壓腳轉駁支架 - 歐式轉日式
Presser foot holder converter - European style to Japanese style

壓腳柱 (歐式)
Presser foot bar
(European style)



壓腳頭 (日式)
Presser foot head
(Japanese style)



TRANSPARENT PLASTIC PRESSER FEET
曲折縫透明塑膠壓腳

OTHER ZIGZAG PRESSER FOOT
其他曲折縫壓腳

Zigzag Gauge Sets (Durkopp Adler)


曲折縫針位組 (杜克普)

Durkopp Adler 杜克普

523i, 524i, 525i, 527i




KN938-603 Needle plate 針板
KF527-523 Feed dog 送布牙



針孔寬度 Needle hole width: 4mm
齒面寬度 Teeth width: 10mm
中排齒排列 Teeth in mid-row: 8+10T




KN438-733N Needle plate 針板
KF527-734N Feed dog 送布牙



針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm
中排齒排列 Teeth in mid-row: 6+9T



KN438-733T Needle plate 針板
KF527-734T Feed dog 送布牙




針板連舌片
Needle plate with supporting finger

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm
中排齒排列 Teeth in mid-row: 4+9T




KN438-68S Needle plate 針板
KF527-920S Feed dog 送布牙



針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 6+9T




KN438-68L Needle plate 針板
KF527-920L Feed dog 送布牙



針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 5+8T



KN438-187 Needle plate 針板
KF527-223 Feed dog 送布牙




可調校 Adjustable (最大 Max. 7mm)
胸罩杯狀接合縫用 For Butting Seam of Brassiere

針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 8T



KN438-596A3 Needle plate 針板
KF527-516A3 Feed dog 送布牙




3行牙，可配合KP438-623壓腳
3-roll teeth, use together with KP438-623 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 10mm



KN438-596A4 Needle plate 針板
KF527-516A4 Feed dog 送布牙




4行牙，可配合KP438-624壓腳
4-roll teeth, use together with KP438-624 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm



KN438-596A5 Needle plate 針板
KF527-516A5 Feed dog 送布牙




5行牙，可配合KP438-625壓腳
5-roll teeth, use together with KP438-625 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 18mm



KP438-623




左傍壓腳 (助縫器用)
Left guiding foot for binding

壓腳寬度 Presser foot width: 14.5mm
針孔寬度 Needle hole width: 7mm



KP438-624




左傍壓腳 (助縫器用)
Left guiding foot for binding

壓腳寬度 Presser foot width: 16mm
針孔寬度 Needle hole width: 7mm



KP438-625



左傍壓腳 (助縫器用)
Left guiding foot for binding

壓料位置寬度 Pressing width: 13mm
針孔寬度 Needle hole width: 10mm

ZIGZAG GAUGE SETS (DURKOPP)
曲折縫針位組 (杜克普)

Zigzag Gauge Sets (Pfaff)


Pfaff 百福

曲折縫針位組 (百福)

438, 938




KN938-603 Needle plate 針板
KF938-523 Feed dog 送布牙



針孔寬度 Needle hole width: 4mm
齒面寬度 Teeth width: 10mm
中排齒排列 Teeth in mid-row: 8+10T




KN438-733N Needle plate 針板
KF438-734N Feed dog 送布牙



針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm
中排齒排列 Teeth in mid-row: 6+9T



KN438-733T Needle plate 針板
KF438-734T Feed dog 送布牙




針板連舌片
Needle plate with supporting finger

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm
中排齒排列 Teeth in mid-row: 4+9T




KN438-68S Needle plate 針板
KF438-920S Feed dog 送布牙



針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 6+9T




KN438-68L Needle plate 針板
KF438-920L Feed dog 送布牙



針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 5+8T



KN438-187 Needle plate 針板
KF438-223 Feed dog 送布牙




可調校 Adjustable (最大 Max. 7mm)
胸罩杯狀接縫用 For Butting Seam of Brassiere

針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 16.5mm
中排齒排列 Teeth in mid-row: 8T



KN438-596A3 Needle plate 針板
KF438-516A3 Feed dog 送布牙




3行牙，可配合KP438-623壓腳
3-roll teeth, use together with KP438-623 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 10mm



KN438-596A4 Needle plate 針板
KF438-516A4 Feed dog 送布牙




4行牙，可配合KP438-624壓腳
4-roll teeth, use together with KP438-624 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 6mm
齒面寬度 Teeth width: 14mm



KN438-596A5 Needle plate 針板
KF438-516A5 Feed dog 送布牙




5行牙，可配合KP438-625壓腳
5-roll teeth, use together with KP438-625 presser foot
助縫器用 For binder

針孔寬度 Needle hole width: 10mm
齒面寬度 Teeth width: 18mm



KP438-623




左傍壓腳(助縫器用)
Left guiding foot for binding

壓腳寬度 Presser foot width: 14.5mm
針孔寬度 Needle hole width: 7mm



KP438-624




左傍壓腳(助縫器用)
Left guiding foot for binding

壓腳寬度 Presser foot width: 16mm
針孔寬度 Needle hole width: 7mm



KP438-625



左傍壓腳(助縫器用)
Left guiding foot for binding

壓料位置寬度 Pressing width: 13mm
針孔寬度 Needle hole width: 10mm

Index

索引

零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page
Needle Plate 針板		Presser Foot 壓腳			
KN438-187	7, 8	541566	1	KP438GA	4
KN438-596A3	7, 8	K938-GL	5	KP438GA-1	4
KN438-596A4	7, 8	K938-GR	5	KP438K	3
KN438-596A5	7, 8	K938L	3	KP438-TR	4
KN438-68L	7, 8	K938M	3	KP938BR-C	6
KN438-68S	7, 8	K938R	3	KP938-CL	3
KN438-733N	7, 8	KCP-L	3	KP938-LF	2
KN438-733T	7, 8	KCP-M	3	KVP-L	3
KN938-603	7, 8	KCP-R	3	KVP-M	3
Feed Dog 送布牙		KP438-086	1	KVP-R	3
KF438-223	8	KP438-10L	2	KZZP-GL	5
KF438-516A3	8	KP438-13	2	PT-938	6
KF438-516A4	8	KP438-314	1	R438	1
KF438-516A5	8	KP438-375	1	R438CK	5
KF438-523	8	KP438-623	2, 7, 8	T-086	6
KF438-523	8	KP438-624	2, 7, 8	T254	6
KF438-734N	8	KP438-625	2, 7, 8	T-314	6
KF438-734T	8	KP438-69	4	TL-107	6
KF438-920L	8	KP438-700	4	TL-457	6
KF438-920S	8	KP438-700K	4	TR-107	6
KF527-223	7	KP438-7L	2	TR-457	6
KF527-516A3	7	KP438-8LF	2	T-086	6
KF527-516A4	7	KP438A	1	T254	6
KF527-516A5	7	KP438B	1	T-314	6
KF527-523	7	KP438C	4	TL-107	6
KF527-734N	7	KP438-CL	2	TL-457	6
KF527-734T	7	KP438-CR	2	TR-107	6
KF527-920L	7	KP438-DG	5	TR-457	6
KF527-920S	7	KP438-DL	2	Roller guide 導帶滾輪	
Presser foot holder coverter 壓腳轉駁支架		KP438-DR	2	KP-ER(37)	4
KB-PF1	6	KP438-ER(37)	4	KP-ER(65)	4
		KP438-ER(65)	4	KP-TR	4



www.kwokhing.com

www.khsew.com

國興針車公司

📍 香港九龍荔枝角道 103-107 號地下

Kwok Hing Sewing Machine Co.

📍 G/F., 103-107 Lai Chi Kok Road, Kowloon, Hong Kong

☎ (852) 2394 8163

☎ (852) 2789 2681

✉ spareparts@kwokhing.com

☎ +852 9797 7414

📱 KwokHing107

📘 facebook.com/khsewing

📺 khsew69