



*Suspending Guides
& Attachments
for Heavy Duty*
厚料傍位及助縫配件




2020

WWW.KWOKHING.COM

WWW.KHSEW.COM

圖例 Legend




- ① QR Code 二維碼
Scanning QR Code to order the product online
掃描二維碼立即訂購產品
- ② Genuine part number 原裝零件編號
- ③ Adjustable guiding range 可調校導傍距離
- ④ Product description 產品描述
- ⑤ Part number 零件編號
- ⑥ Applicable machine models 可應用縫紉機型號
 - Durkopp Adler machine models 杜克普縫紉機型號
 - Pfaff machine models 百福縫紉機型號
 - Juki machine models 重機縫紉機型號
- ⑦ Adjustable height 可調校高度
- ⑧ Related parts 關聯零件
- ⑨ Optional specifications 可選規格


ASSEMBLED SUSPENDING GUIDES

吊傍組合


A + B + C



+



+



Multi-functions suspending guide for different machine models

By matching with different mounting brackets and guiding parts, KH assembled suspending guides can be provided various guiding functions and fit for different machine models.

適用於不同機型的多功能吊傍

KH吊傍組合只需搭配各式轉接配件及導傍配件，便可於不同的縫紉機型號上提供多種導傍效果。

ASSEMBLED SUSPENDING GUIDES

Mounting brackets 轉接配件


吊傍組合

A + B + C

SUSPENDING GUIDES 吊傍



KB767




467 767 768



KB867


#N800 080003



667 669 827 838 867
868 869 887 888 1767



KB09




335 345 346 1245 1246
1295 1296 1525 1526 DNU-241



KB2810


401-12214



PLC-2710 PLC-2710-7 PLC-2760 PLC-2760-7
LU-2810A LU-2810S LU-2860A LU-2860S




KB267



267 268 269



KB205




204-370 205-370 TSC-441



KB295


#N900 003364



195 243 244 291 N291 292
N292 294 295 296 8967 491




KB967



967 969




KB1230



1230i



KB591



591

ASSEMBLED SUSPENDING GUIDES


吊傍組合

Guides 傍位

A + B + C



KG767A




↔ ↑ 30mm ↓ 70-95mm

Long straight guide & 14mm diameter roller guide
直線傍位及14mm直徑滾輪傍位



KG767B




↔ ↑ 30mm ↓ 70-95mm

Zipper guide & 14mm diameter roller guide
拉鏈傍位及14mm直徑滾輪傍位



KG867A




↔ ↑ 40mm ↓ 70-95mm

Long straight guide & 14mm diameter roller guide
直線傍位及14mm直徑滾輪傍位



KG967A




↔ ↑ 40mm ↓ 90-115mm

Long straight guide & 14mm diameter roller guide
直線傍位及14mm直徑滾輪傍位



KG867S




↔ ↑ 40mm ↓ 70-95mm

4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位



KG867N




↔ ↑ 40mm
↓ 45-80mm

N type allows both hands holding the material
N 型傍位設計方便雙手同時把持物料
Long straight guide 11mm & 14mm diameter roller guide
直線傍位、11mm及14mm直徑滾輪傍位



KG867Y




Two steps adjustable guide
Maximum adjusting range
between two steps = 15mm
二段調節傍位
最寬調校距離15mm

Long straight guide
and 14mm diameter roller guide
直線傍位及14mm直徑滾輪傍位

↔ ↑ 15mm ↓ 70-95mm



KG1245




↔ ↑ 40mm ↓ 70-95mm


Long straight guide & 14mm diameter roller guide
直線傍位及14mm直徑滾輪傍位



KG867P




Pneumatic 2 steps adjustable suspending guide
氣動二段調節傍位



↔ ↑ 15mm



KG867P-LAK



可調校距離
Adjustable Range
15 ~ 30mm

↔ ↑ 30mm

15 - 30mm stitches distance adjustment kit for KG867P
KG867P 15 - 30mm 縫線間距調校配件

ASSEMBLED SUSPENDING GUIDES

Guides 傍位

吊傍組合

A + B + C

SUSPENDING GUIDES 吊傍

KG779L

Roller 滾輪
- for curved material
縫曲面用

Guide 傍位
- for straight material
縫平面用

Roller will move upward during sewing crossed seam
過十字縫時
滾輪會自然提升

Left compensating roller guide
左高低滾輪傍位

KG779R

Roller 滾輪
- for curved material
縫曲面用

Guide 傍位
- for straight material
縫平面用

Roller will move upward during sewing crossed seam
過十字縫時
滾輪會自然提升

Right compensating roller guide
右高低滾輪傍位

KG867A + EG01

KG867A suspending guide with EG-01 eye guard
KG867A 傍位連 EG-01 護目鏡

KG1245 + EG01

KG1245 suspending guide with EG-01 eye guard
KG1245 傍位連 EG-01 護目鏡

KG778

Pneumatic lifted edge guide for universal machines
泛用型氣動升降傍位

KG767T

The guide is free adjustable.
The cord can be inserted at the right or left side of the guide.
傍位位置可隨意安放和調校，
繩管可置於左或右邊。

KG767T 吊傍組合

KG0010-F

F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器

KG-OFS

On / Off switch
開關型

ASSEMBLED SUSPENDING GUIDES


吊傍組合

Guiding parts 導傍配件

A + B + C




KG-AA



Long straight guide
直線傍位




KG-AB



Zipper / Long straight guide (Dual functions)
拉鏈/直線兩用傍位




KG-BZ



Zipper guide
拉鏈傍位




KG-BZS



Zipper guide
拉鏈傍位




KG-NR



Regulating guide for zipper
可調節拉鏈傍位




KG-AC



(Improved version of 0667-245004)
(0667-245004 改良款式)
Seam middle guide
中分傍刀




KG-AD



KG-AA
Guiding knife for curve stitch
曲線縫傍刀




KG-B14



Roller diameter: 14mm
14mm直徑滾輪傍位




KG-S11



Roller diameter: 11mm
11mm直徑滾輪傍位



KG-S04



Roller diameter: 4mm
4mm直徑滾輪傍位

SUSPENDING EDGE GUIDES


吊傍

SUSPENDING GUIDES 吊傍



KG367B

367



↔ 50mm ↑ 90-105mm


Roller and zipper guide
滾輪及拉鏈傍位



KG767D

#N800 025009

467 767
868 768




↔ 50mm ↑ 70-80mm

Double guide
雙傍位



KG867D

669 867
868 869
1767




↔ 50mm ↑ 70-80mm

Double guide
雙傍位



KG867E

467 767
867 1767




↔ 50mm ↑ 70-80mm

Triple guide
叁傍位



KG767LR

467 669
767 768
867 868
869 1767




↔ 95mm ↑ 80-90mm

Guiding on the left and/or right hand side
左右分別/同時導傍



KB-8

467 669
767 768
867 868
869 1767




KG767LR KG867D KG867E

Edge guide bracket
傍位支架



KG1087-6




↔ 50mm ↑ 60-85mm

6mm diameter roller guide
6mm直徑滾輪傍位



KG1087-16




↔ 50mm ↑ 60-85mm

16mm diameter roller guide
16mm直徑滾輪傍位



KG141

DU-141




↔ 40mm ↑ 80-95mm

KG-AB KG-AC KG-AD KG-BZ
KG-BZS KG-NR KG-S04 KG-S11



09-009 824-21

335 345
346 1245
1246 1295
1296 1525
1526 2545




↔ 50mm ↑ 60-70mm

Straight guide
直線傍位



09-009 824-22

335 345
346 1245
1246 1295
1296 1525
1526 2545




↔ 50mm ↑ 60-70mm

Straight guide
直線傍位



09-009 844-35

335 345
346 1245
1246 1295
1296 1525
1526 2545



↔ 50mm ↑ 60-70mm

Left side guide
左邊傍位


SUSPENDING EDGE GUIDES

吊傍

SUSPENDING GUIDES 吊傍




09-009 842-60



Guiding on the left and/or right hand side
左右分別/同時導傍




KG1525D



Double guides
雙傍位




09-009 851-98



Long straight guide & 14mm dia. roller guide
直線傍位及14mm直徑滾輪傍位



KG367T




The guide is free adjustable.
The cord can be inserted at
the right or left side of the guide.
傍位位置可隨意安放和調校，
繩管可置於左或右邊。

⤵ 50mm ⤴ 90-105mm
⌚ KH367PB ⌚ KH367PC ⌚ KH367PCS ⌚ KH367PF ⌚ KH367PL ⌚ KH367PR




KGB463




Left / Right side guide
左/右邊傍位



GB1




KG68



⤵ 25mm ⤴ 60-80mm




G463




Mounting block for changing KGB463 to left & right side guide
轉換KGB463為左右傍位配件



GB2




GB4



Roller guide for Golden Wheel 810
金輪810用滾輪傍位



GB9



Diameter 直徑: 12.7mm


⤵ 45mm ⤴ 60-85mm
⌚ KG-AB ⌚ KG-AC ⌚ KG-AD ⌚ KG-BZ
⌚ KG-BZS ⌚ KG-NR ⌚ KG-S04 ⌚ KG-S11

SUSPENDING EDGE GUIDES


吊傍



GB7



Independently
pressing
獨立壓力



可安裝在任何平縫機壓腳柱上，獨立壓腳裝置使之停留在機面上，不受壓腳升降影響。
It can be installed on presser bar of most flat-bed machine. Its independently pressing device keeps it always on the bed. There is no disturbance from lifting of presser feet.

SUSPENDING GUIDES 吊傍


PNEUMATIC GUIDES

氣動傍位



KG1760VP

PLC-1760




KG768C KG768M

Pneumatic guiding set for Juki PLC-1760
重機PLC-1760 氣動傍位



KG1760PG

PLC-1760



KG0010-F
Filter, regulator,
lubricator
減壓閥、壓力表、
油霧器

KG1760VP
Piston, guide,
holder
氣筒、傍位、
支架

K

KG0020-V
Valves
氣閥


KG0030-S
Knee Switch
膝控開關

Pneumatic guide set with F.R.L. unit, knee switch and valves for Juki PLC-1760
重機PLC-1760 氣動傍位連 F.R.L. 聯組、氣閥、膝控開關

PNEUMATIC GUIDES

氣動傍位

KG768VP



KG768C KG768M

Pneumatic guiding set for Durkopp Adler 767, 768
杜克普767, 768氣動傍位

KG768Y



KG768VP KG1760VP KG2760VP

Piston with holder
氣筒連座


KG768V



KG768VP KG1760VP KG2760VP

Guiding knife for decorative topstitching
分邊面縫傍位

KG2760VP




KG768V

KG768C KG768M

Pneumatic guiding set
氣動傍位

KG768M



KG768VP KG1760VP KG2760VP

Guiding knife for decorative topstitching with piping
飾邊面縫傍位

KG768C



KG768VP KG1760VP KG2760VP


Guiding knife for decorative topstitching
分邊面縫傍位

PNEUMATIC GUIDES

氣動傍位



KG777



KG777 is a pneumatic guide for universal machines. It can be used together with our guide brackets for fixing on different machines.

By adjusting the position of guide and bracket, it can guide at the right side, left side or the middle of the seam.


KG777 為泛用型氣動傍位，可配合我們的轉接配件來安裝在不同機種上。

透過調整支架及傍位位置，可以導傍於接縫的左方、右方或正中央。

KB09 KB205 KB267 KB295 KB591 KB767 KB867 KB967 KB1230 KB2810



KG778




Pneumatic lifted edge guide for universal machines
泛用型氣動升降傍位

KG0010-F KG-OFS




KG0010-F



F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器




KG-OFS



On / Off switch
開關掣




KHM700-1H



Heel action air treadle rod
腳跟後踏拉桿




KHM700-1T



Toe action air treadle rod
腳尖前踏拉桿




KHM700-2



Heel & toe action air treadle rod
腳跟/腳尖兩用拉桿




KG867P




Pneumatic 2 steps adjustable suspending guide
氣動二段調節傍位

KG867P-LAK



KG867P-LAK



可調校距離
Adjustable Range
15 ~ 30mm

KG867P


15 - 30mm stitches distance adjustment kit for KG867P
KG867P 15 - 30mm 縫線間距調校配件

ASSEMBLED BINDING ATTACHMENTS

包邊助縫組合


A + B + C

A




Moving arm 擺架

B



Gauge set 針位

C



Attachment 助縫配件

KH Assembled binding attachments

This assembly contains moving arm, gauge set and attachment according to different models. Moving arm will be rocking with feed dog to get a better performance on binding.

KH包邊助縫組合

根據不同機型搭配相關的擺架、針位及助縫配件，通過擺架跟送布牙的連動，可造出多種較佳的包邊及拼接效果。

ASSEMBLED BINDING ATTACHMENTS

包邊助縫組合


Moving arms 擺架

A + B + C



KHB669

669




Ⓢ KP367B KH669-NPB KH669-FDB KHF2 KHF3
Ⓢ KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架



KHB767

467 767
867




Ⓢ KH467B KH867-BNP KH867-BFD KHF2 KHF3
Ⓢ KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架



KHF91045

1245 1525




Ⓢ KH1245-NPB KH1245-FDB KHF2 KHF3
Ⓢ KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架



KHB01

1767 LU-2210
LU-2810A LU-2810S



磁石 Magnet
可附於所有平面機種
Can attach on different
flat bed machines

Ⓢ KH2810B-NP KH467B-FD KHF2 KHF3
Ⓢ KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for universal flat bed machine models
泛用型平面車包邊筒擺架

ASSEMBLED BINDING ATTACHMENTS

包邊助縫組合


Gauge sets 針位

A + B + C



KH467B

467 767




Ⓢ KP367B KHB767

Needle plate & feed dog for binding
包邊用針板及送布牙



KH669-NPB/FDB

669




Ⓢ KP367B KHB669

Needle plate & feed dog for binding
包邊用針板及送布牙



KH867-BNP/BFD

867




Ⓢ KP367B KHB767

Needle plate & feed dog for binding
包邊用針板及送布牙



KH1245-NPB/FDB

1245




Ⓢ KP335FB KHF91045

Needle plate & feed dog for binding
包邊用針板及送布牙



KH1525-NPB/FDB

1525




Ⓢ KP1525B KHF91045

Needle plate & feed dog for binding
包邊用針板及送布牙



KH2810-NPB+KH467B-FD

LU-2810A LU-2810S



Ⓢ KP367B KHB01


Needle plate & feed dog for binding
包邊用針板及送布牙



KP335FB

91-044 227-04 # 91-042 819-93

335 1245




Ⓢ KH1245-NPB KH1245-FDB KHF91040 KHF91045

Presser feet for binding
包邊壓腳



KP367B

367 467
669 767
867 1767
LU-2210 PLC-2710
PLC-2710-7 LU-2810A



Ⓢ KH467B KH669-NPB KH669-FDB KH867-BNP KH867-BFD


Ⓢ KH2810-NPB KH467B-FD KHB01 KHB669 KHB767

Presser feet for binding
包邊壓腳



KP1525B

1525




Ⓢ KH1525-NPB KH1525-FDB KHF91040 KHF91045

Presser feet for binding
包邊壓腳



KP205B

205-370 TSC-441



Ⓢ KH205-FNP KH205-NPB KH205-FDB

Presser feet for binding
包邊壓腳

ATTACHMENTS 助縫配件

ASSEMBLED BINDING ATTACHMENTS


Attachments 助縫配件

包邊助縫組合

A + B + C



KHF867S




位置可調校
Position Adjustable

KHB01 KHB669 KHB767 KHF91045

Cord welting attachment
繩管飾邊拉筒



KHF867T




位置可調校
Position Adjustable

KHB01 KHB669 KHB767 KHF91045

Vinyl welting attachment
硬飾邊拉筒



KHF867UT



位置可調校
Position Adjustable


寬度可調校
Width Adjustable

KHB01 KHB669 KHB767 KHF91045

Under tape attachment
底貼拉筒



KHF4410




位置可調校
Position Adjustable

KHB01 KHB669 KHB767 KHF91045



KHF2




KA69 KHB01 KHB669 KHB767
KHF91040 KHF91045

Raw edge binder 散口包邊拉筒

10, 12, 14, 16, 18, 20, 22, 24, 26mm



KHF2




KA69 KHB01 KHB669 KHB767
KHF91040 KHF91045

Raw edge binder 散口包邊拉筒

5/8", 3/4", 7/8", 1"



KHF3




KA69 KHB01 KHB669 KHB767
KHF91040 KHF91045

Single fold binder 面環底散包邊拉筒

18, 20, 22, 24, 26, 28mm



KHF4



KA69 KHB01 KHB669 KHB767
KHF91040 KHF91045

Double fold binder 雙環口包邊拉筒

18, 20, 22, 24, 26, 28, 30, 32mm

ATTACHMENTS 助縫配件


ATTACHMENTS

助縫配件



KHF467

467 767




Tape guide on front slide plate for 467 and 767
Adjustable between 15 and 25mm wide
467/767 前置導帶推板，寬度調校15至25mm



KHF767F

467 767




Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
上: 可調校左右下褶邊 - 下: 前置可調校(15-25mm)導帶推板



KHF867

867




Tape guide on front slide plate for 867
Adjustable between 15 and 25mm wide
867 前置導帶推板，寬度調校15mm至25mm



KHF867F

867



Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
上: 可調校左右下褶邊 - 下: 前置可調校(15-25mm)導帶推板



KA767

467 767
867 1767
1246 1526
LU-1560N LU-2260
LU-2860A LU-2860S




Tape guide for flat bed machine
平面縫紉機用前置導帶器



KA767R

467 767
867 1767
1246 1526
LU-1560N LU-2260
LU-2860A LU-2860S




Tape guide for flat bed machine with roller holder N900-001527
平面縫紉機用-前置導帶器 (連桌下型細條盤N900-001527)



KHF767WS

N093-V91163

767 867




Ⓢ KH767WG
Cord welting attachment
繩管飾邊拉筒



KHF767TS

767 867



Ⓢ KH767TG
Vinyl welting attachment
硬飾邊拉筒

ATTACHMENTS

助縫配件



KHF767RG

N800V91271 # N800V91180

767 867



Left & right retainer guide
左右邊導硬帶器



KHF767TA

N516V91174

767 867



Tape guide, it is adjustable between 1.5cm & 4cm
導帶器，可調校寬度: 1.5cm - 4cm



KHF767UL


767 867



Partition attachment separates the upper and lower layers, to set the upper feeding and lower feeding different from each other
將上下層物料分開，達致不同步推送



KHF87



Welting attachment for thicker cord
粗繩管包縫器



KHF767P1


467 767

867 1767

1246 1526

LU-1560N LU-2260

LU-2860A LU-2860S



Welting attachment for thicker cord
粗繩管包縫器



KHF767WL


467 767

867 1767

1246 1526

LU-1560N LU-2260

LU-2860A LU-2860S



KHF767WL finishes functions of KHF767P1 & KHF767P2 simultaneously
KHF767WL能同一時間做到KHF767P1及KHF767P2的效果



KHF767P2


467 767

867 1767

1246 1526

LU-1560N LU-2260

LU-2860A LU-2860S



The center part binded cord has been made by KHF767P1 already
KHF767P2 help to add the upper and bottom layer
KHF767P2將KHF767P1已包好的繩管加上上下層物料



KHF844


467 767

867 1767

1246 1526

LU-1560N LU-2260

LU-2860A LU-2860S




KP367ZP KP367ZPW


Zipper folder
拉鏈拉筒



KHF669CU



Raw edge binder with tape cutting knife, which can cut the tape immediately after sewed.
More convenience and the tapes can be saved.
Suitable for most cylinder-bed machines.
帶切刀散口包邊筒，可於縫製後立即切料，既方便更可節省用料。適用於圓筒型機種。



ATTACHMENTS

助縫配件



KHF205-91275



KHF205B



KHF205-91275S


N015V91275

N800.005355

205-370



45° Moving binder, double folding
45° 可動雙環口包邊器




Support sheet
包邊器連接板

80° Moving binder, double folding
80° 可動雙環口包邊器



KH205-FNP/FDB

205-370 TSC-441




KP205B KHF2 KHF3 KHF4

Needle plate & feed dog for binding
包邊針板及送布牙



KA69

69




KP269F KH69F KHF2 KHF3 KHF4

Arm cover for binding on DA69 machine
杜克普69用包邊筒架



KHB1230

12301



KHF8A KHF8B KHF48B KHF48C


Bracket for folder
拉筒支架



KHF91040

91-040 894-21 # 91-044 251-21 # 91-000 380-15

335





KP335FB 91-046 497-04 91-046 498-05
KHF2 KHF3 KHF4

Arm cover for binding
包邊筒架



KH341T





KG4410

Cord piping attachment
管條突邊導縫器



KHF8A





KG4410 KHB1230

Binder for thin leather & plastic materials
薄皮革及塑膠物料用包邊筒

Tape Size 入口: 5/8", 3/4", 7/8", 1"



KHF8B





KG4410 KHB1230

Binder for thin leather & plastic materials
薄皮革及塑膠物料用包邊筒

Tape Size 入口		Finished Size 出口
1"	~	1/4"
1-1/4"	~	5/16"
1-1/4"	~	3/8"



KHF48B





KG4410 KHB1230

Binder for thick leather & plastic materials
厚皮革及塑膠物料用包邊筒

Tape Size 入口: 18, 20, 22, 24, 26, 28, 30, 32 mm



KHF48C



KG4410 KHB1230

Binder for thick leather & plastic materials
厚皮革及塑膠物料用包邊筒


Tape Size 入口: 10, 12, 13, 14, 16, 18, 20, 22, 24, 26 mm

ATTACHMENTS


助縫配件




KHF4410



KG4410-341T



KG4410 / KG4410F / KG4410T




KHF8A KHF8B KHF48B KHF48C KH341T KHF4410

Swing folder bracket and guide for Mitsubishi and Seiko walking foot machine
三菱及精工同步車用拉筒擺架及傍位




KG4410-8A



Tape Size 入口: 5/8", 3/4", 7/8", 1"




KG4410-8B



Tape Size 入口		Finished Size 出口
1"	~	1/4"
1-1/4"	~	5/16"
1-1/4"	~	3/8"




KG4410-48B



Tape Size 入口: 18, 20, 22, 24, 26, 28, 30, 32 mm



KG4410-48C



Tape Size 入口: 10, 12, 13, 14, 16, 18, 20, 22, 24, 26 mm


ATTACHMENTS

助縫配件



KA768

768 868
PLC-2760 PLC-2760.7




Belt guide complete set 送細條套裝

10, 12, 14, 16, 18, 20 mm



KA768L

768 868
PLC-2760 PLC-2760.7




Wider belt guide complete set 送較寬細條套裝

22, 24, 26, 28, 30, 32 mm



KA768-BG

768 868
PLC-2760 PLC-2760.7




Belt guide
導帶器

10, 12, 14, 16, 18, 20 mm



KA768-BI

768 868
PLC-2760 PLC-2760.7




Belt insert
導帶座膠

10, 12, 14, 16, 18, 20 mm



N522-005007

768 868
PLC-2760 PLC-2760.7




Shackle
導帶橫條



KA768-LBG

768 868
PLC-2760 PLC-2760.7




Wider belt guide
較寬導帶器

22, 24, 26, 28, 30, 32 mm



KA768-LBI

768 868
PLC-2760 PLC-2760.7




Wider belt insert
較寬導帶座膠

22, 24, 26, 28, 30, 32 mm



N522-005007L

768 868
PLC-2760 PLC-2760.7




Longer shackle
加長導帶橫條



KA768-F

768 868
PLC-2760 PLC-2760.7




Downturn hemmer attachment
下摺邊助縫配件



N522-005008

768 868
PLC-2760 PLC-2760.7




Guiding plate
導帶片




N900-001527

467 767
768 867
868 1767
1246 1526
LU-1560N LU-2260
PLC-2760 PLC-2760.7
LU-2860A LU-2860S



Under table tape roller holder
桌下型細條盤



*Suspending Guides
& Attachments
for Heavy Duty*
厚料傍位及助縫配件

國興針車公司

📍 香港九龍荔枝角道 103-107 號地下

Kwok Hing Sewing Machine Co.


📍 G/F., 103-107 Lai Chi Kok Road, Kowloon, Hong Kong

☎ (852) 2394 8163 📠 (852) 2789 2681

✉️ hd@kwokhing.com ✉️ spareparts@kwokhing.com

📘 facebook.com/khsewing 📺 khsew69

📞 +852 9797 7414 🗣️ KwokHing107



K

2020

WWW.KWOKHING.COM

WWW.KHSEW.COM