

SHIRTS

襯衫。休閒。運動

Shirts。Leisurewear。Sports 2012



國興針車公司

Kwok Hing Sewing Machine Co.

前言 Preface

本書為國興針車公司2011年出版的目錄，內容主要收錄適用於襯衫、休閒服、褲子、流行服飾等生產的零件、壓腳、包縫器等設備及配件。本書製作雖然簡陋，幸而本書產品多年來仍深受大家歡迎。而且我們自創的零件設計及專用零件號碼系統，亦能得到各同業的廣泛使用，實是本公司的榮幸。

隨著不同物料的出現及縫製技術的革新，我們需要一本更專業詳盡的工具書。本書的內容亦注入了不少新產品。而且所有產品的使用方法及完成效果亦有詳盡說明。

工欲善其事，必先利其器。若要提高生產力、簡化工序、減低成本，選擇適合的零件配件絕對不能馬虎。在這一方面，這本書一定可以為閣下效勞。而且我們還可以為閣下特製配備，解決生產疑難。我們的產品繁多，書中不能盡錄。如果未能在書中找到閣下所需，敬請聯絡我們。本公司的網頁<http://www.kwokhing.com>亦會定期提供縫製資訊，歡迎閣下瀏覽參考及指教。謝謝！

This book is published in 2011 by Kwok Hing Sewing Machine Co. This is a guidebook which has drawn on the expert knowledge of production in shirts, leisurewears and fashions, etc. Many innovative and redesigned products are provided in here. All the products are shown with illustrative examples.

Suitable equipments and attachments can enhance productivity, simplify production process and reduce cost. By our strong manufacturing experiences in sewing machines and attachments, we believe that this book is helpful for you.

Progress is our most important product. We always keep on improving our products. If you have any advice or need any tailor-made services, please feel free to contact us. This book can't be updated everyday, but our website www.kwokhing.com can provide the most updated information and introduction of new products. You are welcome to visit it and give us your valuable comments. Thank you very much.



女仕服裝縫製設備(2007版本)
Spare Parts & Attachment of
Lingerie (2007 Version)



KHF 助縫器(2004版本)
KHF Attachment
(2004 Version)



壓腳系列(2002版本)
Presser Foot Collection
(2002 Version)

內容 Contents


			頁數 Page
襯衫製作圖解	Shirt Production Illustration	A-B	
褲子製作圖解	Trousers Production Illustration	C	
流行服飾製作圖解	Fashions Production Illustration	D	
襯衫 Shirts			
1	領座 Collar Band		1
2	上領 Collar Attach		1
3	間領 Top Stitch		1
4	上袖(雙線跡) Sleeve Attach (2N-pattern)		2
5	上袖(單線跡) Sleeve Attach (1N-pattern)		2
6	前担杆 Shoulder Top		2
7	胸筒/鈕子筒 Center Plait/Button Plait		3
8	側袖 Triangular Sleeve/R-Sleeve		4
9	摺袖 Sleeve Hemming		4
10	夾袖口 Cuff Attach		5
11	埋夾 Feed of Arm		5
12	拉平腳 Straight Bottom		5
13	拉圓腳 Curve Bottom		6
14	領咀鈕 Collar Down Button		6
15	釘鈕 Botton Stitch		6
16	橫鈕門 Horizontal Button Hole		7
17	直鈕門 Vertical Button Hole		7
18	袖口鈕 Cuff Button		7
19	裝袋 Pocket Attach		7
20	袋口 Pocket Top		7
21	後担杆 Back Yoke		7
22	耳仔 Loop		8
23	打襠 Pin Tuck		8-9
褲 Trousers			
1	褲頭 Waist Band		10
2	橡根褲頭 Elastic Waist Band		11
3	褲耳 Belt-loop		11
4	埋夾/後幅 Lap Seam/ Back Seam		12
5	褲袋 Pocket		12
6	後袋口 Back Pocket Top		13
7	挑腳 Bottom Blind Stitch		13
8	雙針裝飾線(打攪) 2-Needle Decorative Stitch		74
流行服飾 Fashions			
1	包邊 Edge Binding		14
2	拉彎腳 Curve Hemming		15
3	袖貼 Sleeve Facing		15
4	通心帶 Spaghetti		16
5	面貼綑條/帶 Tape Attaching		17-18
6	帶類 Belt		18
7	繡縫車 Cover Stitich		19-21
8	撓腳鈕 Shrank Bottom		21
9	女裝扣 Hook and Eye		21
10	縮摺 Shirring		22

內容 Contents


		頁數 Page
11	打褶 Pin Tuck	8-9
12	拉平腳 Bottom	5
13	耳仔 Loop	11
14	打摺 Pleat	68
15	雙針裝飾線(打攪) Double Needle Decorative Stitch	74
全鋼壓腳系列 Presser Foot Collection		
KH 特種壓	KH Special Presser Foot	23-24
高低壓腳	Compensating Feet	25-28
Z系列 - 襯衫用	Z Series Feet for SHIRT	29
單邊壓腳	Cording Feet	30-31
滾輪壓腳	Roller Feet	31-33
標準壓腳	Standard Presser Feet	34-36
摺邊壓腳	Hemming and Folding Feet	37-39
包縫壓腳	Binding Feet	40
導帶壓腳	Tube Feet	41
導傍壓腳	Guiding Feet	42-43
繩管壓腳	Piping Feet	43-44
拉鍊壓腳	Zipper Feet	45-46
縮褶壓腳	Shirring Feet	46-47
鐵佛龍壓腳	Teflon Presser Feet	48-50
防靜電壓腳	Anti-static Presser Feet	50-52
壓輪	Roller Presser	52
護針罩	Needle Guard	53
壓腳更換裝置	Turret Presser Feet Assembly	53
其他 Others		
平車針板、牙	Needle Plate & Feed Dog for Single Needle machine	53-54
步靴	Walking Feet	55-58
定規・傍位	Gauge & Guide	59-60
雙針針位	Double Needle Gauge Sets	61-62
關西針位	Kansai Special Gauge sets	63-64
鬆緊帶滾輪支架	Elastic Holders	65
于仁35800針位	Union Special Gauge Sets	66-68
祖奇 - 2針改3針針位組	3 Conversion Kits for Juki	69
雙針切刀針位 (適合門襟製作)	Double Needle Gauge Set with Center Knife (for Placket)	70
多針針位組 - 針送布縫紉機用	Multipule Needle Gauge Set for Needle-Feed Machine	71
杜克普274, 275針位組	Durkopp Adler 274, 275 Gauge Sets	71
KCR 氣動裁切器	KCR Pneumatic Cutter	72-73
KHM-700 氣閥馬達拉桿	KHM-700 Treadle Rod Air Switch	73
線架・綑條架	Thread (spool) Stand & Tape Rack	74-75
RU打褶裝置系列	RU Pleating Attachment Series	76
SU機械拖輪系列	SU Mechanical Puller Series	77-78
PU 數碼拖輪系列	PU Digital Puller Series	79
TF 送料器系列	TF Tape Feeder Series	80
數碼同步多角度送料/放料器	Digital Synchronous Multi-position Tape Feeder & Puller	81
MX-22雙針裝飾線(打攪)縫紉機	MX-22 Double Needle Decorative Stitch Machine	82
索引 Index		83-84

襯衫 Shirts


1) 領座 Collar Band




2) 上領 Collar Attach




3) 間領 Top Stitch





4) 上袖(雙線跡) Sleeve Attach (2N-pattern)




5) 上袖(單線跡) Sleeve Attach (1N-pattern)




6) 前扣杆 Shoulder Top




7) 胸筒 Center Plait



8) 側袖 Triangular Sleeve/R-Sleeve




9) 摺袖 Sleeve Hemming




襯衫 Shirt


10) 夾袖口 Cuff Attach




11) 埋夾 Lap Seam




14) 領咀鈕 Collar Down Button




17) 直鈕門 Vertical Button Hole




20) 袋口 Pocket Top




23) 打褶 Pin Tuck




12) 拉平腳 Straight Bottom




15) 釘鈕 Bottom Stitch




18) 袖口鈕 Cuff Button




21) 後担杆 Back Yoke




13) 拉圓腳 Curve Bottom




16) 橫鈕門 Horizontal Button Hole



19) 裝袋 Pocket Attach




22) 耳仔 Loop




No.	種類	Description	Page
1	領座	Collar Band	1
2	上領	Collar Attach	1
3	間領	Top Stitch	1
4	上袖(雙線跡)	Sleeve Attach (2N-pattern)	2
5	上袖(單線跡)	Sleeve Attach (1N-pattern)	2
6	前担杆	Shoulder Top	2
7	胸筒/鈕子筒	Center Plait/ Button Plait	3
8	側袖	Triangular Sleeve/R-Sleeve	4
9	摺袖	Sleeve Hemming	4
10	夾袖口	Cuff Attach	5
11	埋夾	Lap Seam	5
12	拉平腳	Straight Bottom	5
13	拉圓腳	Curve Bottom	6
14	領咀鈕	Collar Down Button	6
15	釘鈕	Bottom Stitch	6
16	橫鈕門	Horizontal Button Hole	7
17	直鈕門	Vertical Button Hole	7
18	袖口鈕	Cuff Button	7
19	裝袋	Pocket Attach	7
20	袋口	Pocket Top	7
21	後担杆	Back Yoke	7
22	耳仔	Loop	8
23	打褶	Pin Tuck	8-9

褲 Trousers



1) 褲頭 Waist Band




2) 橡根褲頭 Elastic Waist Band




3) 褲耳 Belt-loop




4) 埋夾/後幅 Lap Seam/ Back Seam




6) 後袋口 Back Pocket Top



5) 褲袋 Pocket



7) 挑腳 Bottom Blind Stitch




No.	種類	Description	Page
1	褲頭	Waist Band	10
2	橡根褲頭	Elastic Waist Band	11
3	褲耳	Belt-loop	11
4	埋夾/後幅	Lap Seam/ Back Seam	12
5	褲袋	Pocket	12
6	後袋口	Back Pocket Top	13
7	挑腳	Bottom Blind Stitch	13
8	雙針裝飾線(打攪)	2-Needle Decorative Stitch	82


流行服飾 Fashions

圖解 Illustration


1) 包邊 Edge Binding




2) 拉彎腳 Curve Hemming





3) 袖貼 Sleeve Facing




4) 通心帶 Spaghetti




5) 面貼細條/帶 Tape Attaching




6) 帶類 Belt



10) 縮摺 Shirring




7) 繙縫車 Cover Stitch




No.	種類	Description	Page
1	包邊	Edge Binding	14
2	拉彎腳	Curve Hemming	15
3	袖貼	Sleeve Facing	15
4	通心帶	Spaghetti	16
5	面貼細條/帶	Tape Attaching	17-18
6	帶類	Belt	18
7	繙縫車	Cover Stitch	19-21
8	攞腳鈕	Shrink Bottom	21
9	女裝扣	Hook and Eye	21
10	縮摺	Shirring	22
11	拉平腳	Bottom	5
12	耳仔	Loop	11
13	打褶	Pin Tuck	8-9
14	打摺	Pleat	76
15	雙針裝飾線(打攞)	2-Needle Decorative Stitch	82

1) 領座 Collar Band



KHF 17
Single Upturn Folder
擺動式散口捲邊器




Finished size 出口

1/16"	1/8"	3/16"	1/4"
5/16"	3/8"	7/16"	1/2"
5/8"	3/4"	7/8"	1"
1-1/8"	1-1/4"	1-1/2"	

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-1
3) KR-1 4) KH7-NP & FD

2) 上領 Collar Attach



ZR1/32A
Collar Attaching Feet
(needle hole on right toe)
上領壓腳(針孔在右趾)

尺寸 Size:
1/32"

3) 襖領 (單針/雙針) Top Stitch (Single Needle/Double Needle)


CL-E

Left Compensating
Regular Feet

左高低壓腳

尺寸 Size:

1/32E, 1/16E,
3/32E, 1/8E,
5/32E, 3/16E,
1/4E, 5/16E,
3/8E, 1/2E




KP9000L

Left Compensating Feet
for Thin Material

左高低壓腳(薄物用)



尺寸 Size:
1/32", 1/16", 1/8",
3/16", 1/4"




ZR1/32C

Runstitching Collar Feet (needle hole
on right toe)

運領壓腳
(針孔在右趾)

尺寸 Size:
1/32"




CR-E

Right Compensating
Regular Feet

右高低壓腳

尺寸 Size:


1/32E, 1/16E,
3/32E, 1/8E,
5/32E, 3/16E,
1/4E, 5/16E,
3/8E, 1/2E




KP9000R

Right Compensating Feet
for Thin Material

右高低壓腳(薄物用)




尺寸 Size:
1/32", 1/16", 1/8",
3/16", 1/4"



211-14 Dual Compensating Feet

兩用高低壓腳



Adjustable Size
可調教尺寸:
1/16" & 1/4"


- Can substitute double needle seam
可代替雙針線縫

211-14: 3/16"
211-15: 1/4"
SP-25: 1/4"

- Enable to obtain 2 different stitching margins
without changing presser foot
可做出兩個不同傍距的線跡而不用更換壓腳

211-15 Dual Compensating Feet


兩用高低壓腳



Adjustable Size
可調教尺寸:
1/16" & 5/16"


SP-25 Right Compensating Guide (2-step) Feet

右高低傍壓腳(兩段式)




Adjustable Size
可調教尺寸:
1/16" & 5/16"

Step 1



Step 2




211-14: 1/4"
211-15: 5/16"
SP-25: 5/16"

211-14: 3/16"
211-15: 1/4"
SP-25: 1/4"

4) 上袖(雙線跡) Sleeve Attach (2N-Pattern)



KHF 16 (Tailor-made)
(訂造)
Double Needle Sleeve Attachment
雙針接袖器



Applicable Parts 可用配件:
1) PL112 Presser Foot

針距 Needle space	
3/16"	1/4"


5) 上袖(單線跡) Sleeve Attach (1N-pattern)



KHF 19
Single Needle Sleeve Attachment
(for 2N machine)
單針接袖器(雙針車用)

Step 1:

雙針車縫合
Join two pieces together.



Step 2:

Hand-folded and ironed, then sew by single needle.
熨摺後再用單針車縫合




Applicable Parts 可用配件:
1) PL112 Presser Foot


Needle Space 針距	Finished Size 出口
1/4" 3/8"	3/8" 1/2"




KHF 25
Lap Seam Folder
衣袖接縫器



針距 Needle space	
3/16" 1/4"	5/16" 3/8"



KHF 101
Single Needle Lap Seam Attachment (part 1/2)
單針接袖器(第一部份)




Applicable Parts 可用配件:
1) P3620 Presser Foot
2) KH5-NP & KH5-FD

Size Adjustable
尺寸可調教



KHF 32
Side Seam Lapper
(Japanese Style)
邊縫搭接捲邊器(日字埋夾)




Applicable Parts 可用配件:
1) KHF32-PN Narrow & Wide Lapper Guide Plate

針距 Needle Space	厚度 Thickness
1/8" 1/4"	M MH
3/16" 5/16"	H XH



KHF 102
Single Needle Lap Seam Attachment (part 2/2)
單針接袖器(第二部份)




Applicable Parts 可用配件:
1) SP-102 Presser Foot
2) KH5-NP & KH5-FD

摺邊尺寸
Upturn Size
1/4" 3/8"



KHF 56
Lap Seam Folder for Double Needle Machine
雙針衣袖接縫器




Applicable Parts 可用配件:
1) PL112 Presser Foot

針距 & 厚度 Needle space & Thickness		
3/16" S 3/16" M 3/16" H		
1/4" S 1/4" M 1/4" H		
5/16" S 5/16" M 5/16" H		
3/8" S 3/8" M 3/8" H		

6) 前担杆 Shoulder Top



KHF 39
Single Needle Shoulder Top Stitch Attachment
單針肩部助縫器(納膊)




Applicable Parts 可用配件:
1) KL-1 2) KR-1 3) SP-705
4) Special NP & FD

Finished Size 出口
3/8"

7) 胸筒/鈕子筒 Center Plait / Button Plait

KHF 24

Swing Hemmer
擺動式捲邊器



Finished Size 出口

9/16"	5/8"	3/4"
7/8"	1"	1-1/8"
1-1/4"	1-3/8"	1-1/2"
1-5/8"	1-3/4"	1-7/8"
2"		


Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD

KHF 33 (Tailor-made) (訂造)


Center Plait Folder
襯衫前胸包縫器



B type




BL type



KHF 35

Imitation Folder
襯衫假前胸捲邊器




出口
Finished Size

1"	1-1/8"
1-3/16"	1-1/4"
1-3/8"	1-1/2"

Applicable Parts 可用配件:
1) 2N Guge set 2) 112WC-9
3) Mult-needle Gauge Set for
KS 4) KP404G 5) PD112

KHF 42

Top Center Plait Hemmer
襯衫前胸原身捲邊器




出口
Finished size

3/4"	7/8"
1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	

Applicable Parts 可用配件:
1) KP404G 2) PD112
3) Mult-needle Gauge Set
for Kansai

KHF 55

Top Center Plait Folder
襯衫前胸面貼器



出口
Finished size


3/4"	7/8"
1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	1-5/8"
1-3/4"	

Applicable Parts 可用配件:
1) 2N Guge set 2) 112WC-9
3) Mult-needle Gauge Set for
KS 4) KP404G 5) PD112

KHF 58 (Tailor-made) (訂造)

**Down Turn Plait Folder with
Interlining**

底環拉鈕子捲邊器




Finished size 出口

1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	1-3/4"
2"	

KHF 61

**Interlining Hemmer for
Single Needle**

襯衫前胸捲邊器 (單針)



Finished size 出口

3/4"	7/8"
1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	


Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD

8) 側袖/R側袖 Triangular Sleeve/R-Sleeve



KHF 30

Sleeve Placket Binder
袖叉包縫器



Finished Size 出口

1/4"	5/16"	3/8"
1/2"	5/8"	3/4"
7/8"	1"	

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD



KHF 31

Sleeve Placket Binder with Lining
袖叉包縫器(內藏襯裡)




Finished Size 出口

1"	1-1/8"	1-1/4"
1-3/8"	1-1/2"	1-5/8"
1-3/4"	1-7/8"	2"


Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD

9) 摺袖 Sleeve Hemming



KHF 9


Swing Hemmer
擺動式捲邊器



出口
Finished Size


1/16"	1/8"
3/16"	1/4"
5/16"	3/8"
7/16"	1/2"

Applicable Parts 可用配件:
1) KL-13 Hemming Feet
2) SP-733 Hemming Feet



KHF 24

Swing Hemmer
擺動式捲邊器



Finished Size 出口


9/16"	5/8"	3/4"
7/8"	1"	1-1/8"
1-1/4"	1-3/8"	1-1/2"
1-5/8"	1-3/4"	1-7/8"
2"		

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD



KHF 35

Imitation Folder
襯衫摺袖捲邊器



出口
Finished Size


1"	1-1/8"
1-3/16"	1-1/4"
1-3/8"	1-1/2"

Applicable Parts 可用配件:
1) 2N Guge set 2) 112WC-9
3) Mult-needle Gauge Set for KS 4) KP404G 5) PD112



KHF 61


Interlining Hemmer for Single Needle
襯衫前胸捲邊器(單針)



Finished size 出口


3/4"	7/8"
1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD



KHF 88


Latch Top Swing Hemmer
開合擺動式摺邊器



For Circular Sleeve/ Bottom Hemming
圓桶式摺袖摺腳合用


出口
Finished Size

1/2"	3/4"
1"	1-1/4"



23564

Hemmer for US 63900
于仁63900用捲邊器




For Circular Sleeve/ Bottom Hemming
圓桶式摺袖摺腳合用

Thickness厚度
S M L

Applicable Parts 可用配件:
1) 63920 Presser Foot


10) 夾袖口 Cuff Attach



KHF 23

Cuff Setter

袖口接縫器



Applicable Parts 可用配件:
1) KL-1 2) KH7 3) Special
Needle Plate & Feed Dog

KL-1

Left Compensating Feet for Folder

左高低壓腳 (摺邊器用)

Size 尺寸:
1/16", 1/32"




KR-1

Right Compensating Feet for Folder

右高低壓腳 (摺邊器用)

Size 尺寸:
1/16", 1/32"




11) 埋夾 Lap Seam



KHF 32


Side Seam Lapper (Japanese Style)

邊縫搭接捲邊器 (日字
埋夾)



Applicable Parts 可用配件:
1) KHF32-PN Narrow &
Wide Lapper Guide Plate


Needle Space 針距		Thickness 厚度	
1/8"	3/16"	M	MH
1/4"	5/16"	H	XH



KHF 56

Lap Seam Folder for Double Needle Machine

雙針衣袖接縫器



Applicable Parts 可用配件:
1) PL112 Presser Foot


針距 & 厚度 Needle space & Thickness		
3/16" S	3/16" M	3/16" H
1/4" S	1/4" M	1/4" H
5/16" S	3/8" M	3/8" H

12) 拉平腳 Straight Bottom



KHF 9

Swing Hemmer 擺動式捲邊器




Applicable Parts 可用配件:
1) KL-13 Hemming Feet
2) SP-733 Hemming Feet

出口 Finished Size	
1/16"	1/8"
3/16"	1/4"
5/16"	3/8"
7/16"	1/2"



KHF 24

Swing Hemmer 擺動式捲邊器




Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD

Finished Size 出口		
9/16"	5/8"	3/4"
7/8"	1"	1-1/8"
1-1/4"	1-3/8"	1-1/2"
1-5/8"	1-3/4"	1-7/8"
2"		



KHF 53

Spring Type Swing Hemmer 擺動式彈弓捲邊器



Applicable Parts 可用配件:
1) KHF 53P Hemming Feet
2) A70 Feed Dog


Finished size 出口	
1/8"	3/16"
1/4"	5/16"
3/8"	1/2"



KHF 80

Adjustable Single Upturn Hemmer

可調教摺邊器



Applicable Parts 可用配件:
1) PL112 Presser Foot

Adjustable finished size:
可調教出口: 1/8" ~ 1/2"


13) 拉圓腳 Curve Bottom



KHF 21 (Tailor-made for 1 N machine) (訂造 - 平車用)

Hemmer for Meandering Edge

曲折圓腳捲邊器



Finished Size 出口	
3/16"	1/4"
5/16"	3/8"
1/2"	


Applicable Parts 可用配件:
1) PL112x1 & PL112x1.8
Presser Foot



KHF 94

Sewing Hemmer for Meandering Edges

曲折圓腳捲邊器




Finished Size 出口	
1/8"	3/16"
1/4"	3/8"



KHF 9000 BH


Spring Type Swing Hemmer for Shirt

彈弓咀圓腳捲邊器




Finished Size 出口	
1/8"	
3/16"	
1/4"	

Applicable Parts 可用配件:
1) ZD presser foot
2) KF9000T ND & FD




ZD
Presser Foot

Size 尺寸		
1/8"	3/16"	1/4"



KF9000T-NP
Needle Plate




KF9000T-FD
Feed Dog

14) 釘領嘴鈕盤 Collar Down Button Stitch Gauge



G-1902



G-1903

15) 釘鈕尺 Button Stitch Spacing Gauge



G-373



G-374

16) 橫鈕門 Horizontal Button Hole



G-814X

17) 鈕門 Button Hole



G-814Y




G-814Z

18) 袖口鈕 Cuff Button



G-323

19) 裝袋 Pocket Attach




CR-N

**Right Compensating
Narrow Feet**

右窄高低壓腳

尺寸 Size:
1/32N, 1/16N

20) 袋口 Pocket Top



KHF 9

Swing Hemmer

擺動式捲邊器



Finished Size 出口

1/16"	1/8"	3/16"
1/4"	5/16"	3/8"
7/16"	1/2"	


Applicable Parts 可用配件:
1) KL-13 Hemming Feet
2) SP-733 Hemming Feet



KHF 24

Swing Hemmer

擺動式捲邊器




Finished Size 出口

9/16"	5/8"	3/4"
7/8"	1"	1-1/8"
1-1/4"	1-3/8"	1-1/2"
1-5/8"	1-3/4"	1-7/8"
2"		

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD


21) 後担杆 Back Yoke



KHF20S

**Single Needle Back Yoke
Attachment**

單針背肩助縫器(担杆)




Finished Size 出口
3/8"



KHF20D

**Double Needle Back Yoke
Attachment**

雙針背肩助縫器(担杆)




Finished Size 出口
3/8"

22) 耳仔 Loop



KHF 29
Loop Folder Foot
平車帶狀摺縫壓腳




Finished Size 出口

1/8"	3/16"	1/4"
5/8"	3/8"	1/2"




KHF 64
Belt Folder for Single and Double Needle
拉帶器(平車/雙針車用)




Finished Size 出口

3/16"	1/4"	5/16"
3/8"	1/2"	5/8"
3/4"	7/8"	1"

23) 打襠 Pin Tuck



KHF 90
Box Pleat Folder
工字褶摺縫器




Size 尺寸

1/2"	5/8"	3/4"
7/8"	1"	1-1/8"
1-1/4"		



KHF 98
Single Needle Tucking Attachment
單針打接器




Size of the folder can be adjusted
打接器尺寸可調教

KHF 103 平縫打襠器 Pin tuck Attachment for Single Needle Machine


Sewing Illustration
車縫示範圖

Finish Sewing Samples
車縫布樣圖

Pin tuck size can be adjusted freely.
打襠尺寸可自由調教




KHF 103



線跡 Stitch

Needle plate, feed dog, presser feet are also included in KHF103.
針板、送布牙、壓腳包括於KHF103內

SP-103




KH4-NP



KH4-FD

23) 打褶 Pin Tuck

KHF 1412 打褶摺縫器(關西DFB-1412用) Pintucking Attachment for Kansai Special DFB-1412



Presser feet & Center Slice for KHF1412-PTVB
KHF1412-PTVB 用壓腳和分中片

KHF1412-PTV

- Normal Pintucking 普通打褶
(等於 Equal to FB-664, FB-666, FB-650)
- Size 尺寸: 3/16", 1/4"

KHF1412-PTVB

- Normal / Invisible / Symmetric Pintucking
- 普通打褶/暗線打褶/對稱打褶
- Size 尺寸: 3/16", 1/4"


Special edition 特別種類:

- KHF1412-PTV 1/8"
- KHF1423-PTV 1/4"
- KHF1423-PTVB 1/4"
- KHF1425-PTV 1/4"
- KHF1425-PTVB 1/4"
- KHF1433-PTV 3/16"
- KHF1433-PTV 3/16"


Normal Pintucking 普通打褶 - KHF1412-PTV
- KHF1412-PTVB



Invisible Pintucking 暗線打褶 - KHF1412-PTVB



Symmetric Pintucking 對稱打褶 - KHF1412-PTVB




1) 褲頭 Waist Band



KHF 11


Two Pieces Waist Band Folder

褲腰上下兩層包縫器



入口 Tape Size	出口 Finished Size	入口 Tape Size	出口 Finished Size
2"	1"	2-1/2"	1-1/2"
2-1/8"	1-1/8"	2-5/8"	1-5/8"
2-1/4"	1-1/4"	2-3/4"	1-3/4"
2-3/8"	1-3/8"	2-7/8"	1-7/8"


Applicable Parts 可用配件:
1) Gauge set for Kansai
2) 112WC-9 3) KP404G



KHF 11CU

Two Pieces Curve Waist Band Folder

褲腰上下兩層彎形包縫器



標準尺寸 Standard Size
入口 Tape Size 出口 Finished Size
2-1/2" 1-1/2"
(可訂造其他尺寸 Other size can be tailor-made)

Applicable Parts 可用配件:
1) Gauge Set for Kansai
2) 112W-C9




KHF 33


Waist Band Folder

褲子腰部包縫器


A



B



BL



(適用於橡根褲頭
Suitable for
Elastic Waist Band)

入口 Tape Size	出口 Finished Size
2-3/4"	1"
3"	1-1/8"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"
5-1/4"	2-1/4"
5-3/4"	2-1/2"




Applicable Parts 可用配件:
1) Multi-needle Gauge Set
for Kansai 2) SP-33



KHF 1508

Waist-band attachment for Kansai Special DLR-1508


DLR-1508 褲子腰部包縫器



入口 Tape Size	出口 Finished Size
4"	1-1/2"
4-1/4"	1-5/8"
4-1/2"	1-3/4"

Applicable Parts 可用配件:
1) KHF115 Bracket

KHF115 Bracket 支架:



KHF115 is a swing type bracket, which can swing the folder up and down. The folder is swung up before sewing. The user can fold the tape inside at the beginning (closing end waist-band).

KHF115 是擺動式支架，可以令助縫器上下擺動。當無需助縫器時(替褲腰封口時)，可將助縫器向上放置。


* The above waist-band folders can be used together with our gauge sets in page 61-64.
以上褲頭助縫器，可與我們的針位一同使用。詳情請參閱第61-64頁。

2) 橡根褲頭 Elastic Waist Band

KHF 14

Downturn Elastic Hemmer for Coverstitch

褲子腰部鬆緊帶捲邊器 (繡縫車用)





出口 Finished Size
1/4" 3/8" 1/2"

KHF 54

Swing Hemmer with Elastic

擺動式包鬆緊帶捲邊器





鬆緊帶尺寸 Elastic Size
1/4" 3/8"

Applicable Parts 可用配件:
1) Special NP & FD 2) KL-13
3) CKL-13 4) KH7-NP & FD

KHF 45

Bottom Elastic Waist Band Folder

褲腰鬆緊帶貼邊器





Bottom elastic size is adjustable
下層鬆緊帶寬度可自由調教

Applicable Parts 可用配件:
1) Multi-needle Gauge Set for Kansai

KHF 58

Downturn Elastic Hemmer

包鬆緊帶捲邊器



Elastic Size 鬆緊帶寬度
1" 1-1/8" 1-1/4" 1-3/8"
1-1/2" 1-3/4" 2"


Applicable Parts 可用配件:
1) Multi-needle Gauge Set for Kansai

3) 褲耳 Belt-loop

KHF 43

Belt Loop Folder

褲耳接縫器




Finished Size 出口
1/4" 5/16" 3/8" 7/16"
1/2" 5/8" 3/4" 7/8"
1" 1-1/8" 1-1/4" 1-1/2"

Applicable Parts 可用配件:
1) 17-76201
2) KH577

KHF 51

Belt Loop Folder for Belt Loop Machine with Cutter

切刀車褲耳拉帶器





Finished Size 出口
8mm 9mm 10mm 11mm
12mm 13mm 14mm 15mm
16mm 19mm

Applicable Parts 可用配件:
1) 17-76201
2) KH577

KHF 83

Tape Attach Folder for Coverstitch

繡縫車網條面貼器




Tape Size 入口 Finished Size 出口
14mm 5.6mm
15mm 6.4mm
17mm 7.2mm
19mm 8.0mm
21mm 8.8mm

Fix on the Covering
Stitch Presser Foot
可置在繡縫車壓腳前

KHF 86

Suspended Tape Folder

懸掛式拉帶器



Type 1 Type 2
Type 3
This is a tailor made item,
please states the tape size
& finished size when order.
此產品為訂造零件，如需
訂造，請告知入口和出口
尺寸。


Applicable Parts 可用配件:
1) KHF 111Folder Bracket

* The above waist-band folders are applicable with our gauge sets in page 61-64.
以上橡根褲頭、褲耳助縫器，可與我們的針位一同使用。詳情請參閱第61-64頁。

4) 埋夾/後幅 Lap Seam/ Back Seam




KHF 25
Lap Seam Folder
邊縫接縫器



針距 Needle Space	
3/16"	5/16"
1/4"	3/8"



KHF 32
Side Seam Lapper
(Japanese Style)
邊縫搭接捲邊器(日字埋夾)




針距 Needle Space		厚度 Thickness	
1/8"	3/16"	M	MH
1/4"	5/16"	H	XH

Applicable Parts 可用配件:
1) KHF32-PN Narrow & Wide Lapper Guide Plate




KHF 56
Lap Seam Folder for Double Needle Machine
邊縫搭接捲邊器(雙針車用)



針距 Needle Space		厚度 Thickness	
3/16"	1/4"	M	MH
5/16"	3/8"	H	



23420
Lap Seam Feller (American Style)
邊縫搭接捲邊器(美式埋夾)




厚度 Thickness			
S	M	L	XL

褲 Trousers

5) 褲袋 Pocket



KHF 21
Upturn Pocket Hemmer for Double Needle Machine
雙針袋口捲邊器




Finished size 出口	
3/16"	1/4"
5/16"	3/8"
1/2"	

Applicable Parts 可用配件:
1) PL112 Presser Foot




KHF 37
Double Needle Downturn Back Pocket Hemmer
雙針後袋口摺邊器



出口 Finished Size	
3/8"	1/2"

S
(Single fold)
單摺

D
(Double fold)
雙摺



ZP
Double Compensating Feet
左右高低壓腳
Case 1




尺寸 Size:
1/8", 5/32", 3/16", 1/4"

Needle Hole
in middle
針孔在中

6) 後袋口 Back Pocket Top

KHF 95 開袋口裝置(雙針車用)
Attachment for Pocket Welling (2 N Machine)


KHF 95 助縫器連筒架
Folder only with bracket





KHF 95G 針位組
Gauge Set (Needle space 針距: 10mm/ 12mm)

- KHF95-PF Presser Feet 壓腳
- KHF95-NP Needle Plate 針板
- KHF95-FD Feed Dog 送布牙
- KHF95-NC Needle Clamp 針頭
- KHF95-CK Knife 刀片

A Type Cut near to the side 切口靠邊




B Type Cut in the middle 切口在中



7) 挑腳 Bottom Blind Stitch



KHF 53
Spring Type Swing Hemmer
擺動式彈弓捲邊器




Finished size 出口


1/8"	3/16"
1/4"	5/16"
3/8"	1/2"

Applicable Parts 可用配件:

- 1) KHF 53P Hemming Feet
- 2) A70 Feed Dog




KHF 88
Latch Top Swing Hemmer
開合擺動式摺邊器




For Circular Sleeve or Bottom Hemming
圓桶式摺袖摺腳合用

出口
Finished Size

1/2"	3/4"
1"	1-1/4"



23564
Hemmer for US 63900
于仁63900用捲邊器



For Circular Sleeve/ Bottom Hemming
圓桶式摺袖摺腳合用


Thickness 厚度

S	M	L
---	---	---

Applicable Parts 可用配件:


- 1) 63920 Presser Foot

1) 包邊 Edge Binding



KHF 10

Right Angle Bias Binder
平車直角包邊器




Including KR-10 presser feet
and 20002 feed dog
包含KR-10 壓腳及20002送
布牙

Finished Size 出口		
16mm	18mm	20mm
22mm	24mm	26mm
28mm	30mm	32mm
34mm	36mm	38mm
40mm	45mm	50mm



KHF 12

Raw Edge Braid or Tape Binder
散口包邊器




Tape size 入口	
1/2"	5/8"
3/4"	7/8"
1"	1-1/8"
1-1/4"	1-1/2"



KHF 49

Double Fold Binder for Single Needle
環口包邊器




Applicable Parts 可用配件:
1) KL-13

入口 Tape Size	出口 Finished Size	入口 Tape Size	出口 Finished Size
3/4"	3/16"	1"	3/8"
7/8"	1/4"	1-1/4"	3/8"
1"	1/4"	1-1/2"	3/8"
1-1/8"	5/16"	1-1/2"	1/2"
1-1/4"	5/16"	1-3/4"	1/2"



KHF 74

Edge Binder for Single Needle Machine
平車包邊器




Applicable Parts 可用配件:
1) KL-13 2) CKL-13 3) KH 7
4) KP-74 5) Special Needle
plate & Feed dog

出口 Finished size
3/4"
1"




KHF 100

Right Angle Binder
平車直角包邊器




Including KR-10 presser feet
and 20002 feed dog
包含KR-10 壓腳及20002送
布牙

入口 Tape size	
1"	1-1/8"
1-1/4"	1-3/8"
1-1/2"	




A10

Right Angle Bias Binder
平車直角包邊器




Including KR-10 presser feet
and 20002 feed dog
包含KR-10 壓腳及20002送
布牙

Finished Size 出口		
16mm	18mm	20mm
22mm	24mm	26mm
28mm	30mm	32mm
34mm	36mm	38mm
40mm	45mm	50mm



K10

Right Angle Bias Binder
平車直角包邊器




Including KR-10 presser feet
and 20002 feed dog
包含KR-10 壓腳及20002送
布牙

Finished Size 出口		
20mm	22mm	24mm
26mm	28mm	30mm
32mm	34mm	36mm
38mm	40mm	42mm
45mm	48mm	50mm



TR-15

Right Angle Bias Binder
平車直角包邊器



Including KR-10 presser feet
and 20002 feed dog
包含KR-10 壓腳及20002送
布牙


Tape size 入口	
1/2"	5/8"
3/4"	7/8"
1"	1-1/8"
1-1/4"	

2) 拉彎腳 Curve Hemming




KHF 94

Sewing Hemmer for Meandering Edges
曲折圓腳捲邊器




Finished Size 出口
1/8" 3/16"
1/4" 3/8"



160344H, 120803H, 120805H, 120806H

Scroll Hemmer Feet
渦型捲邊壓腳

160344H	1/16"
120803H	1/8"
120805H	3/16"
120806H	1/4"



490357
(H5017)


490357 (H5017)

Hemming Feet (Single Fold Upturn)
捲邊壓腳 (單捲上摺)
尺寸 Size: 3/16", 1/4"

490358
(H6010)

490358 (H6010)

Ball Hemmer Feet (Double Fold Upturn)
球型壓腳 (雙捲上摺)
尺寸 Size: 1/16", 1/8",
3/16", 1/4"



490359
(H5018)

490359 (H5018)

Spring Hemmer Feet (Double Fold Upturn)
彈弓捲邊壓腳 (雙捲上摺)
尺寸 Size: 1/16", 1/8",
3/16", 1/4"


490360

Wire Hemmer Feet (Double Fold Upturn)
鋼線捲邊壓腳 (雙捲上摺)
尺寸 Size: 1/16", 1/8",
3/16", 1/4"




KHF 9000 BH



Spring Type Swing Hemmer for Shirt
彈弓咀圓腳捲邊器



Finished Size 出口
1/8"
3/16"
1/4"



Size 尺寸
1/8" 3/16" 1/4"




Applicable Parts 可用配件:
1) ZD presser foot
2) KF9000T NP & FD

3) 袖貼 Sleeve Facing




KHF 38

Sleeve Facing Folder
袖圈貼邊器




針距 Needle Space 出口 Finished Size
1/4" 3/8"



KHF 81

Adjustable Lace Attaching Folder
可調教式花邊接邊器



Size Adjustable
尺寸可調教


4) 通心帶 Spaghetti



KHF 29


Loop Folder Foot

平車帶狀摺縫壓腳



Finished Size 出口


1/8"	3/16"	1/4"
5/16"	3/8"	1/2"



KHF 50

Spaghetti Attachment


通心暗線縫拉帶器



Finished Size 出口

1/8"	3/16"
1/4"	5/16"
3/8"	1/2"

Applicable Parts 可用配件:
1) MD 4




KHF 73

Spaghetti Attachment

(with needle plate, feed dog & presser foot)

通心暗線縫拉帶器

(連針板、送布牙、壓腳)




Finished size 出口

1/8"	3/16"	1/4"
5/16"	3/8"	

Finished size 出口

1/2"



KHF 150 (Tailor-made)

Spaghetti Attachment

通心暗線縫拉帶器



It is for overlock and cover stitch machine. It folds the tape as a strap and joins with a elastic. After sewing, pull the tape inside out and make it as a blind sewn strap with a inbuilt elastic.

可用於包縫及繃縫機，把細條拉成帶，連上鬆緊帶。縫後，由裡朝外拉出，變成隱藏縫線及內藏鬆緊帶的帶子。

Applicable Parts 可用配件:
1) MD 4

MD-4 數碼同步多角度送料/放料器 Digital Synchronous Multi-position Tape Feeder & Puller

MD-4 is a multi-position tape feeder & puller, which can feed or pull the tape in different directions and applicable to any machine.


MD-4是一部多角度送料/放料器，可置於不同位置或角度，適合任何縫紉機種。

Function 功能:

- Pull 拉帶
- Feed 送帶

Direction/Position 方向/位置:

- Upward 上方
- Downward 下方
- Lateral 側面




範例 - 應用於通心暗線縫拉帶器


Example - Application with Spaghetti Attachment:

KHF 50/150 is not included in MD-4. It is a tailor-made items, which depend on the tape size & finished size.
KHF 50/150 助縫器為訂造產品，因應出入口尺寸訂造，不包括在MD-4內。


Feed Lateral 側送料



Adjustable 可調教




Feed Downward 向下送料



Feed Upward 向上送料/
Pull Downward 向下拉料

Adjustable 可調教

應用於包縫及繃縫機
Application on
Overlock & Cover
Stitch Machine




5) 面貼細條/帶 Tape Attaching

KHF 1

Suspended Tape Folder (Double Needle Machine)

懸掛式雙針貼帶器



入口 Tape Size	出口 Finished Size	入口 Tape Size	出口 Finished Size
1"	1/2"	2-1/4"	1-1/4"
1-1/4"	5/8"	2-3/8"	1-3/8"
1-1/2"	3/4"	2-1/2"	1-1/2"
1-3/4"	7/8"		
2"	1"		
2-1/4"	1-1/8"		

Applicable Parts 可用配件:
1) PD 112 Presser Foot
2) KHF 122 Folder Bracket

KHF 28

Double Needle Tape Attaching Foot

雙針面貼細條壓腳



Needle space 針距	Finished Size 出口
1/8"	1/4"
3/16"	5/16"
1/4"	3/8"
5/16"	7/16"
3/8"	1/2"
1/2"	5/8"

KHF 72

Multi-tape Attaching Folder

多條面貼器


入口 Tape size	出口 Finished size	
5/8"	1/4"	Overlapped 搭口
5/8"	5/16"	/
3/4"	5/16"	Overlapped 搭口
3/4"	3/8"	/
7/8"	3/8"	Overlapped 搭口
1"	1/2"	/
1-1/8"	1/2"	Overlapped 搭口
1-1/4"	5/8"	/
1-3/8"	5/8"	Overlapped 搭口
1-1/2"	3/4"	/
1-3/4"	7/8"	/

Upper Folder
上筒



Lower Folder
下筒

Applicable Parts 可用配件:
1) Gauge Set For Kansai
2) KHF 112 Bracket



Normal 普通


Overlapped 搭口



KHF 83

Tape Attach Folder for Coverstitch

繡縫車細條面貼器



Tape size 入口	Finished size 出口
14mm	5.6mm
15mm	6.4mm
17mm	7.2mm
19mm	8.0mm
21mm	8.8mm


Fix on the Covering
Stitch Presser Foot
可置在繡縫車壓腳前



KHF 86


Suspended Tape Folder

懸掛式拉帶器



Type A

Type B



Type C


This is a tailor made item,
please states the tape size
& finished size when order.
此產品為訂造零件，如需
訂造，請告知入口和出口
尺寸。

Applicable Parts 可用配件:
1) KHF 111 Folder Bracket

KHF 107

Zig Zag Blind Stitch Tape Attachment Foot

人字車暗縫面貼壓腳




• KHF107 is a combination of tape folder and our special designed presser feet.
• The folder is tailor-made according to your tape and finished size.
• The stitch is under the tape and invisible.

• KHF107 助縫器是配合我們特製的壓腳一併使用。
• 助縫器為訂造產品，訂購時請提供入口和出口尺寸。
• 縫製後，線跡將隱藏在細條下。

212-684

Suspending Tape Attachment

懸掛式面貼細條助縫器



Adjustable
tape size
可調教細條寬度


5) 面貼網條/帶 Tape Attaching



23061

Tape Attaching Foot

面貼網條壓腳




針距 Needle space	入口 Tape size	出口 Finished size
3/16"	5/8"	5/16"
3/16"	3/4"	5/16" Overlapped 搭口
1/4"	3/4"	3/8"
1/4"	7/8"	3/8" Overlapped 搭口




23072

Adjustable Tape Attaching Foot

調節式面貼網條壓腳




Needle Space 針距: 1/4"
Adjustable Tape Size 可調教入口:
8.5mm - 16mm



24711

Suspended Tape Folder

懸掛式面貼器



24711+23207 規格
Specification
for 24711+23207

Needle space 針距	Tape size 入口
3.2mm	15mm
4.8mm	18mm
6.4mm	23mm

Applicable Parts 可用配件:
1) 23207 Presser foot


6) 帶類 Belt



KHF 41

Double Needle Belt Folder

雙針手挽帶拉帶器



Tape size 入口	Finished size 出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/4"	1-1/8"
2-1/2"	1-1/4"
3"	1-1/2"


Applicable Parts 可用配件:
1) PD 112 Presser Foot



KHF 64

Belt Folder for Single and Double Needle

拉帶器




Finished Size 出口	
3/16"	1/4"
5/16"	3/8"
1/2"	5/8"
3/4"	7/8"
1"	



KHF 65


Belt Folder for 2-Needle

雙針拉帶器



Tape size 入口	Finished size 出口
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"


Applicable Parts 可用配件:
1) PD 112 Presser Foot



KHF 85

Two Pieces Belt Loop Folder

上下兩層拉帶器



Tape size 入口	Finished size 出口
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/4"	1-1/8"
2-1/2"	1-1/4"
2-3/4"	1-3/8"
3"	1-1/2"


Applicable Parts 可用配件:
1) PD112 Presser Foot
2) 2-N Gauge Set

7) 繙縫車 Cover Stitch

KHF 14

Downturn Elastic Hemmer for Cover Stitch

褲子腰部鬆緊帶捲邊器
(繙縫車用)




Finished Size 出口
1/4" 3/8" 1/2"

KHF 15

Single Upturn Folder for Cover Stitch

散口摺邊器(繙縫車用)




Finished Size 出口
1/8" 3/16" 1/4"

KHF 22

Adjustable Single Downturn Folder for Cover Stitch

可調教式摺邊器(繙縫車用)




Adjustable 可調教

KHF 34

Single Downturn Folder for Cover Stitch

繙縫車摺邊器




Finished size 出口
3/8" 1/2"
5/8" 3/4"
1" 1-1/4"
1-1/2"

KHF 40

Single Downturn Folder for Cover Stitch

繙縫車摺邊器




Finished size 出口
3/8" 1/2"
5/8" 3/4"
7/8" 1"
1-1/4" 1-1/2"

KHF 46

Downturn Folder with T-Guide for Cover Stitch

摺邊器連T字傍位
(繙縫車用)




Adjustable 可調教

KHF 54

Swing Hemmer with Elastic

擺動式包鬆緊帶摺邊器



Elastic Size 鬆緊帶尺寸
1/4" 3/8"

7) 綳縫車 Cover Stitch


KHF 57 & 62 綳縫車直角包邊器 Right Angle Binder for Cover Stitch

KHF 57A/B



Type A

Single fold 面環底散




入口 Tape Size	出口 Finished Size
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-7/8"	1-1/4"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

KHF 62A/B



Type B

Double fold 雙環口



入口 Tape Size	出口 Finished Size
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"

KHF 57C




KHF 62C



Type C

Raw Edge 散口




入口 Tape Size	出口 Finished Size
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

流行服裝 Fashions


KHF 57 綳縫車直角包邊器(鬆緊帶包縫) KHF 62 Right Angle Binder for Cover Stitch (with Elastic)

KHF 57 AE/BE



Type AE

Single fold with Elastic
面環底散(鬆緊帶包縫)




鬆緊帶 Elastic Size	入口 Tape Size	出口 Finished Size
1/4"	15/16"	5/16"
5/16"	1-1/8"	3/8"
7/16"	1-3/8"	1/2"

KHF 62 AE/BE



Type BE


Double fold with Elastic
雙環口(鬆緊帶包縫)



鬆緊帶 Elastic Size	入口 Tape Size	出口 Finished Size
1/4"	1-1/4"	5/16"
5/16"	1-1/2"	3/8"
7/16"	1-3/4"	1/2"


KHF 57 綳縫車直角包邊器(突邊) KHF 62 Right Angle Binder for Cover Stitch (with Piping)

KHF 57 APP/BPP



Type APP

Single fold with Piping
面環底散(突邊)




突邊 Piping Size	入口 Tape Size	出口 Finished Size
Tailor-made	See KHF 57A/ KHF 62A	See KHF 57A/ KHF 62A

KHF 62 APP/BPP



Type BPP

Double fold with Piping
雙環口(突邊)



突邊 Piping Size	入口 Tape Size	出口 Finished Size
Tailor-made	See KHF 57B/ KHF 62B	See KHF 57B/ KHF 62B

Piping folder is mounted on the main folder and its position is adjustable.
突邊助縫器是裝配在主包邊器上，突邊位置可調教。

7) 繙縫車 Cover Stitch




Fix on the Covering
Stitch Presser Foot
可置在繙縫車壓腳前


KHF 83

**Tape Attach Folder for
Coverstitch**

繙縫車網條面貼器




Tape Size 入口	Finished Size 出口
14mm	5.6mm
15mm	6.4mm
17mm	7.2mm
19mm	8.0mm
21mm	8.8mm




KHF 84

**Adjustable Downturn
Folder for Cover Stitch**

可調教式繙縫車摺邊器




Adjustable (10-30mm)
可調教 (10-30mm)



KHF 89

**Adjustable Downturn
Folder for Cover Stitch**

可調教式繙縫車摺邊器



Adjustable
可調教

8) 撓腳鈕 Shrank Bottom



KH373-06


9) 女裝扣 Hook and Eye

Eye and Hook Clamp
釘勾扣夾模






KH373-86

10) 縮褶 Shirring




KP112-5W

**Adjustable Double Needle
Shirring Presser Foot**
可調教式雙針縮褶壓腳




112-W952

**Double Needle Shirring
Presser Foot**
雙針縮褶壓腳




尺寸 Size:
1/8", 3/16", 1/4"



















107-W952




















**Zig Zag Shirring Presser
Foot**
人字縮褶壓腳



Special KH Presser Foot KH 特種壓腳


CL-NS Left Compensating Foot for Zipper 左高低壓腳 (縫拉鍊用) 1/16"	CR-NS Right Compensating Foot for Zipper 右高低壓腳 (縫拉鍊用) 1/16"	KP9000L Left Compensating Foot for Thin Material 左高低壓腳 (薄物用) 1/32", 1/16", 1/8", 3/16", 1/4"	KP9000R Right Compensating Foot for Thin Material 右高低壓腳 (薄物用) 1/32", 1/16", 1/8", 3/16", 1/4"	KL-1 Left Compensating Foot for Folder 左高低壓腳 (摺邊器用) 1/32", 1/16"	KR-1 Right Compensating Foot for Folder 右高低壓腳 (摺邊器用) 1/32", 1/16"
					
KL-31E Left Compensating Foot (Edge/ Invisible Stitch) 左高低壓腳 (隱線用)	KR-31E Right Compensating Foot (Edge/ Invisible Stitch) 右高低壓腳 (隱線用)	HL-N Left Narrow Compensating Foot for Heavy Duty/ Cross Seam 左窄高低壓腳 (厚物/十字縫用) 1/32", 1/16"	HR-N Right Narrow Compensating Foot for Heavy Duty/ Cross Seam 右窄高低壓腳 (厚物/十字縫用) 1/32", 1/16"	HL-E Left Compensating Foot for Heavy Duty (Wide) 左闊高低壓腳 (厚物用) 1/8", 3/16", 1/4", 5/16", 3/8", 1/2"	HR-E Right Compensating Foot for Heavy Duty (Wide) 右闊高低壓腳 (厚物用) 1/8", 3/16", 1/4", 5/16", 3/8", 1/2"
					
CR-S Right Compensating Foot for Thin/Knitting Material 右高低壓腳 (薄物及針織物用) 1/32", 1/16"	SP-705 Left Compensating Foot for Folder 摺邊器用左高低壓腳 1/32", 1/16"	SP-747 Compensation Presser Foot for Tape 拉筒用高低導帶壓腳 尺寸 Size 帶闊 Tape width 1/32", 3/8", 1/2", 1/16", 3/4", 1"	ZR1/32A Collar Attaching Foot (needle hole on right toe) 上領壓腳 (針孔在右趾)	ZR1/32C Runstitching Collar Foot (needle hole on right toe) 運領壓腳 (針孔在右趾)	KP5556R Compensating Bird Nest Prevention Foot (for Automatic Thread Trimmer Machine) 高低防止雀巢壓腳 (防雀巢自動剪線車用) 1/32", 1/16"
					
KH5556W Bird Nest Prevention Foot (for Thread Trimmer Machine) 防止雀巢壓腳 (防雀巢自動剪線車用)	ZD Feet for KH9000 BH Sleeves Attachment KHF9000BH 彈弓咀恤衫腳捲邊用壓腳 (恤衫用) 1/8", 3/16", 1/4"	KR-12TF Tube Feet KR-12T Replacement Tube KR-12F Feet 導帶壓腳 獨立導帶管壓腳 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"	SP-25 Feet with Right Compensating Guide (2-step) 右高低傍壓腳 (兩段式) 1) alternative guiding: 1/16" & 5/16", or 1/16" & 5/16" 傍位二擇其一, 或 2) can substitute 1/4" double needle seam 可代替 1/4" 雙針線縫		
					

Special KH Presser Foot KH 特種壓腳

SP-18L Left Compensating Guide Feet for Heavy Duty/ Cross Seam 左高低傍位壓腳 (厚物I十字縫用) 1/16", 3/32", 1/8", 3/16", 1/4"	SP-18 Right Compensating Guide Feet for Heavy Duty/ Cross Seam 右高低傍位壓腳 (厚物I十字縫用) 1/16", 3/32", 3mm, 1/8", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"	SP-19 Hemming Feet with Edge Guide 傍邊摺邊壓腳 3/8"	SP-98 Feet for KHF98 Tucking Attachment KHF98 打摺器用壓腳 1/8", 3/16"	SP-102 Feet for KHF102 Sleeves Attachment KHF102 接袖器用壓腳 3/16", 1/4", 5/16", 3/8"	SP-733 Hemming Feet with Edge Guide 傍邊摺邊壓腳 1/8", 3/16", 1/4", 5/16", 3/8", 1/2"
					
SP-734 Hemming Feet for Tube 摺邊導帶壓腳 3/8", 1/2"	P500 Adjustable Top Joining Shirring Feet 可調教式底縮上面貼壓腳	P363 Zipper Feet 拉鍊壓腳	HP363 Up Tail Feet Zipper Feet for Heavy Duty 撮尾拉鍊壓腳 (厚物用)	S5180NS Invisible Zipper Feet with Center Guide 中間傍位隱形拉鍊壓腳	HP58N Narrow Feet for Heavy Duty 窄幅標準壓腳 (厚物用)
					
P351S Up Tail Feet with small hole for Thin Material 細孔撮尾壓腳 (薄物用)	P35GK Standard Feet with Needle Guard and Thread Cutter 標準壓腳 (連護針罩及割線刀)	ZP Double Compensating Feet 左右高低雙傍位壓腳 1/8", 5/32", 3/16", 1/4"	KL-13 Hemming Feet 摺邊拉筒壓腳 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-1/2"		CKL-13 Left Compensating Hemmer and Folding Feet (wide) 左高低摺邊壓腳 (闊) 15mm, 25mm
			Case 1  Case 2 		
CL-N Left Compensating Narrow Feet 左窄高低壓腳 1/32", 1/16"	CR-N Right Compensating Narrow Feet 右窄高低壓腳 1/32", 1/16"	CL-E Left Compensating Regular Feet 左高低壓腳 1/32, 1/16, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2	CR-E Right Compensating Regular Feet 右高低壓腳 1/32, 1/16, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2	154628-001 Turret Presser Feet Assembly 壓腳更換裝置	
					


K 高低壓腳

Compensating Feet




CR-S
Right Compensating Feet
for Thin/ Knitting Material
右高低壓腳
(薄物及針織物用)

尺寸 Size:
1/32S, 1/16S




CL-E
Left Compensating
Regular Feet
左高低壓腳

尺寸 Size:
1/32E, 1/16E, 3/32E,
1/8E, 5/32E, 3/16E,
1/4E, 5/16E, 3/8E, 1/2E




CR-E
Right Compensating
Regular Feet
右高低壓腳

尺寸 Size:
1/32E, 1/16E, 3/32E,
1/8E, 5/32E, 3/16E,
1/4E, 5/16E, 3/8E, 1/2E




CL-N
Left Compensating
Narrow Feet
左窄高低壓腳

尺寸 Size:
1/32N, 1/16N




CR-N
Right Compensating
Narrow Feet
右窄高低壓腳

尺寸 Size:
1/32N, 1/16N




CL-K
Left Compensating Feet for
Thin/ Knitting Material
左高低壓腳
(薄物及針織物用)

尺寸 Size:
1/32K, 1/16K



CR-K
Right Compensating Feet
for Thin/ Knitting Material
右高低壓腳
(薄物及針織物用)

尺寸 Size:
1/32K, 1/16K




CL-NS

**Left Compensating
Zipper Feet**

左高低壓腳（縫拉鍊用）

尺寸 Size:
1/16NS




CR-NS

**Right Compensating
Zipper Feet**

右高低壓腳（縫拉鍊用）

尺寸 Size:
1/16NS




KP9000L

**Left Compensating Feet
for Thin Material**

左高低壓腳（薄物用）

尺寸 Size:
1/32", 1/16", 1/8",
3/16", 1/4"




KP9000R

**Right Compensating Feet
for Thin Material**

右高低壓腳（薄物用）

尺寸 Size:
1/32", 1/16", 1/8",
3/16", 1/4"




KL-1

**Left Compensating Feet for
Folder**

左高低壓腳（摺邊器用）

尺寸 Size:
1/32", 1/16"



KR-1

**Right Compensating Feet
for Folder**

右高低壓腳（摺邊器用）


尺寸 Size:
1/32", 1/16"



KL-31E

**Left Compensating Feet
(Edge/ Invisible Stitch)**

左高低壓腳（隱線用）



KR-31E

**Right Compensating Feet
(Edge/ Invisible Stitch)**


右高低壓腳（隱線用）



CKL-13

Left Compensating Hemmer and Folding Foot (wide)
左高低摺邊壓腳 (闊)

尺寸 Size:
15mm, 25mm




C-D

Double Compensating Feet
左右高低壓腳

尺寸 Size:

C10D 1.0mm
C15D 1.5mm
C20D 2.0mm



Dual Compensating Feet
兩用高低壓腳

211-14


Adjustable Size 可調教尺寸:
1/16" & 1/4"

211-15



Adjustable Size 可調教尺寸:
1/16" & 5/16"

- Enable to obtain 2 different stitching margins without changing presser foot
可做出兩個不同傍距的線跡而不用更換壓腳
- Can substitute double needle seam (211-14: 3/16", 211-15: 1/4")
可代替雙針線縫 (211-14: 3/16", 211-15: 1/4")

Step 1




Step 2



ZD

Feet for KHF 9000 Spring Type Swing Hemmer (Shirt)
KHF9000彈弓咀腳捲邊器壓腳 (恤衫用)


尺寸 Size:
1/8", 3/16", 1/4"




ZP

Double Compensating Feet
左右高低壓腳


Case 1



Case 2




尺寸 Size:
1/8", 5/32", 3/16", 1/4"



SP-705

Left Compensating Feet for Folder
摺邊器用左高低壓腳

尺寸 Size:
1/32", 1/16"




SP-747

Compensation Presser Feet for Tape
拉筒用高低導帶壓腳

尺寸 Size:
1/32", 1/16"


帶闊 Tape Width:
3/8", 1/2", 3/4", 1"



HL-N


Left Narrow Compensating Feet for Heavy Duty/ Cross Seam

左窄高低壓腳(厚物/十字縫用)



尺寸 Size:
1/32N, 1/16N


H Series 3 Spring Design
H系列3彈簧設計



HR-N


Right Narrow Compensating Feet for Heavy Duty/ Cross Seam

右窄高低壓腳(厚物/十字縫用)



尺寸 Size:
1/32N, 1/16N


H Series 3 Spring Design
H系列3彈簧設計



HL-E

Left Wide Compensating Feet for Heavy Duty/ Cross Seam

左闊高低壓腳(厚物/十字縫用)



尺寸 Size:
1/8E, 3/16E,
1/4E, 5/16E,
3/8E, 1/2E


H Series 3 Spring Design
H系列3彈簧設計



HR-E


Right Wide Compensating Feet for Heavy Duty/ Cross Seam

右闊高低壓腳(厚物/十字縫用)



尺寸 Size:
1/8E, 3/16E,
1/4E, 5/16E,
3/8E, 1/2E

H Series 3 Spring Design
H系列3彈簧設計




KB

Compensating Feet for A10 Binder

A10直角包縫器用高低壓腳

A10 Tape Size:
細條入口尺寸:
3/4", 1", 1-1/4"

K Z系列襯衫 專用壓腳 Z Series Feet for Shirt




ZR1/32A

Collar Attaching Feet

(needle hole on right toe)

上領壓腳(針孔在右趾)




ZR1/32C

Runstitching Collar Feet

(needle hole on right toe)

運領壓腳(針孔在右趾)



KP5556R


Compensating Bird Nest

Prevention Feet (for Auto-

matic Thread Trimmer

Machine)
高低防止雀巢壓腳(防
雀巢自動剪線車用)

尺寸 Size:
1/32", 1/16"




KH5556W

Bird Nest Prevention Feet

(for Automatic Thread


Trimmer Machine)
防止雀巢壓腳(防雀巢
自動剪線車用)



ZD


Feet for KHF 9000 Spring


Type Swing Hemmer (Shirt)
KHF9000彈弓咀腳捲
邊器壓腳 (恤衫用)



尺寸 Size:
1/8", 3/16", 1/4"

K 單邊壓腳 Cording Feet






P301N

Solid Left Cording Feet


左單邊固定壓腳



P311N

Solid Right Cording Feet

右單邊固定壓腳




HP-36LN

Left Cording Feet for

Heavy Duty

左單邊壓腳(厚物用)



HP-36N

Right Cording Feet for

Heavy Duty

右單邊壓腳(厚物用)

壓腳 Presser Foot



滾輪壓腳 Roller Feet



RCR

Compensating Roller Feet

(Right)

右傍高低滾輪壓腳

尺寸Size:

1/32, 1/16, 1/8,
3/16, 1/4, 5/16



R36LN
Hinged Cording Roller Feet
(Left)
左單邊滾輪壓腳



R36N
Hinged Cording Roller Feet
(Right)
右單邊滾輪壓腳





R141
Single Needle Roller Feet
單針滾輪壓腳




R142
Roller Feet for Anti-Puckering
防皺縮滾輪壓腳

Applicable Parts 可用配件:
APS-10 Needle Plate
APS-12 Feed Dog



APS-10
Needle Plate for Anti-Puckering
防皺縮針板



APS-12
Feed Dog for Anti-Puckering
防皺縮送布齒




R212
Double Needle Roller Feet
雙針滾輪壓腳

尺寸Size:
3/16, 1/4



RS570
Double Needle Roller Feet
with Compensating Guide
雙針導邊滾輪壓腳


尺寸Size:
3/16", 1/4"



R2500
Chainstitch Roller Feet
繡縫車滾輪壓腳

尺寸Size:

2針 2-Needle	
4.0mm	4.8mm
3針 3-Needle	
5.6mm	6.4mm



R457

Zigzag Roller Feet
人字縫滾輪壓腳




R23771

Tape Roller Feet for Zigzag
拉帶人字縫滾輪壓腳



KP-003

Plastic Roller Feet for Pattern Cutter
模辦製作塑膠滾輪壓腳



KP-003A

Bearing Roller Feet for Pattern Cutter
模辦製作軸承滾輪壓腳



KP-004

Needle Plate for Pattern Cutter
模辦製作針板



R2

Roller Feet
滾輪壓腳



S517

Nylon Roller Feet
尼龍滾輪壓腳




R2E

Wide Roller Feet
闊滾輪壓腳




R5214
Roller Feet for 4-thread
Overlock Machine
包縫車4線滾輪壓腳


K 標準壓腳
Standard
Presser Feet




P58N
Narrow Feet
窄幅用標準壓腳




HP58N
Narrow Feet for Heavy Duty
窄幅標準壓腳(厚物用)




P35
Standard Feet
標準壓腳




P35G
Standard Feet with Needle
Guard
標準壓腳(連護針罩)



P35GK
Standard Feet with Needle
Guard and Thread Cutter
標準壓腳
(連護針罩及割線刀)




Holds Thread
After Cut
切斷後
可把線夾住




P351

Up Tail Feet
撬尾壓腳




P351S

Up Tail Feet with small hole for Thin Material
細孔撬尾壓腳(薄物用)




P351G

Up Tail Feet with Needle Guard for Knitting
撬尾壓腳(連護針罩)




P351K

Up Tail Feet for Knitting
針織用撬尾壓腳




P127

Up Tail Feet (Wide)
撬尾壓腳(闊)




P144HL

Up Front Feet (Double Toe Even)
前撬壓腳(兩趾等長)




P144HLB

Up Front Feet (Hole in Center)
厚物用標準壓腳




113280

Standard Feet for Heavy Duty
厚物用標準壓腳




B1524-012-0A0

Standard Feet
標準壓腳




B1524-412-0A0

Standard Feet for Needle Feed
針送用標準壓腳



B1511-543-BA0

Standard Feet for Heavy Duty
厚物用標準壓腳




B1524-522-NAA

Feet for Side Cutter
配合切邊裝置壓腳



B1524-481-CBO


Sliding Feet
防滑布壓腳



FT-A015

Sliding Feet
防滑布壓腳

K 摺邊壓腳 Hemming & Folding Feet




KL-11

**Central Compensating Feet
for Folder**


中間高低摺邊器用壓腳

尺寸 Size:
3/4", 7/8",
1", 1-1/4"




ZD

**Feet for KHF 9000 Spring
Type Swing Hemmer (Shirt)**
KHF9000彈弓咀腳捲
邊器壓腳 (恤衫用)



尺寸 Size:
1/8", 3/16", 1/4"




ZP

Double Compensating Feet
左右高低壓腳


Case 1



Case 2



尺寸 Size:
1/8", 5/32", 3/16", 1/4"




KL-1

**Left Compensating Feet for
Folder**

摺邊器用左高低壓腳

尺寸 Size:
1/32", 1/16"




KR-1

**Right Compensating Feet
for Folder**

右高低壓腳(摺邊器用)

尺寸 Size:
1/32", 1/16"



KL-13

Hemming Feet
摺邊拉筒壓腳

尺寸 Size:
3/8", 1/2", 5/8",
3/4", 7/8", 1",
1-1/8", 1-1/4", 1-1/2"




CKL-13

**Left Compensating Hemmer
and Folding Feet (wide)**


左高低摺邊壓腳 (闊)

壓腳寬度
Presser Foot Width:
15mm, 25mm




P3610~P3625
Hemming Feet
摺邊壓腳

P3610	P3611	P3613	P3615
5mm	6mm	8mm	10mm
P3619	P3620	P3625	--
14mm	15mm	20mm	--



P3811~P3825
Edge Guide Hemming Feet
傍邊摺邊壓腳

P3811	P3813	P3815
6mm	8mm	10mm
P3819	P3822	P3825
14mm	17mm	20mm




SP 9/16
Hemming Feet (Hole in Center)
摺邊壓腳(針孔在中)

尺寸 Size:
9/16"




SP-19
Hemming Feet with Edge Guide
傍邊摺邊壓腳

尺寸 Size:
3/8"




SP-98
Feet for KHF98 Tucking Attachment
KHF98 打摺器用壓腳

尺寸 Size:
1/8", 3/16"



SP-102
Feet for KHF102 Sleeves Attachment
KHF102 接袖器用壓腳

針孔與傍位的間距:
Space between Guide and Needle Hole:
3/16", 1/4", 5/16", 3/8"




SP-705
Left Compensating Feet for Folder
左高低摺邊器用壓腳

尺寸 Size:
1/32", 1/16"



SP-733
Hemming Feet with Edge Guide
傍邊摺邊壓腳


尺寸 Size:
1/8", 3/16", 1/4",
5/16", 3/8", 1/2"



SP-734

Hemming Feet for Tube
摺邊導帶壓腳

尺寸 Size:
3/8", 1/2"




SP-747

Compensation Presser Feet
for Tape

拉筒用高低導帶壓腳

尺寸 Size:
1/32" 1/16"


帶闊 Tape Width:
3/8" 1/2" 3/4" 1"



160344H, 120803H, 120805H, 120806H

Scroll Hemmer Feet
渦型捲邊壓腳


160344H	1/16"
120803H	1/8"
120805H	3/16"
120806H	1/4"



LOT

Scroll Hemmer Feet
渦型捲邊壓腳


型號 Item Number	尺寸 Size
1 (160344)	1/16"
2 (120938)	3/32"
02 厚料 Thick Material	1/8"
2-1/2 (120803)	1/8"
3 (120804)	5/32"
4 (120805)	3/16"
04 厚料 Thick Material	3/16"
6 (120806)	1/4"
06 厚料 Thick Material	1/4"
7-1/2	5/16"
09 厚料 Thick Material	3/8"
095	7/16"



490357 (H5017)

Hemming Feet
(Single Fold Upturn)
捲邊壓腳 (單捲上摺)


尺寸 Size:
3/16", 1/4"



490358 (H6010)

Ball Hemmer Feet
(Double Fold Upturn)
球型壓腳 (雙捲上摺)


尺寸 Size:
1/16", 1/8",
3/16", 1/4"



490359 (H5018)

Spring Hemmer Feet
(Double Fold Upturn)
彈弓捲邊壓腳 (雙捲上摺)

尺寸 Size:
1/16", 1/8",
3/16", 1/4"




490360

Wire Hemmer Feet
(Double Fold Upturn)
鋼線捲邊壓腳 (雙捲上摺)

尺寸 Size:
1/16", 1/8",
3/16", 1/4"




包縫壓腳 Binding Feet



A10

Feet for A10 Binder (Solid)
A10 包縫器用壓腳(固定)


A10 Tape Size
細條入口尺寸:
5/8", 3/4", 7/8", 1",
1-1/8", 1-1/4", 1-1/2"



K10

Feet for K10 Binder (Solid)
K10 包縫器用壓腳(固定)


K10 Tape Size
細條入口尺寸:
22mm, 26mm, 28mm,
40mm, 45mm



KR-10

Feet for A10 Binder (Hinged)
A10 包縫器用壓腳(活動)


A10 Finished Size
細條出口尺寸:
3/16", 1/4", 5/16",
3/8", 1/2"



KB

Compensating Feet for A10 Binder
A10 直角包縫器用高低壓腳


A10 Tape Size:
細條入口尺寸:
3/4", 1", 1-1/4"



KP-74


Edge Guide Feet for KHF 74
KHF 74 包縫器用傍邊壓腳

尺寸 Size:
3/8", 1/2", 5/8",
3/4", 1"



P34

Solid Binding Feet
包縫器用壓腳(固定)



SP-33


Edge Guide Feet for KHF 33
KHF 33 包縫器用導傍壓腳

坑闊 Groove Width: 3/8"

針孔至壓腳邊尺寸
Needle hole to the edge:
3/4", 1", 1-1/4",
1-1/2"



導帶壓腳 Tube Feet




KR-12TF

Tube Feet

導帶壓腳

尺寸 Size:
1/8", 3/16", 1/4",
5/16", 3/8", 1/2",
5/8", 3/4", 7/8", 1"



KR-12F

Feet

壓腳



KR-12T


Individual Replacement

Tube

獨立導帶管

尺寸 Size:
1/8", 3/16", 1/4",
5/16", 3/8", 1/2",
5/8", 3/4", 7/8", 1"


壓腳 Presser Foot



A225E

Adjustable Tube Feet

可調教寬度導帶壓腳




A227 (S537)

Elastic Shirring Feet

鬆緊帶縮摺壓腳

尺寸 Size:
1/8", 3/16", 1/4",
5/16", 3/8", 1/2",



SP-747

Compensation Presser Feet


for Tape

拉筒用高低導帶壓腳

尺寸 Size:
1/32" 1/16"

帶闊 Tape Width:
3/8" 1/2" 3/4" 1"


K 導傍壓腳 Guiding Feet



SP-18L

Feet with Left Compensating Guide for Heavy Duty
左高低傍位壓腳(厚物用)


尺寸 Size:
1/16", 3/32", 1/8",
3/16", 1/4"



SP-18

Feet with Right Compensating Guide for Heavy Duty
右高低傍位壓腳(厚物用)

尺寸 Size:
1/16", 3/32", 1/8", 3/16",
7/32", 1/4", 5/16", 3/8",
7/16", 1/2", 3mm (SP-18N)




SP-25

Feet with Right Compensating Guide (2-step)
右高低傍位壓腳(兩段式)


Step 1
Step 2
1/16"
5/16"
1/4"
雙針線縫
Double needle seam
- Enable to obtain 2 different stitching margins without changing presser foot
可做出兩個不同傍距的線跡而不用更換壓腳
- Can substitute 1/4" double needle seam
可代替1/4" 雙針線縫

Adjustable size 可調校尺寸:
1/16" & 5/16"




SP8103F

Edge Guiding Feet
導邊壓腳




SP8103G

Edge Guiding Feet
導邊壓腳




P723 (S521)

Deluxe Hinged Quilter Feet
左右定規壓腳




P801

Quilter Feet
定規壓腳



P803


Quilter Feet
定規壓腳



P10 ~ P18

Top Stitch Guide Feet
彈片導向壓腳


P10	P11	P115
1/32"	1/16"	3/32"
P12	P13	P14
1/8"	3/16"	1/4"
P15	P16	P18
5/16"	3/8"	1/2"



P810L~P818L

Left Hinged Raising Feet
左傍邊壓腳

P810L	P811L	P812L	P813L
1/32"	1/16"	1/8"	3/16"
P814L	P815L	P816L	P818L
1/4"	5/16"	3/8"	1/2"




P810 ~ P818

Right Hinged Raising Feet
右傍邊壓腳

P810	P811	P812	P813
1/32"	1/16"	1/8"	3/16"
P814	P815	P816	P818
1/4"	5/16"	3/8"	1/2"

K 繩管壓腳


Piping Presser Feet



P69D

Solid Double Grooved Piping Feet
繩管固定雙坑壓腳


尺寸 Size:
1/8", 3/16", 1/4"



P69L

Solid Piping Feet (Left)
繩管固定壓腳 (左)


尺寸 Size:
3/8", 1/2"



P69R

Solid Piping Feet (Right)
繩管固定壓腳 (右)


尺寸 Size:
3/8", 1/2"



P69LH

Hinged Piping Feet for Needle Feed (Left)
針送型繩管活壓腳(左)


尺寸 Size:
1/8", 3/16", 1/4"



P69RH

Hinged Piping Feet for Needle Feed (Right)
針送型繩管活壓腳(右)


尺寸 Size:
1/8", 3/16", 1/4"



SP70L

Piping Feet with Edge Guide (Left)
傍邊繩管用壓腳(左)


尺寸 Size:
1/8", 3/16", 1/4"



SP70R

Piping Feet with Edge Guide (Right)
傍邊繩管用壓腳(右)

尺寸 Size:
1/8", 3/16", 1/4"








P37

Feet for KHF75 Piping Folder
KHF75用繩管助縫壓腳

尺寸 Size:
1/8", 3/16", 1/4"

K 拉鍊壓腳

Zipper Presser Feet





S5180NS
**Invisible Zipper Feet with
Center Guide**
中間傍位隱形拉鍊壓腳

K 縮褶壓腳 **Shirring Presser Feet**



P950 (S950)
Adjustable Shirring Feet
可調教節縮褶壓腳



P952
**Finely Adjustable Shirring
Feet**
可微調縮褶壓腳




S955
**Finely Adjustable Shirring
Feet**
可微調縮褶壓腳



B1524-431-0A0
Shirring Feet
縮褶壓腳




P50
Standard Shirring Feet
標準型縮褶壓腳



P50H

High Step Shirring Foot


高段型縮褶壓腳



P50N

Narrow Shirring Foot


窄縮褶壓腳



P5

Top Ply Joining Shirring Foot


底縮上面貼壓腳



P5W

Top Ply Joining Shirring Feet (Wide)



底縮上面貼壓腳 (闊)



P500

Adjustable Top Joining Shirring Foot

可調教式底縮上面貼壓腳



A227 (S537)

Elastic Shirring Foot

鬆緊帶縮褶壓腳

尺寸 Size:
1/8", 3/16", 1/4",
5/16", 3/8", 1/2"

K 鐵佛龍壓腳 *Teflon Presser Feet*


T350

Teflon Standard Feet
鐵佛龍標準壓腳



T350B

Teflon Standard Feet Base
鐵佛龍標準壓腳底



T35W


Teflon Double Toe Even Feet
鐵佛龍兩趾等長壓腳



尺寸Size:
12.5mm, 15mm

T35WB

Teflon Double Toe Even Feet Base
鐵佛龍兩趾等長壓腳底



尺寸Size:
12.5mm, 15mm

T35CW

Teflon Hole In Center Feet
鐵佛龍針孔在中壓腳



尺寸Size:
12.5mm, 15mm

T35CWB

Teflon Hole In Center Feet Base
鐵佛龍針孔在中壓腳底



尺寸Size:
12.5mm, 15mm



T36LN

Teflon Left Cording Feet
鐵佛龍左單邊壓腳



T36LNB

Teflon Left Cording Feet Base
鐵佛龍左單邊壓腳底



T36N

Teflon Right Cording Feet
鐵佛龍右單邊壓腳




T36NB

Teflon Right Cording Feet Base
鐵佛龍右單邊壓腳底



T363

Teflon Zipper Feet
鐵佛龍拉鍊壓腳



T363B

Teflon Zipper Feet Base
鐵佛龍拉鍊壓腳底



NT-18

Double Layer Up Tail Feet
雙層撓尾壓腳



NT-18B

Double Layer Up Tail Feet Base
雙層撓尾壓腳底



SP-28


Adjustable Presser Feet
壓力可調壓腳



SP-28B

Adjustable Presser Feet
Base
壓力可調壓腳底

K 防靜電壓腳 **Anti-static** **Presser Feet**




CF112

Anti-static Feet for
2 Needle Machine
防靜電雙針壓腳

尺寸 Size:
3/16", 1/4"


壓腳 Presser Foot



LF570

Anti-static Feet for
2 Needle Machine with
Left Compensating Guide
雙針左導邊防靜電壓腳


尺寸 Size:
3/16", 1/4"



RF570

Anti-static Feet for
2 Needle Machine with
Right Compensating Guide
雙針右導邊防靜電壓腳


尺寸 Size:
3/16", 1/4"



CF-35

Anti-static Feet (Standard)


防靜電壓腳（標準）



CF-351

Anti-static Feet (Up Tail)

防靜電壓腳（前撓）




CF-36LN

Anti-static Feet

(Left Cording)

防靜電壓腳（左單邊）




CF-36N

Anti-static Feet

(Right Cording)


防靜電壓腳（右單邊）



CF-363

Anti-static Feet (Zipper)


防靜電壓腳（拉鍊）



CF-58N

Anti-static Feet (Narrow)

防靜電壓腳（窄）




CF-518NS

Anti-static Feet (Invisible

Zipper)

防靜電壓腳（隱形拉鍊）








CF188

Anti-static Feet

防靜電壓腳



Capable for blank stitch
可縫空線





K 壓輪 Roller Presser


壓腳 Presser Foot




護針罩 Needle Guard





154628-001 壓腳更換裝置 Turret Presser Feet Assembly



普通平車針板、幼齒牙 Needle Plate & Feed Dog (Fine)




普通平車針板、幼齒牙 Needle Plate & Feed Dog (Fine)



剪線平車特厚針板、牙 Gauge Set (Thick) for Thread Trimmer Machine



KN5550T 剪線車高低針板、牙(幼齒、筒用) Needle Plate & Feed Dog for Binding (Fine) for Thread Trimmer Machine




Needle Plate 針板	Feed Dog 送布牙	Roll 行數	Feed Dog 送布牙			Needle Hole 針孔
			Wide (Left) 闊(左)	Wide (Right) 闊(右)	Length 長	
KN5550T-N4	KF5550T-N4	N4	4.5mm	7.6mm	25mm	1.5mm
KN5550T-N5	KF5550T-N5	N5		10.9mm		
KN5550T-N6	KF5550T-N6	N6		14.2mm		
KN5550T-M5	KF5550T-M5	M5	7.7mm	7.7mm		

Suitable for 適用於:

Juki	重機	555,	8700
Juki (Tr)	重機(剪線)	5550,	9000
Brother	兄弟	735,	755
Brother (Tr)	兄弟(剪線)	7200,	etc.

KN7200 平車剪線高低針板、牙(幼齒) Needle Plate & Feed Dog for Binding (Fine) for Thread Trimmer Machine




Needle Plate 針板	Feed Dog 送布牙	Roll 行數	Feed Dog 送布牙			Needle Hole 針孔
			Wide (Left) 闊(左)	Wide (Right) 闊(右)	Length 長	
KN7200-N4	KF7200-N4	N4	5.5mm	9.7mm	25mm	1.5mm
KN7200-N5	KF7200-N5	N5		14.1mm		
KN7200-N6	KF7200-N6	N6		18.5mm		
KN7200-M5	KF7200-M5	M5	9.8mm	9.8mm		

Suitable for 適用於:

Juki	重機	555,	8700
Juki (Tr)	重機(剪線)	5550	
Brother	兄弟	735,	755
Brother (Tr)	兄弟(剪線)	7200,	etc.

KN9000F 剪線車平針板、幼齒牙(筒用) Needle Plate & Feed Dog for Binding (Fine) for Thread Trimmer Machine




Needle Plate 針板	Feed Dog 送布牙	Roll 行數	Feed Dog 送布牙			Needle Hole 針孔
			Wide (Left) 闊(左)	Wide (Right) 闊(右)	Length 長	
KN9000F-N3	KF9000F-N3	N3	6.8mm	6.8mm	16mm	1.5mm
KN9000F-N4	KF9000F-N4	N4		12.0mm		
KN9000F-N5	KF9000F-N5	N5		17.2mm		
KN9000F-N6	KF9000F-N6	N6		22.4mm		

Suitable for 適用於:

Juki	重機	555,	8700
Juki (Tr)	重機(剪線)	5550,	9000
Brother	兄弟	735,	755
Brother (Tr)	兄弟(剪線)	7200,	etc.

KN9000T KHF 9000BH 用針板、牙 NP & FD for KHF 9000BH



Suitable for 適用於:
Juki 重機 555, 8700
Juki (Tr) 重機(剪線) 5550, 9000
Brother 兄弟 735, 755
Brother (Tr) 兄弟(剪線) 7200, etc.












Roll 行數	Feed Dog 送布牙			Needle Hole 針孔
	Wide (L) 闊度(左)	Wide (R) 闊度(右)	Length 長度	
N4	4mm	7.1mm	25mm	1.5mm

膠送布牙 Plastic Feed Dog















其他 Others












步靴系列 Walking Feet Series

U193 U192  內Inside 外Outside 標準 Regular	U193B U192B  內Inside 外Outside U193B: 闊Wide U192B: 趾在左面 Toe on Left Side	U193SG U192B  內Inside 外Outside U193SG: 右傍邊 Right Edge Guide U192B: 趾在左面 Toe on Left Side Size: 1/16", 3/32", 1/8", 5/32"
U193TS U192B  內Inside 外Outside U193TS: 右彈弓片傍位 Right Top Stitch Guide U192B: 趾在左面 Toe on Left Side Size: 1/16", 3/32", 1/8", 5/32"	Y350 U192B  內Inside 外Outside Y350: 高低傍位 Compensating Guide U192B: 趾在左面 Toe on Left Side Size: 1/16", 3/32", 1/8", 5/32"	U193R U192R  內Inside 外Outside 靠右 Right Side
U193T U192T  內Inside 外Outside 窄 Narrow	U194 U195  外Outside 內Inside 包縫用 Binding	U194A U195A  外Outside 內Inside 繩管 (針孔至繩坑 2mm) Piping (2mm from Groove to Needle Hole) Size: 3/16", 1/4"
U194B U195B  外Outside 內Inside 繩管 (針孔至繩坑 0mm) Piping (0mm from Groove to Needle Hole) Size: 3/16", 1/4"	U30A U31A  內Inside 外Outside 繩管 (針孔至繩坑 2mm) Piping (2mm from Groove to Needle Hole) Size: 3/16", 1/4"	U30B U31B  內Inside 外Outside 繩管 (針孔至繩坑 0mm) Piping (0mm from Groove to Needle Hole) Size: 3/16", 1/4"










步靴系列 Walking Feet Series

U67 U68  內Inside 外Outside 繩管嵌線 Cording and Piping	U67T U68T  內Inside 外Outside 窄繩管嵌線 Narrow Cording and Piping	DY350A  內Inside 外Outside 繩管(腳啞、繩坑皆在左) Piping (Toe and Groove also on Left Side) Size: 4mm, 5mm, 6.4mm, 8mm, 9.5mm
DY350B  內Inside 外Outside 繩管(腳啞、繩坑皆在左) Piping (Toe and Groove also on Left Side) Size: 4mm, 5mm, 6.4mm, 8mm, 9.5mm	10795 10796  外Outside 內Inside 標準 Regular	10795 H 10796H  外Outside 內Inside 闊 Wide
10795L 10796L  內Inside 外Outside 10795L: 短趾 Short Toe 10796L: 趾在左面 Toe on Left Side	10796LP 10795LP  外Outside 內Inside 10795LP: 繩管, 短趾 Piping, Short Toe 10796LP: 繩管, 趾在左面 Piping, Toe on Left Side Size: 1/8", 3/16", 1/4"	10796K1-A 10795K1-A  外Outside 內Inside 繩管(針孔至繩坑 2mm) Piping (2mm from Groove to Needle Hole) Size: 1/8", 3/16", 1/4", 5/16", 3/8"
10796K1-B 10795K1-B  外Outside 內Inside 繩管(針孔至繩坑 0mm) Piping (0mm from Groove to Needle Hole) Size: 1/8", 3/16", 1/4", 5/16", 3/8"	17083 17086  外Outside 內Inside 包縫用 (大) Binding (Large)	17083-B2 17086-B2  外Outside 內Inside 單邊嵌線 Cording









步靴系列 Walking Feet Series

17084 17087  外Outside 內Inside 包縫用 (大) Binding (Small)	13246 13249  外Outside 內Inside 包縫用 Binding	LU-41B LU-41A  外Outside 內Inside 繩管, 左面輔助滾輪 Piping, Extra Roller on Left Side Size: 4.0mm, 5.0mm, 6.0mm
S31 S30  外Outside 內Inside S30: 繩管 (部份繩坑在左) Piping (Part of Groove on Left Side) S31: 繩管 (部份繩坑在左趾) Piping (Part of Groove on Left Toe) Size: 1/8", 3/16", 1/4", 5/16", 3/8"	S96 S95  外Outside 內Inside S95: 繩管 (繩坑在左) Piping (Groove on Left Side) S96: 繩管 (腳趾在右) Piping (Groove on Right Side) Size: 3/16", 1/4"	S513 S512  外Outside 內Inside 上送布尖釘 With Up-feeding Spikes
S537 S538  外Outside 內Inside 上送布尖釘 With Up-feeding Spikes	S583 S584  外Outside 內Inside 左面高低傍片 Left Compensating Guide Size: 1/8", 3/16", 1/4"	240148 240149  外Outside 內Inside 標準 Regular
28137 28057  內Inside 外Outside	97738 97743  內Inside 外Outside 勝家 132K6 For Singer 132K6	120370 120369  內Inside 外Outside 勝家 16U For Singer 16U








步靴系列 Walking Feet Series

B1470-245-000 B1524-245-000  外Outside 內Inside 單邊嵌線 Cording	B1524-141-HA0 B1524-141-H00  內Inside 外Outside 標準, 活動帶齒 Regular, Hinged and with teeth	MAN10452000 MAQ093080A0  外Outside 內Inside 包縫用 Binding
46970 40474  外Outside 內Inside 標準 Regular	40432 40629  外Outside 內Inside 包縫用 Binding	44227 42819  外Outside 內Inside 包縫用 Binding
49544 49047  外Outside 內Inside 繩管用Piping Size: 1/8", 3/16", 5/32", 1/4", 5/16", 3/8"	49558C-D 49085C  外Outside 內Inside 49085C: 送布齒With Teeth 49558C-D: 趾在右面Toe on Right Side	PF335 PF335-1  外Outside 內Inside 繩管用Piping Size: 1/8", 3/16", 1/4"


定規・傍位 Gauge & Guide

GB1	GB2	GB3
		
GB4	GB5	GB6
		
GB8B	GB8V	GB22
		

定規・傍位 Gauge& Guide


KG1	KG2	KG4(塑膠 Plastic)
		
KG5	KG6	KG7
		
KG8(塑膠 Plastic)	KG9	KG10(9mm 轆 Roller)
		
KG11 (16mm 轆 Roller)	KG30	MG1 (磁石傍位 Magnetic Gauge)
		
MG20 (磁石傍位 Magnetic Gauge)	MG20L (磁石傍位 Magnetic Gauge)	MG40 (磁石傍位 Magnetic Gauge)
		

雙針針位 Double Needle Gauge Set



Standard Double Needle Gauge Set 標準雙針針位

Needle Space 針距		
1/16"	3/32"	1/8"
5/32"	3/16"	7/32"
1/4"	9/32"	5/16"
11/32"	3/8"	13/32"
7/16"	1/2"	9/16"
5/8"	11/16"	3/4"
13/16"	7/8"	15/16"
1"	1-1/16"	1-1/8"
1-3/16"	1-1/4"	1-5/16"
1-3/8"	1-7/16"	1-1/2"
1-5/8"	1-3/4"	1-7/8"



23388

Bottom Feed Type Gauge Set 雙針梗針針位

23388-4

Presser Feet 壓腳


23388-5

Box type Needle Plate 梗針針板

23388-6

Box type Feed Dog 梗針送布牙

針距 Needle Space		
1/8"	3/16"	1/4"



PL112

Left Guiding Foot 雙針左傍壓腳


PL112 x 1

- Left guide (Light duty)
- 左傍 (薄物用)

PL112 x 1.8

- Left guide (Heavy duty)
- 左傍 (厚物用)

針距 Needle Space		
1/8"	3/16"	7/32"
1/4"	9/32"	5/16"
3/8"	1/2"	3/4"



PR112

Right Guiding Foot 雙針右傍壓腳


PR112 x 1

- Right guide (Light duty)
- 右傍 (薄物用)

PR112 x 1.8

- Right guide (Heavy duty)
- 右傍 (厚物用)

針距 Needle Space		
1/8"	3/16"	7/32"
1/4"	9/32"	5/16"
3/8"	1/2"	3/4"



PD112

Double Guiding Foot 雙針雙傍壓腳

PD112 x 1

- Double guide (Light duty)
- 雙傍 (薄物用)

PD112 x 1.8

- Double guide (Heavy duty)
- 雙傍 (厚物用)

Needle Space 針距		
1/4"	3/8"	1/2"
5/8"	3/4"	7/8"
1"	1-1/8"	1-1/4"
1-3/8"	1-1/2"	



PG112

Double Guiding Foot 雙針雙傍壓腳

Needle Space 針距		
3/4"	1"	1-1/8"
1-1/4"	1-1/2"	



223773

Edge Guiding Foot 雙針傍邊壓腳

針距 Needle Space		
3.2mm	4.8mm	6.4mm



112W-Z

Double Needle Zipper Feet 雙針拉鏈壓腳

針距 Needle Space		
1/8"	3/16"	1/4"

雙針針位 Double Needle Gauge Set



K224060S

Adjustable Double Needle Piping Feet

可調教雙針管條壓腳

Needle space is adjustable between 3/8" & 7/8"
針距可在3/8"和7/8"之間隨意調教



K224060M

Adjustable Double Needle Zipper Feet

可調教雙針拉鍊壓腳

Needle space is adjustable between 7/16" & 1"
針距可在7/16"和1"之間隨意調教



PH112W

Double Needle Zipper Feet

雙針拉鍊壓腳

針距 Needle Space		
3/16"	1/4"	1/2"



112W-C8


Double Needle Dual Compensating Feet

雙針韃鞣高低壓腳

112W-C8 x 1
- Double guide (Light duty)
- 雙傍 (薄物用)

112W-C8 x 1.8
- Double guide (Heavy duty)
- 雙傍 (厚物用)

針距 Needle Space		
1-1/4"	1-3/8"	1-1/2"



112W-C9

Double Needle Dual Compensating Feet

雙針韃鞣高低壓腳

The Guide is adjustable
傍位可調教

Needle Space 針距		
3/16"	1/4"	
Needle Space 針距		
3/4"	7/8"	1"
1-1/8"	1-1/4"	1-3/8"
1-1/2"	1-5/8"	



112W-952

Double Needle Shirring Feet

雙針縮褶壓腳


針距 Needle Space	
3/16"	1/4"



KP112-5W

Double Needle Shirring Feet

雙針縮褶壓腳



Needle Space 針距
1/4"

Applicable Parts 可用配件:
1) 23388-5 Needle plate
2) 23388-6 Feed dog



S508


Double Needle Invisible Stitch Feet

雙針隱線壓腳

針距 Needle Space	傍位闊度 Guiding Width
1/4"	1-1/4" 1-1/2"


關西零件系列 Spare parts for Kansai Special

1404P 4 針針位 4 needles gauge set




1/4" x 4 N	4 Needles (4 針)	Total 總闊:	3/4"
7/16" x 4 N	4 Needles (4 針)	Total 總闊:	1-5/16"
1/2" x 4 N	4 Needles (4 針)	Total 總闊:	1-1/2"
5/8" x 4 N	4 Needles (4 針)	Total 總闊:	1-7/8"
1" (4N)	4 needle evenly within 1"	4 針平均於 1" 內	
1-1/8" (4N)	4 needle evenly within 1-1/8"	4 針平均於 1-1/8" 內	
1-1/4" (4N)	4 needle evenly within 1-1/4"	4 針平均於 1-1/4" 內	
1-3/8" (4N)	4 needle evenly within 1-3/8"	4 針平均於 1-3/8" 內	

1404PSF(1404WB) 4 針針位 4 needles gauge set




1/4" + 1/2" + 1/4"	Total 總闊:	1"
1/4" + 5/8" + 1/4"	Total 總闊:	1-1/8"
1/4" + 3/4" + 1/4"	Total 總闊:	1-1/4"
1/4" + 7/8" + 1/4"	Total 總闊:	1-3/8"
1/4" + 1" + 1/4"	Total 總闊:	1-1/2"
1/4" + 1-1/8" + 1/4"	Total 總闊:	1-5/8"
1/4" + 1/4" + 1" + 1/4"	Total 總闊:	1-3/4"
3/16" + 5/8" + 3/16"	Total 總闊:	1"
3/16" + 3/4" + 3/16"	Total 總闊:	1-1/8"
3/16" + 7/8" + 3/16"	Total 總闊:	1-1/4"
3/16" + 1" + 3/16"	Total 總闊:	1-3/8"
3/16" + 1-1/8" + 3/16"	Total 總闊:	1-1/2"

1404PL 多針針位 Multi-needles gauge set



1/2" x 3N	Total 總闊:	1"
1/2" x 5N	Total 總闊:	2"
3/16" x 6N	Total 總闊:	15/16"
1/4" x 6N	Total 總闊:	1-1/4"
5/16" x 6N	Total 總闊:	1-9/16"
3/8" x 6N	Total 總闊:	1-7/8"
7/16" x 6N	Total 總闊:	2-3/16"
3/16" x 8N	Total 總闊:	1-5/16"
1/4" x 8N	Total 總闊:	1-3/4"
5/16" x 8N	Total 總闊:	2-3/16"
3/16" x 10N	Total 總闊:	1-11/16"
1/4" x 10N	Total 總闊:	2-1/4"
1/8" x 11N (1/8" x 4N) + (1/4" x 2N) + 1/8" x 4N	Total 總闊:	1-1/2"
3/16" x 12N	Total 總闊:	2-1/16"
1/8" x 13N (1/8" x 5N) + (1/4" x 2N) + (1/8" x 5N)	Total 總闊:	1-3/4"
1/8" x 17N	Total 總闊:	2"


1406~1412P/PL 多針針位 Multi-needles gauge set



3/16" x 6N	Total 總闊:	15/16"
1/4" x 6N	Total 總闊:	1-1/4"
5/16" x 6N	Total 總闊:	1-9/16"
3/8" x 6N	Total 總闊:	1-7/8"
7/16" x 6N	Total 總闊:	2-3/16"
3/16" x 8N	Total 總闊:	1-5/16"
1/4" x 8N	Total 總闊:	1-3/4"
5/16" x 8N	Total 總闊:	2-3/16"
3/8" x 8N	Total 總闊:	2-5/8"
7/16" x 8N	Total 總闊:	3-1/16"
3/16" x 10N	Total 總闊:	1-11/16"
1/4" x 10N	Total 總闊:	2-1/4"
3/16" x 12N (1/8" x 4N) + (1/4" x 2N) + 1/8" x 4N	Total 總闊:	2-1/16"
1/4" x 12N	Total 總闊:	2-3/4"
2-1/4" (13N) 1/4" + (1/8" x 2N) + (1/4" x 2N) + (1/8" x 2N) + (1/4" x 2N) + (1/8" x 2N) + 1/4"	Total 總闊:	2-1/4"
1/8" x 17N	Total 總闊:	2"
1/8" x 23N	Total 總闊:	2-3/4"

關西零件系列 Spare parts for Kansai Special

1508P 4 針針位 4 needles gauge set




$1/4" + 3/4" + 1/4"$	Total 總闊: 1-1/4"
$1/4" + 3/16" + 1/4"$	Total 總闊: 1-5/16"
$1/4" + 7/8" + 1/4"$	Total 總闊: 1-3/8"
$1/4" + 1" + 1/4"$	Total 總闊: 1-1/2"
$1/4" + 1-1/8" + 1/4"$	Total 總闊: 1-5/8"
$1/4" + 1-1/4" + 1/4"$	Total 總闊: 1-3/4"
$1/4" + 1-1/2" + 1/4"$	Total 總闊: 2"



KP404G

K.S. 1404PSF Shirt Front
Guiding Feet
K.S. 1404PSF 襯衫前胸筒
傍位壓腳



Size 尺寸	
$3/16" + 5/8" + 3/16"$	$1/4" + 1/2" + 1/4"$
$3/16" + 3/4" + 3/16"$	$1/4" + 5/8" + 1/4"$
$3/16" + 7/8" + 3/16"$	$1/4" + 3/4" + 1/4"$
$3/16" + 1" + 3/16"$	$1/4" + 7/8" + 1/4"$
$3/16" + 1-1/8" + 3/16"$	$1/4" + 1" + 1/4"$
	$1/4" + 1-1/8" + 1/4"$




KP508G


K.S. 1508 Guiding
Compensation Presser Feet
K.S. 1508 縫紉傍位壓腳

Size 尺寸	
1-3/8"	1-1/2"


K1508-CLP 褲頭下縫紉轆 Waistband Lower Compensating Pullers



K1508-CRR
Roller (for K1508-CLP)
膠轆 (K1508-CLP 專用)



KHM-1508 跳線掣 Under-thread Skipping Device



- Design for Wasit-band Seam
- Controlled by the knee switch
- Make the looper to leave its original position
- Let bottom thread cannot knot with surface thread

- 適用於褲頭縫合處
- 利用膝動開關
- 拉開底線勾座
- 使兩線不能連結

Replace 代替
67-223

Link to 63-823
Looper Driving
Connecting Rod
連接63-823底線
勾座控制桿

其他 Others


鬆緊帶滾輪支架 Elastic Holder (Pneumatic/Manual)

K990 鬆緊帶滾輪支架 (氣動) Bearing Elastic Holder (Pneumatic)



適用於關西1404,4404等縫紉機
Suitable for Kansai 1404,4404 Machine etc.



包括K990獨有膝開關掣
Including Knee switch
specially for K990





K404 鬆緊帶滾輪支架 (手動) Bearing Elastic Holder (Manual)




Suitable for Kansai
1404,4404 Machine etc.
適用於關西1404,4404等縫紉機




K270 鬆緊帶滾輪支架 (小型) Bearing Elastic Holder (Small)



K405 鬆緊帶滾輪支架 (彈性束袖口) Bearing Elastic Holder (for Elastic Sleeve Cuffs)




- Needle space adjustable
針距可調教
- Suitable for different needle
space presser feet
適用於不同針距壓腳



于仁 35800 零件 Spare Parts for Union Special 35800

標準 9/32", 3針高低針位(厚物)


Standard 9/32", 3-Needle Conversion Kit for Heavy Duty



- 35824 DN-9** Compensation Needle Plate
高低針板
- 35805 BY-9** Coarse Feed Dog
粗齒牙
- 35874 B** Presser Foot Fork
壓腳架
- 35830 DM-9** Compensation Presser Foot
高低壓腳
- 35825 FQ** Needle Guard
針傍
- 35818 FP-9** Thick Screw Needle Holder
粗針頭
- 35818 V-9** Thin Screw Needle Holder
幼針頭

標準 9/32", 3針高低針位(厚物)


Standard 9/32", 3-Needle Conversion Kit for Heavy Duty



- 35824 DN-9** Compensation Needle Plate
高低針板
- 35805 DP-9** Coarse Main Feed Dog
粗齒牙
- 35826 DP-9** Coarse Differential Feed Dog
粗齒牙
- 35874 B** Presser Foot Fork
壓腳架
- 35830 DM-9** Compensation Presser Foot
高低壓腳
- 35825 LD** Needle Guard
針傍
- 35818 FP-9** Thick Screw Needle Holder
粗針頭
- 35818 V-9** Thin Screw Needle Holder
幼針頭

標準 9/32", 3針高低針位(中裝物料)


Standard 9/32", 3-Needle Conversion Kit for Middle Material



- 35824 AG-9** Compensation Needle Plate
高低針板
- 35805 BX-9** Coarse Feed Dog
粗齒牙
- 35874 B** Presser Foot Fork
壓腳架
- 35830 BX-9** Compensation Presser Foot
高低壓腳
- 35825 FQ** Needle Guard
針傍
- 35818 FP-9** Thick Screw Needle Holder
粗針頭
- 35818 V-9** Thin Screw Needle Holder
幼針頭

標準 9/32", 3針高低針位(薄物)

Standard 9/32", 3-Needle Conversion Kit for Thin Material




- 35824 AE-9** Compensation Needle Plate
高低針板
- 35805 BQ-9** Fine Feed Dog
幼齒牙
- 35874 B** Presser Foot Fork
壓腳架
- 35830 BQ-9** Compensation Presser Foot
高低壓腳
- 35825 FQ** Needle Guard
針傍
- 35818 FP-9** Thick Screw Needle Holder
粗針頭
- 35818 V-9** Thin Screw Needle Holder
幼針頭

其他 Others

于仁 35800 零件 Spare Parts for Union Special 35800

標準 9/32", 3 針平針位 (薄物)


Standard 9/32", 3-Needle Conversion Kit for Thin Material



- 35824 P-9** Flat Needle Plate
平針板
- 35805 P-9** Fine Feed Dog
幼齒牙
- 35874 B** Presser Foot Fork
壓腳架
- 35820 P-9** Presser Foot
壓腳
- 35825 FQ** Needle Guard
針傍
- 35818 FP-9** Thick Screw Needle Holder
粗針頭
- 35818 V-9** Thin Screw Needle Holder
幼針頭

1/8", 雙針平針位 (薄物)


1/8", 2 Needle Conversion Kit for Thin Material



- 35724 AJ-8** Flat Needle Plate
平針板
- 35705 AJ-8** Fine Feed Dog
幼齒牙
- 35874 B-8** Presser Foot Fork
壓腳架
- 35730 AJ-8** Presser Foot
壓腳
- 35825 FQ-8** Needle Guard
針傍
- 35818 V-8** Needle Holder
針頭

3/16", 雙針高低針位 (薄物)


3/16", 2-Needle Conversion Kit for Thin Duty



- 35824 AG-6S** Flat Needle Plate
平針板
- 35805 BR-6S** Fine Feed Dog
幼齒牙
- 35874 B-6S** Presser Foot Fork
壓腳架
- 35830 B-6S** Presser Foot
壓腳
- 35825 FQ-6** Needle Guard
針傍
- 35818 FP-6** Thick Screw Needle Holder
粗針頭
- 35818 V-6** Thin Screw Needle Holder
幼針頭

3/16", 雙針高低針位 (厚物)

3/16", 2-Needle Conversion Kit for Heavy Duty




- 35824 AG-6** Compensation Needle Plate
高低針板
- 35805 BR-6** Compensation Feed Dog
高低牙
- 35874 B-6** Presser Foot Fork
壓腳架
- 35830 B-6** Compensation Presser Foot
高低壓腳
- 35825 FQ-6** Needle Guard
針傍
- 35818 FP-6** Thick Screw Needle Holder
粗針頭
- 35818 V-6** Thin Screw Needle Holder
幼針頭

于仁 35800 零件 Spare Parts for Union Special 35800

1/4", 3針平針位(薄物)


1/4", 3-Needle Conversion Kit for Thin Material



- 35824 P-8 Flat Needle Plate
平針板
- 35805 P-8 Fine Feed Dog
幼齒牙
- 35874 B Presser Foot Fork
壓腳架
- 35820 P-8 Presser Foot
壓腳
- 35825 FQ Needle Guard
針傍
- 35818 FP-8 Thick Screw Needle Holder
粗針頭
- 35818 V-8 Thin Screw Needle Holder
幼針頭

1/4", 3針高低針位(厚物)


1/4", 3-Needle Conversion Kit for Heavy Duty



- 35824 AG-8 Compensation Needle Plate
高低針板
- 35805 BR-9 Coarse Feed Dog
粗齒牙
- 35874 B Presser Foot Fork
壓腳架
- 35830 BX-8 Compensation Presser Foot
高低壓腳
- 35825 FQ Needle Guard
針傍
- 35818 FP-8 Thick Screw Needle Holder
粗針頭
- 35818 V-8 Thin Screw Needle Holder
幼針頭

3/8", 3針平針位(薄物)


3/8", 3-Needle Conversion Kit for Thin Material



- 35824 AG-12 Compensation Needle Plate
高低針板
- 35874 B-12 Presser Foot Fork
壓腳架
- 35830 BX-12 Compensation Presser Foot
高低壓腳
- 35825 LD-12 Needle Guard
針傍
- 35805 BR-12 Compensation Feed Dog
高低牙
- 35805 DP-12 Main Feed Dog
主送布牙
- 35826 DP-12 Differential Feed Dog
次送布牙
- 35818 FP-12 Thick Screw Needle Holder
粗針頭
- 35818 V-12 Thin Screw Needle Holder
幼針頭

1/2", 3針高低針位(厚物)


1/2", 3-Needle Conversion Kit for Heavy Duty



- 35824 AG-16 Compensation Needle Plate
高低針板
- 35805 BR-16 Coarse Feed Dog
粗齒牙
- 35874 B-16 Presser Foot Fork
壓腳架
- 35830 BX-16 Compensation Presser Foot
高低壓腳
- 35825 LD-16 Needle Guard
針傍
- 23422 Y-16MH Needle Guard
助縫器
- 35834 U-16 Feed Dog Holder
牙齒
- AU-16 AV-16 AY-16 Looper 勾仔
- 35818 FP-16 Thick Screw Needle Holder
粗針頭
- 35818 V-16 Thin Screw Needle Holder
幼針頭


KH1190-3N 3 Conversion Kit for Juki MS-1190 (also for Juki 191 & Brother 925, 927)

祖奇MS-1190 2針改3針 針位組 (適用於祖奇191 & 兄弟925, 927)





KP1190 N3
Presser Foot
壓腳
1/4", 3/8"

KTE1190 M3B
Lower Thread
Tension Regulator
下沙拉組




KTE1190 M3A
Upper Thread
Tension Regulator
上沙拉組




KC1190 N3
Needle Holder
針頭
1/4", 3/8"

KNG1190 N3
Needle Guard
針傍
1/4", 3/8"



KF1190 N3
Feed Dog
送布牙
1/4", 3/8"




KL1190 3B
Looper 勾



KL1190 3C
Looper 勾



KL1190 3A
Looper 勾




KL1190 3C
Looper Holder
勾蔓

KL1190 3B
Looper Holder
勾蔓

KL1190 3A
Looper Holder
勾蔓

KN1190 N3
Needle Plate
針板
1/4", 3/8"




Size 尺寸:
1/4", 3/8"

KH380-3N 3 Conversion Kit for Juki MH-380

祖奇MH-380 2針改3針 針位組



KNG380 N3-2
Right Fix Needle Guard
後針傍
(Left fix needle guard
is not needed)




KP380 N3
Presser Foot
壓腳



KNG380 N3-1
Rear Moving
Needle Guard
前針傍





KC380 N3
Needle Holder
針頭




KL380 A2
Loopers Set 勾組
(replace B2030-380-000)

KTF380 N3
Supplementary
Tension Regulator
沙拉組



KF380 N3
Feed Dog
送布牙

KN380 N3
Needle Plate
針板




Size 尺寸:
1/4"

KH842 雙針切刀針位 (適合門襟製作) Double Needle Gauge Set with Center Knife (for Placket)


剪線機種 Thread Trimmer: Juki LH-3128-7, Brother B842-403, B842-405

標準機種 Standard: Juki LH-3128, Brother B842-3, B842-5, B841-3, B841-5

特種(長針板) Special (Longer Needle Plate): Juki LH-1152, LH-1152-7




KH842S	標準切刀針位 Standard Gauge Set with Center Knife	3/16", 1/4", 5/32"
KH842T	剪線機用切刀針位 Thread Trimmer Gauge Set with Center Knife	3/16", 1/4", 5/32"
KH842-CK	切刀 Center Knife	---
KH842-PF	壓腳 Presser Foot	3/16", 1/4", 5/32"
KH842-NC	針頭 Needle Clamp	3/16", 1/4", 5/32"
KH842-SNP	標準針板 Standard Needle Plate	3/16", 1/4", 5/32"
KH842-SFD	標準送布齒 Standard Feed Dog	3/16", 1/4", 5/32"
KH842-TNP	剪線用針板 Needle Plate for Thread Trimmer	3/16", 1/4", 5/32"
KH842-TFD	剪線用布齒 Feed Dog for Thread Trimmer	3/16", 1/4", 5/32"




多針針位組 - 適用於針送布縫紉機 (e.g. 勝家 320W, 關西 FBX 1104, 祖奇 MH-1410)

Multiple Needle Gauge Set for Needle-Feed Machine (e.g. Singer 320W, Kansai FBX 1104, Juki MH-1410)




杜克普274, 275針位組 Durkopp Adler 274, 275 Gauge Set

274針位組 Gauge set



275針位組 Gauge set




KCR 氣動裁切器 Pneumatic Cutter

KCR氣動裁切器適用於切細帶、通心帶、剪線等。只需一個按鈕(手動/膝動/腳踏)便能簡單裁切，亦可代替自動剪線系統或繁複的人手剪料工序，省時方便。

KCR Pneumatic Cutter is using air cylinder to cut tape, thread, spaghetti, etc.


One (button/knee/pedal) switching operation can replace the auto-thread trimmer system.

The cutting manpower can be avoided, the time and the cost can be saved.




Cutter Model 切刀型號	Installation 安裝圖	Mounting Block 安裝組件	Cutter Model 切刀型號	Installation 安裝圖	Mounting Block 安裝組件
KCR-457 For Singer 457 勝家 457 用			KCR-664 For Yamato/ Pegasus Cover-stitch Machine 雅滿桃/ 飛馬繙縫車用		
KCR-8420 For Juki/Brother Double Needle Machine 祖奇/兄弟雙針車用			KCR-62/613 For Yamato 62/ Pegasus 601-613 4-Needle, 6-Thread Machine 亞滿桃62/ 飛馬 601-61 4針6線機		
KCR-2284 For Juki 2284 祖奇 2284 用			KCR-358 For Union 35800 Machine 于仁35800縫紉機用		


KCR-70 氣動裁切器 (70mm闊) Pneumatic Cutter (70mm Width)




F. R. L. Unit 聯組
低壓閥 Filter
壓力錶 Regulator
油霧器 Lubricator






開關掣 On/Off Switch
可安裝於縫紉機上
Can be mounted on
sewing machine head



安置支架
Mounting Bracket




Mounting Method 安裝方法:




KHM-700 氣閥馬達拉桿 Treadle Rod Air Switch


KHM-700-1H
腳跟踏後運作
Heel Action Switch




KHM-700-1T
腳尖踏前運作
Toe Action Switch



KHM-700-2
腳尖/腳跟兩用運作
Heel/Toe
Combination Air Switch



線架 · 綑條架 Thread (Spool) Stand & Tape Rack




T2

T3-1

T4-1


T5-1



T6-1




T7-1




T9-1

關西多針縫紉機用線架


Thread (Spool) Stand for Kansai Special Multi-needle machine




KH04-08




KH06-12



KH08-16




KH10-20




KH12-24


線架・網條架 Thread (Spool) Stand & Tape Rack




KTR-3



KRT-4




KTR-5



KRT-6

RU打褶裝置系列 RU Pleating Attachment Series

RU-61 打褶裝置 (風琴褶) Pleating Attachment (Accordion pleat)



RU-61 is a pleating attachment, which can make accordion pleat pattern only. The pleat depth and the distance between each pleat (number of stitches per pleat) can be adjusted freely. (The maximum depth of every pleat is 1". Maximum number of stitches per pleat is 15.)

No damage will be caused on the sewing machine and table. No extra motor is needed. A transmission box for lower speed is provided.

RU-61 為風琴褶打褶裝置。每褶褶深及每褶之間距離(每褶針數)可隨意調教。(褶深最大可設定為1"。每褶針數最大可設定為15針。)

本裝置可輕易地安裝在縫紉機背面，再接上縫紉機主軸來傳動。不需要額外的馬達或其他動力。不會損壞縫紉機身及桌面。一切安裝皆可視完。隨機已備減速箱，可固定在桌下。

RU-62A

平車用
For Single Needle Machine

RU-62B

雙針車用，1/4" 針位
For Double Needle Machine,
1/4" needle space

可另外訂造其他針距針位組
Other needle space gauge set can be tailor-made.

褶襉花式:

Pleat Type:

風琴褶

Accordion

每褶最大針數:

Maximum Pleat Distance

(Maximum stitches per pleat):

15-stitch

最大褶深:

Maximum Pleat Depth:

1"

RU-62 多功能褶襉打褶器 Multi-pattern Pleating Attachment



每褶最大針數:
Max. Pleat Distance
(Max. stitches per pleat): 15-stitch

最大褶深:
Maximum Pleat Depth: 1"



凸輪 Cam:

提供 Provided:

可選購 Optional: A1, B1, A2, A3, B2, C1, C2, C3, C4, C5

RU-62為多功能褶襉裝置，可透過更換凸輪，調校不同褶深或褶距，便直接縫製出各色各樣、不同形狀的褶襉，即一款縫紉機，可創造出千變萬化的褶襉。

本機有不同型號，適合不同縫紉機種使用。每褶褶深及每褶之間距離(每褶針數)可隨意調教。(褶深最大可設定為1"。每褶針數最大可設定為15針。)

本裝置可輕易地安裝在縫紉機背面，再接上縫紉機主軸來傳動。不需要額外的馬達或其他動力。不會損壞縫紉機身及桌面。一切安裝皆可視完。隨機已備減速箱，可固定在桌下。

RU-62 is a multi-pattern pleating attachment, which can make more than 10 patterns by changing the cams. Different models are suitable for different sewing machine models.

One machine can pleat unlimited patterns. A numerous of patterns can be made by changing the cams in only a few seconds. The pleat depth and the distance between each pleat (number of stitches per pleat) can be adjusted freely. (The maximum depth of every pleat is 1". Maximum number of stitches per pleat is 15.)

No damage will be caused on the sewing machine and table. No extra motor is needed. A transmission box for lower speed is provided.

凸輪 Cam	款式 Description	同一款式: 可製造上不同褶深、不同褶距 Same pattern: Different pleat depth and different space between each pleat
-----------	-------------------	---

風琴褶 Accordion Pleat:

A1		
A2		
A3		

覆褶 Box Pleat:

B1		
B2		

複合褶 Compound Pleat:

C1		
C2		
C3		
C4		
C5		

本機有不同型號，適合不同縫紉機種使用。
The different models are suitable for different sewing machine models.

型號 Model	適用機種 Adoptable Machine	針位組 Gauge Set	
		提供 Provided	可選購 Optional
RU62-A	平縫 Single Needle	--	--
RU62-B	雙針 Double needle	1/4"	3/8", 3/4", 1/2", 1-1/4", 1-1/2"
RU62-38	重機環縫機型 MH-380 Juki 2N Chainstitch Machine MH380	--	--
RU62-K4	關西 DFB-1404P Kansai DFB-1404P	1" (4N)	1-1/4", 1-3/4", 1-1/2" (2N)
RU62-K12	關西 DFB-1412P Kansai DFB-1412P	1/4" (12N)	
RU62-C4	銀箭 VC008-4N Siruba VC008-4N	1" (4N)	
RU62-C12	銀箭 VC008-12N Siruba VC008-4N	1/4" (12N)	

其他 Others

SU機械拖輪系列 SU Mechanical Puller

零距離

SU91的拖輪位置已超越壓腳柱，距離壓腳近得不能再近。若拖輪距離腳太遠，不但拖布效果不佳，而且只能配合直線縫製。超短距離，帶來優越的拖拉效果，亦將拖輪配曲線縫變成可能。

安裝簡易

SU拖輪之安裝非常簡單方便，不需要專業技師。只需換上本機提供的縫紉機背板，再裝上拖輪組即可。本機提供的背板已預定幾組螺絲孔，適合大部份市面現時通行的車種。

不損機身 可還原

一切安裝都不會損害縫紉機本身，不需在機身鑽孔開洞。安裝亦可輕易還原，只需拆除幾顆螺絲即可。

倒針 - 電動提升

附加一個開關擊於縫紉機倒針把手之下。當倒針時，拖輪會被升起。當手離開倒針把手，拖輪同時會被放下。

膝動 - 電動提升

另附加一個開關擊，可放在膝動擊、桌面、腳踏旁等任何地方。如放在壓腳膝動擊上，拖輪可跟壓腳同時提升，作兩段開關。



ZERO DISTANCE

SU91 puller is beyond the presser bar. It never gets closer to the presser feet. Distance is a significant factor for pulling performance. Closer the puller, better the pulling performance. Zero distance can make curve pulling possible, other puller only can support straight sewing.

EASY & RECOVERABLE INSTALLATION

Installation of SU puller is extremely easy and simple. A plate with all possible screw hole is replaced the original machine rear cover. Fixing bracket is fixed on this plate. No damage will be caused on the sewing machine. Installation is recoverable. SU-puller can be installed on other machine.

LIFTING PULLER DURING REVERSING STITCH

A Lifting Switch is provided to be installed on the Reverse-feed control lever. The puller will lift up when reverse stitching.


LIFTING PULLER DURING LIFTING PRESSER FOOT

Another Lifting Switch is provided to be installed on the knee switch of presser foot lifting. The puller will lift up together with the presser foot.

SU-91 單針平縫拖輪 Puller for 1-needle Machine












SU-91 單針平縫拖輪
Puller for 1-needle machine



SU-91L 單針平縫電動提升拖輪
Puller for 1-needle machine with Lifting Device



For SU-91 Series SU-91 系列用

Given Parts 附件	Optional Parts 配件			
91-034 20mm Plastic smooth roller 20mm 平滑塑膠輪 	P91L Special design presser feet with Left Compensating Guide 特製左傍壓腳 	P91R Special design presser feet with Right Compensating Guide 特製右傍壓腳 	P91 Special design presser feet 特製壓腳 	P91F Special design presser feet for Hemming Use 特製拉筒卷折用壓腳 
91-035 20mm Steel smooth roller 20mm 平滑鋼輪 	Size 尺寸: 1/32", 1/16", 1/8", 3/16", 1/4" NP-675 Needle Plate 特製針板 	Size 尺寸: 1/32", 1/16", 1/8", 3/16", 1/4" FD-675 Feed Dog 送布牙 	KH5-NP Needle Plate 針板 	KH5-FD Feed Dog 送布牙 
Knee switch 膝動 -- 電動提升 	with a roller behind needle 尾部附加滾輪 NP-3 Needle Plate 針板 	For NP-675 needle plate 配合NP-675針板 FD-3 Feed Dog 針板 	NP-4 Needle Plate 針板 	FD-4 Feed Dog 針板 
Reverse-feed control lever 倒針 -- 電動提升 	NP-5 Needle Plate 針板 	FD-5 Feed Dog 針板 	NP-6 Needle Plate 針板 	FD-6 Feed Dog 針板 

SU機械拖輪系列 SU Mechanical Puller Series

SU-92P/M 雙針平縫膠面/鋼齒拖輪 Plastic/Steel Gear Puller for 2-needle Machine



K SU-92 Series




SU-92P/M 雙針平縫膠面/鋼齒拖輪
Plastic/Steel Gear Puller
for 2-needle Machine






SU-92P/ML 雙針平縫膠面/鋼齒拖輪連電動提升裝置
Plastic/Steel Gear Puller for
2-needle Machine with Lifting Device

For SU-92 Series SU-92 系列用

Given Parts 附件

0079P Upper Puller Plastic smooth roller 上輪平滑塑膠輪 	0079S Upper Puller Steel Gear 上輪鋼齒輪 	9285 Standard supplementary puller 標準輔助下輪 	Knee switch 膝動 -- 電動提升  For SU-92L only 只適用於 SU-92L	Reverse-feed control lever 倒針 -- 電動提升  For SU-92L only 只適用於 SU-92L
--	--	--	---	---

Optional Parts 配件

9289P Spring Type Lower Supplementary Roller 彈簧式輔助下膠輪  For uneven, rough, multi-level layer 主要應用於厚薄不平、高低不同、多層包縫等情況。 Fixed on the table behind the needle. 安裝時只需夾在縫紉機後部，在桌面開洞，不會損害縫紉機機身。	9279CU Flared, Roulette Steel Upper Roller Assembly (for Curved Waistband) 彎形褲腰用喇叭形滾花上鋼輪組 	9279P Smooth Plastic Upper Puller Assembly 平滑塑膠輪上輪組 	9279S Roulette Steel Upper Puller Assembly 上滾花鋼輪組 
9289PCU Flared Plastic Lower Puller Assembly (for Curved Waistband) 喇叭型彈簧式 輔助下膠輪  Fixed on the table behind the needle. 安裝時只需夾在縫紉機後部，在桌面開洞，不會損害縫紉機機身。	0079CU Flared, Rouletted Steel Upper Puller (for Curved Waistband) 彎形褲腰用 喇叭形 滾花鋼 上輪 	0089P Smooth Plastic Lower Supplementary Roller 平滑塑膠下輪 	0089PCU Flared Plastic Lower Supplementary Roller (for Curved Waistband) 彎形褲腰用 喇叭形 膠下輪 






SU-93 曲臂式(日字埋夾)縫紉機用拖輪 Puller for Feed-off-the-arm Machine




For SU-93 Series SU-93 系列用

Given Parts 附件

Optional Parts 配件

91-034 20mm Plastic smooth roller 20mm 平滑塑膠上輪 	91-035 20mm Steel pulling gear 20mm 鋼齒輪上輪 	93-036 Teflon Gear Puller 鐵氟龍齒輪 
93-074 Lower puller 下膠拖輪 	91-017 + 93-075 Special Device for Puller Lifting 特製提升拖輪裝置 	

PU 數碼拖輪系列 PU Digital Puller Series



PU-675

單針平縫機數碼拖輪
Digital Puller for 1 Needle
Flat-bed Machine


PU-675 安裝簡單，只需用螺絲在縫紉機側面安裝，不用在縫紉機上開洞。適用於市場通行的單針平縫縫紉機。

配合同步器、倒針感應、針步距離輸入，保證拖輪能跟縫紉機共同進退，保持縫製過程暢順，達到防皺作用。

PU-675 is installed on the faceplate of sewing machine by screws easily. It is applicable on most common 1 needle flat-bed machine.

Synchronizer, Reverse Stitching Sensor and Stitch length input can make puller move simultaneously with sewing machine, smooth and unwrinkle the sewing stitch.

Assembled Puller 裝配輪:	15mm, Rubber (15mm, 膠)
Packing Size 包裝尺寸:	57 x 31 x 23 cm
Optional spare puller:	Rubber 膠: 10, 15, 20, 25, 30, 35, 40, 45mm;
可供選購之拖輪:	Steel 鋼: 10, 15, 20, 25, 30, 35, 40, 45mm



PU-660

雙針平縫機用數碼拖輪
Digital Puller for 2 Needles
Flat-bed Machine

PU-660安裝簡單，只需用螺絲安裝在縫紉機背，不用在縫紉機上開洞。適用於兄弟、祖奇、三菱及其它類似的雙針縫紉機。

配合同步器、倒針感應、針步距離輸入，保證拖輪能跟縫紉機共同進退，保持縫製過程暢順，達到防皺作用。

PU-660 is installed behind sewing machine by screws easily. It is applicable on Brother, Juki, Mitsubishi and other similar 2 needle flat-bed machine.

Synchronizer, Reverse Stitching Sensor and Stitch length input can make puller move simultaneously with sewing machine, smooth and unwrinkle the sewing stitch.

Assembled Puller 裝配輪:	50mm, Rubber (50mm, 膠)
Packing Size 包裝尺寸:	57 x 31 x 23 cm
Optional spare puller:	Rubber 膠: 10, 15, 20, 25, 30, 35, 40, 45, 50mm;
可供選購之拖輪:	Steel 鋼: 10, 15, 20, 25, 30, 35, 40, 45, 50mm; Flaring Steel 喇叭型鋼輪: 50mm



PU-627

曲臂式(日式埋夾)平縫機數碼拖輪
Digital Puller for Feed-off-the-arm Machine

PU-627安裝簡單，只需夾在縫紉機背面，不用在縫紉機上開洞。適用於市場通行的曲臂式縫紉機。


配合同步器、倒針感應、針步距離輸入，保證拖輪能跟縫紉機共同進退，保持縫製過程暢順，達到防皺作用。

PU-627 is installed on the faceplate of sewing machine by screws easily. It is applicable on most common 1 needle flat-bed machine.

Synchronizer, Reverse Stitching Sensor and Stitch length input can make puller move simultaneously with sewing machine, smooth and unwrinkle the sewing stitch.

Applicable Machine:	Brother 兄弟 DT6-925/927
支援縫紉機種:	Juki 祖奇 MS-19/191/26/1261

TF 送料器系列 TF Tape Feeder Series



TF-713 / TF-813

側送型送料器
Lateral Tape Feeder

Max Width 最大寬度:	50mm (TF-713) / 90mm (TF-813)
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V
Packing Size 包裝尺寸:	45 x 29 x 27 cm

TF-713/TF-813送料器多用於直角包邊，置於縫紉機側面，由右至左將細條/布帶送至縫紉機及包邊器。每套送料器均附上鋼齒輪及塑膠輪各一對，以配合不同質料的細條及布帶。特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。TF-713採用50mm送料輪，適合一般通用的細條；而TF-813則採用90mm送料輪，較闊的細條合用。

It is mainly used for binding, mounted on the table at the right hand side of sewing machine and feeding the tape into the binder. Two sets of rollers, steel and plastic, are provided for different tapes. TF-713 is narrower, 50mm wide and TF-813 is wider, 90mm wide. Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.



TF-714 / TF-814

垂直型送料器
Downward Tape Feeder

Max Width 最大寬度:	50mm (TF-714) / 90mm (TF-814)
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V
Packing Size 包裝尺寸:	45 x 29 x 27 cm

TF-714/TF-814送料器多用於面貼或鬆緊帶，置於縫紉機之後，由上而下將細條/鬆緊帶送至縫紉機前。隨機附上鋼齒輪及塑膠輪各一對，以配合不同質料的細條及鬆緊帶。特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。TF-714採用50mm送料輪，適合一般通用的細條；而TF-814則採用90mm送料輪，較闊的細條合用。

It is mainly used for tape attaching, mounted behind the sewing machine and feeding material into the machine. Two sets of rollers, steel and plastic, are provided for different tapes. TF-714 is narrower, 50mm wide and TF-814 is wider, 90mm wide. Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.



TF-714U

垂直型送料器連防止打結裝置
Downward Tape Feeder with Untangling Device

Max Width 最大寬度:	50mm
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V

TF-714U結合了TF-714送料器及奧林比安防止打結裝置，用於面貼或鬆緊帶，置於縫紉機之後，由上而下將細條/鬆緊帶送至縫紉機前。隨機附上鋼齒輪及塑膠輪各一對，以配合不同質料的細條及鬆緊帶。防止打結裝置與送料器連結，不停高速轉動可避免細條糾纏打結，保證送料器運作順利。另特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。

It is a combination of TF-714 tape feeder and Olympian Untangling Device. It is for tape or elastic which has been released and placed behind the sewing machine.

The Untangling Device is linked with the tape feed. It rotate simultaneously with the tape feeder to loosen the tape before it was inserted into the feeder. Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.



TF-907

垂直型/側送型送料器
Downward/Lateral Roll & Tape Feeder

Max Width 最大寬度:	6, 12 & 18 inch (15.24, 30.48 & 45.72cm)
Power 電源:	25W 110V ~ 220V



TF-907送料器適用於細條/鬆緊帶/布疋，置於縫紉機之後，由上而下或由右至左將布料送至縫紉機前。送料架的寬度可變更至6、12、18吋，以配合不同闊度的細條及布疋等。另特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。

It is mainly used for feeding tape, elastic, even though a roll of cloth. It can be mounted behind or right hand side of the sewing machine.

The width and the size of the frame is variable (6, 12 or 18 inch), which is suitable for different width of materials. It allows to feed the heavy materials smoothly and simultaneously during sewing operation. Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.

MD-4 數碼同步多角度送料/放料器 Digital Synchronous Multi-position Tape Feeder & Puller

MD-4 is a multi-position tape feeder & puller, which can feed or pull the tape in different directions and applicable to any machine.


MD-4是一部多角度送料/放料器，可置於不同位置或角度，適合任何縫紉機種。

Function 功能:

- Pull 拉帶
- Feed 送帶


Direction/Position 方向/位置:

- Upward 上方
- Downward 下方
- Lateral 側面




範例 - 應用於通心暗線縫拉帶器
Example - Application with
Spaghetti Attachment

KHF 50/150 is not included in MD-4. It is a tailor-made item, which depend on the tape size & finished size.
KHF 50/150 助縫器為訂造產品，因應出入口尺寸訂造，不包括在MD-4內。




Feed Downward
向下送料




Feed Upward 向上送料/
Pull Downward 向下拉料

Adjustable
可調教




Feed Lateral 側送料


Adjustable
可調教



應用於包縫及繃縫機
Application on
Overlock & Cover
Stitch Machine




KHF 50
Spaghetti Attachment
通心暗線縫拉帶器



Finished Size 出口

1/8"	3/16"
1/4"	5/16"
3/8"	1/2"

Applicable Parts 可用配件:
1) MD 4



KHF 150 (Tailor-made)
Spaghetti Attachment
通心暗線縫拉帶器



It is for overlock and cover stitch machine. It folds the tape as a strap and joins with a elastic. After sewing, pull the tape inside out and make it as a blind sewn strap with a inbuilt elastic.

可用於包縫及繃縫機，把細條拉成帶，連上鬆緊帶。縫後，由裡朝外拉出，變成隱藏縫線及內藏鬆緊帶的帶子。

Applicable Parts 可用配件:
1) MD 4

MX-22 雙針裝飾線(打攪)縫紉機 Double Needle Decorative Stitch Machine



MX-22 is a double needle machine for making decorative stitch. One machine can make unlimited patterns. A numerous of patterns can be made by changing the cams in only a few seconds.

As the common straight stitch is formed by the double needle machine, the decoration stitch can be suitable for all kinds of products, such as jeans, trousers, dress, etc.

The needle space of the machine is suitable for 3/8" to 1/2". Machine standard needle space is 1/4".

MX-22 為雙針裝飾線(打攪)縫紉機。本機可透過更換凸輪，便直接縫製出各色各樣、不同形狀的圖案，即一款縫紉機，可創造出千變萬化的裝飾圖案。而且更換凸輪的過程簡單，只需不到半分鐘的時間便可完成。

另外，因為裝飾線縫製是用雙針平縫式的，所以適用於各種不同的服裝，如牛仔褲、女裝衣物、襯衣等。

本機的標準針位組為 1/4"，可以另外訂購 3/8" 至 1/2" 針位組。



The patterns can be changed easily by changing the cams. We can also design and tailor-made for you if there are some special patterns which you need.

透過更換凸輪便可縫製出不同形狀的圖案。另外，我們亦可為閣下訂造其他圖案款式。

凸輪 Cam	樣品 Sample	款式 Description
F01		
F02		
F03		
F04		
F05		
F06		
F07		
F08		
F09		
F10		
F11		
F12		
F13		
F14		
F15		

型號 Model	MX-22
針數目 No. of Needle	2-Needle (2針)
針距 Needle Space	本機標準針位組: 1/4" (可另外訂購 3/8" 至 1/2" 針位組) Standard needle space: 1/4" (Can be equip with 3/8" to 1/2" gauge set)
圖案 No. of Pattern	15 種標準圖案連凸輪 (可訂造其他圖案款式) 15 standard pattern cams provided (Can tailor-made cams for other patterns.)
縫製速度 Sewing Speed	1000 轉/分鐘 1000 r.p.m.


零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page
107	17	12267-L	52	CR1/32N	7	KH10-20	74
10795	56	12267-RL	52	CR-E	1, 25	KH1190	69
10796	56	12267-XL	52	CR-K	25	KH12-24	74
13246	57	12481TR	54	CR-N	25	KH373-06	21
13249	57	131S(12142S)	40	CR-NS	26	KH373-86	21
17083	56	1404P	63	CR-S	25	KH380	69
17084	57	1404PL	63	DA 274, 275 Gauge Set	71	KH4-FD	53
17086	56	1404PSF(1404WB)	63	DY350A	56	KH4-NP	53
17087	57	1406~1412P/PL	63	DY350B	56	KH5556R	29
20148	57	149057TR	54	FT-A015	36	KH5556W	29
20149	57	14R	53	G-1902	6	KH5-FD	53
23061	18	1508P	64	G-1903	6	KH5-NP	53
23072	18	154628-001	53	G-323	7	KH7-FD	53
23388	61	160344H	15, 39	G-373	6	KH7-NP	53
23420	12	17083-B2	56	G-374	6	KH842	70
23564	4, 13	17086-B2	56	G-814X	7	KHF 1	17
24711	18	19S	53	G-814Y	7	KHF 10	14
28057	57	211-14	1, 27	G-814Z	7	KHF 100	14
28137	57	211-15	1, 27	GB1	59	KHF 101	2
40432	58	212-684	17	GB2	59	KHF 102	2
40474	58	22G	53	GB22	59	KHF 103	8
40629	58	23G	53	GB3	59	KHF 11	10
42819	58	2N Gauge Set	61	GB4	59	KHF 11CU	10
44227	58	490357 (H5017)	39	GB463	59	KHF 12	14
46970	58	490358 (H6010)	39	GB474	59	KHF 14	11, 19
49047	58	490359 (H5018)	39	GB5	59	KHF 1412	9
49544	58	49085C	58	GB6	59	KHF 15	19
97738	57	49558C-D	58	GB810	59	KHF 150	16
97743	57	5G	53	GB8B	59	KHF 1508	10
113280	35	806TR	54	GB8V	59	KHF 16	2
120369	57	A10	14, 40	HL-E	28	KHF 17	1
120370	57	A225E	41	HL-N	28	KHF 19	2
143402	53	A227	41, 47	HP363	45	KHF 20D	7
149009	53	APS-10	32	HP-36LN	31	KHF 20S	7
161058	53	APS-12	32	HP-36N	31	KHF 21	6, 12
223773	61	B1470-245-000	58	HP58N	34	KHF 22	19
490357	15	B1511-543-BA0	36	HR-E	28	KHF 23	5
490358	15	B1524-012-0A0	36	HR-N	28	KHF 24	3, 4, 5, 7
490359	15	B1524-141-H00	58	K10	14, 40	KHF 25	2, 12
490360	15, 39	B1524-141-HA0	58	K1508-CLP	64	KHF 28	17
10795H	56	B1524-245-000	58	K224060M	62	KHF 29	8, 16
10795K1-A	56	B1524-412-0A0	36	K224060S	62	KHF 30	4
10795K1-B	56	B1524-431-0A0	47	K270	65	KHF 31	4
10795L	56	B1524-481-CBO	36	K404	65	KHF 32	2, 5, 10
10795LP	56	B1524-522-NAA	36	K405	65	KHF 33	10
10796H	56	CD	27	K990	65	KHF 33T	3
10796K1-A	56	CF112	50	KB	28, 40	KHF 34	19
10796K1-B	56	CF188	51	KCR	72	KHF 35	3, 4
10796L	56	CF-35	51	KCR-70	73	KHF 37	12
10796LP	56	CF-351	51	KG1	60	KHF 38	15
107-W952	22	CF-363	51	KG10	60	KHF 39	2
112-W952	22	CF-36LN	51	KG11	60	KHF 40	19
112W-952	62	CF-36N	51	KG2	60	KHF 41	18
112W-C8	62	CF-518NS	51	KG30	60	KHF 42	3
112W-C9	62	CF-58N	51	KG4	60	KHF 43	11
112W-Z	61	CKL-13	27, 37	KG5	60	KHF 45	11
120803H	15, 39	CL1/16NS	45	KG6	60	KHF 46	19
120805H	15, 39	CL-E	1, 25	KG7	60	KHF 49	14
120806H	15, 39	CL-K	25	KG8	60	KHF 50	16
12264-RS	52	CL-N	25	KG9	60	KHF 51	11
12264-S	52	CL-NS	26	KH04-08	74	KHF 53	5, 13
12265-M	52	CR1/16NS	45	KH06-12	74	KHF 54	11, 19
12265-RM	52	CR1/16N	7	KH08-16	74	KHF 55	3

索引 Index

零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page	零件號 Parts Number	頁數 Page
KHF 56	2, 5, 12	MG1	60	R142	32	T35WB	48
KHF 57	20	MG20	60	R2	33	T363	49
KHF 58	3, 11	MG20L	60	R212	32	T363B	49
KHF 61	3, 4	MG40	60	R23771	33	T36LN	49
KHF 62	20	Multi-needle Gauge Set	71	R2500	32	T36LNB	49
KHF 64	8, 18	MX-22	82	R2E	33	T36N	49
KHF 65	18	NT-18	49	R36LN	32	T36NB	49
KHF 72	17	NT-18B	49	R36RN	32	T4-1	74
KHF 73	16	P10 ~ P18	43	R457	33	T5-1	74
KHF 74	14	P127	35	R5214	34	T350	48
KHF 80	5	P144HL	35	RCR	31	T350B	48
KHF 81	15	P144HLB	35	RF570	50	T35CW	48
KHF 83	11, 17, 21	P301N	31	RF-E	52	T35CWB	48
KHF 84	21	P311N	31	RF-N	52	T35W	48
KHF 85	18	P34	40	RS570	32	T35WB	48
KHF 86	11, 17	P35	34	RU-61	76	T363	49
KHF 88	4, 13	P351	35	RU-62	76	T363B	49
KHF 89	21	P351G	35	S30	57	T36LN	49
KHF 9	4, 5, 7	P351K	35	S31	57	T36LNB	49
KHF 90	8	P351S	35	S508	62	T36N	49
KHF 9000 BH	6, 15	P35G	34	S512	57	T36NB	49
KHF 94	6, 15	P35GK	34	S513	57	T4-1	74
KHF 95	13	P36	30	S517	33	T5-1	74
KHF 98	8	P360	30	S518	45	T6-1	74
KHM-1508	64	P361	30	S5180NS	46	T7-1	74
KHM-700	73	P3610-P3625	38	S518NS	45	T9-1	74
KL-1	26, 37	P363	45	S537	57	TF-713/813	80
KL-11	37	P363V	45	S538	57	TF-714/814	80
KL-13	37	P36L	30	S583	57	TF-714U	80
KL-31E	26	P36LN	30	S584	57	TF-907	80
KN5550T	54	P36N	30	S955	46, 57	TR-15	14
KN7200	54	P37	44	S96	57	U192	55
KN9000	54	P3811-P3825	38	SP 9/16	38	U192B	55
KN9000F	54	P5	47	SP-102	38	U192R	55
KP-003	33	P50	47	SP-18	42	U192T	55
KP-003A	33	P500	47	SP-18L	42	U193	55
KP-004	33	P50H	47	SP-19	38	U193B	55
KP-005	33	P50N	47	SP-25	1, 42	U193R	55
KP112-5W	22, 62	P58N	34	SP-28	50	U193SG	55
KP404G	64	P5W	47	SP-28B	50	U193T	55
KP508G	64	P69D	43	SP-33	40	U193TS	55
KP-74	40	P69L	44	SP-705	27, 38	U194	55
KP9000L	1, 26	P69LH	44	SP70L	44	U194A	55
KP9000R	1, 26	P69R	44	SP70R	44	U194B	55
KR-1	26, 37	P69RH	44	SP-733	38	U195	55
KR-10	40	P723	42	SP-734	39	U195A	55
KR-12F	41	P801	42	SP747	41	U195B	55
KR-12T	41	P803	43	SP-747	27, 39	U30A	55
KR-12TF	41	P810 ~ P818	43	SP8103F	42	U30B	55
KR-31E	26	P810L ~ P818L	43	SP8103G	42	U31A	55
KRT-3	75	P950	46	SP-98	38	U31B	55
KRT-4	75	P952	46	SU-91	77	U67	56
KRT-5	75	PD112	61	SU-91L	77	U67T	56
KRT-6	75	PF335	58	SU-92	78	U68	56
LF570	50	PF335-1	58	SU-92L	78	U68T	56
LF-E	52	PG112	61	SU93	78	US 35800 Gauge Set	66-68
LF-N	52	PH112W	62	T2	74	Y350	55
LOT	39	PL112	61	T3-1	74	ZD	27, 29, 37
LU-41A	57	PR112	61	T350	48	ZP	12, 27, 37
LU-41B	57	PU-627	79	T350B	48	ZR1/32A	1,29
MAN10452000	58	PU-660	79	T35CW	48	ZR1/32C	1,29
MAQ093080A0	58	PU-675	79	T35CWB	48		
MD-4	16, 81	R141	32	T35W	48		

國興針車公司 Kwok Hing Sewing Machine Company

地址: 香港九龍荔枝角道103-107號
Address: G/F, 103-107 Lai Chi Kok Road, Kowloon, Hong Kong.
電話 Tel: (852) 2394 8163
傳真 Fax: (852) 2789 2681, (852) 2787 2033
網址 Website:  <http://www.kwokhing.com>
 <http://www.olympian.cc>
 <http://www.kardia-sew.com>
電郵 E-mail: spareparts@kwokhing.com



地鐵 MTR: 太子站C2出口 Exit C2, Prince Edward Station



巴士 Bus: 來自機場 From Air-port: A21



巴士 Bus: 來自港島 From Hong Kong Island: 117, 118, 118P
來自尖沙咀/東九龍 From Tsim Sha Tsui / East Kln.: 2, 2A, 212



巴士 Bus: 來自西九龍/新界 From West Kln. / New Territories: 2, 2A, 6F, 32, 36B, 43C, 44, 44P, 46, 87A, 87B, 117, 212, 265B, 296C



襯衫。休閒。運動

Shirts, Leisurewear and Sports



國興針車公司

Kwok Hing Sewing Machine Co.

www.kwokhing.com