




這是本公司目錄「襯衫。休閒。運動」的最新產品附頁。
其餘同類型零配件，請參閱「襯衫。休閒。運動」。
This appendix includes the latest products of our company's
catalogue "Shirt。Leisurewears。Sports".
For the other related spare parts, please refer to this catalogue.


5410 針送系列 Needle Feed Series

KN5410 - N4




KF5410 - N4

KN5410 - N6



KF5410 - N6



KF5410 - N5

KN5410 - N5

KN5410 針板 Needle Plate

針孔寬度 Needle Hole Width

N4, N5, N6 4, 5, 6-roll 排 1.8 mm

KF5410 送布齒 Feed Dog

齒面寬度 Teeth Width


N4 4-roll 排 15 mm

N5 5-roll 排 19 mm

N6 6-roll 排 23 mm

KL-13 (5410)

針送導傍壓腳
Needle Feed Guiding Foot




尺寸 Size

1/2" 3/4" 1" 1-1/4"


KZF (5410)

針送左傍壓腳 (助縫器用)
Needle Feed Left Guide
Foot (for Folder)



有坑
Groove

坑闊 Groove Width 3/8"




尺寸 Size

1/2" 3/4" 1" 1-1/4"

KZJ

針送導傍壓腳
Needle Feed Guiding Foot




尺寸 Size


1" 1-1/4" 1-1/2"

KT141

前後互動壓腳
Hinged Compensating Foot




Suitable for Crossed Seam
適用於縫十字縫



KZO

針送左右雙傍壓腳
Needle Feed
Double Compensating Foot
針孔在左
Needle Hole on Left




尺寸 Size

3/8" 7/16" 1/2"

KZH


針送左右雙傍壓腳
Needle Feed
Double Compensating Foot
針孔在右
Needle Hole on Right



尺寸 Size

3/8" 7/16" 1/2"

5410 針送系列 Needle Feed Series




EP69LHNF

針送繩管用壓腳 (左)
Needle Feed Hinged Piping
Foot (Left)

繩管尺寸 Piping Size

1/8" 3/16" 1/4"




EP69RHNF

針送繩管用壓腳 (右)
Needle Feed Hinged Piping
Foot (Right)

繩管尺寸 Piping Size

1/8" 3/16" 1/4"




5410NS

針送隱形拉鍊用壓腳
Needle Feed Foot
(for Invisible Zipper)


尺寸 Size

1/2" 3/4" 1" 1-1/4"



KP274H

針送導傍壓腳 (拖輪用)
Needle Feed Guiding Foot
(for Puller)




GL274

針送左傍壓腳 (拖輪用)
Needle Feed Left Guiding
Foot (for Puller)

尺寸 Size

1/32" 1/16" 1/8"
3/16" 1/4"





GR274

針送右傍壓腳 (拖輪用)
Needle Feed Right Guiding
Foot (for Puller)

尺寸 Size

1/32" 1/16" 1/8"
3/16" 1/4"



KHF5410 助縫器
Folder

入口寬度 Tape Size

20 mm	22 mm	24 mm	26 mm	28 mm
30 mm	32 mm	34 mm	36 mm	38 mm
40 mm	42 mm	45 mm	48 mm	50 mm

KN5410F 針板
Needle Plate


KF5410F 送布齒
Feed Dog

KP5410F 壓腳
Presser Foot

壓料位置寬度 Pressing Width


3/16" 1/4" 5/16" 3/8"

襯衫用配件 Spare Parts for Shirts




KZS
襯衫上領 (暗線) 壓腳
Collar Attaching Foot
(Invisible Stitch)

尺寸 Size 1/32"




KZA
襯衫上領 (明線) 壓腳
Collar Attaching Foot
(Visible Stitch)

尺寸 Size 1/32"




KZR1/32A
襯衫上領 (明線) 壓腳
Collar Attaching Foot
(Visible Stitch)

尺寸 Size 1/32"




KZR1/32C
襯衫運領壓腳
Runstitching Collar Foot

尺寸 Size 1/32"




KZU
襯衫左傍口領壓腳
Upper Collar Coverstitch
Foot with Left Guide

尺寸 Size 1/32"




KZE
襯衫右傍口領壓腳
Upper Collar Coverstitch
Foot with Right Guide

尺寸 Size 1/32"



KZC
襯衫口領壓腳
Upper Collar
Coverstitch Foot


尺寸 Size 1/32"



KZG
襯衫切下級領壓腳
Collar Band
Trimming Foot

壓料位置寬度
Pressing Width 7/32"
切刀距離
Cutting Width 1/4" ~ 5/16"

襯衫用配件 Spare Parts for Shirts




KZK

襯衫間下級壓腳
Collar Band
Top Stitch Foot

尺寸 Size


1/16" 3/16" 1/4"



KZF


左傍平壓腳 (可配助縫器用)
Left Guide Flat Bottom Foot
(Suitable for using with folder)

坑闊 Groove Width 3/8"



尺寸 Size

1/2" 3/4" 1"
1-1/4" 1-1/2"



KHF9000-BH

彈弓咀捲邊器 (襯衫拉圓腳用)
Spring Type Short Hemmer
(for Shirt Round Bottom)

尺寸 Size 1/8" 3/16" 1/4"



彈弓咀 - 過十字縫用
Spring Type - for Cross Seam

KZD

左右高低導傍壓腳 (弧形縫用)
Double Compensating Guiding Foot
(for Curved Sewing)

尺寸 Size 1/8" 3/16" 1/4"



KN9000T-NP

針板
Needle Plate

KF9000T-FD

送布齒
Feed Dog


模板製作針位組 Pattern Cutting Gauge Set




KP-003




KP-003A



KP-004K



KP-006K



KP-007K

KP-005K

KP-003

模板製作塑膠滾輪壓腳
Plastic Roller Foot for Pattern Cutting

KP-003A

模板製作軸承滾輪壓腳
Bearing Roller Foot for Pattern Cutting

KP-004K

針板
Needle Plate

KP-005K

送布齒
Feed Dog

KP-006K


刀架
Knife Set
(安裝在針柱，供切料用)
Fixed on the Needle Bar for Cutting)

KP-007K

切刀
Knife

縫製時同時依模板形狀切料
The pattern shape can be cut simultaneously when sewing

襯衫用配件 Spare Parts for Shirts




**襯衫氣動助縫器
Pneumatic Attachments
for Shirts**

透過氣動操控，可自動送料到助縫器，並同時捲折物料。


- 方便且省卻人手捲折時間
- 捲折效果穩定
- 無需熟練工人亦可操作

Fabric can be fed into the attachments and folded automatically by air pressure.

- Convenience and Saving folding time
- Provide stable folding performance
- Folding process become more easy, even though operating by unskillful workers.




KHM700-1H
腳跟馬達拉桿
Heel Action
Switch



KHF 9-PNE

氣動擺動式捲邊器
Pneumatic Swing Hemmer




出口 Finished Size			
1/16"	1/8"	3/16"	1/4"
5/16"	3/8"	7/16"	1/2"


KHF 19-PNE

氣動單針接袖器
Single Needle Sleeve
Pneumatic Attachment

Step 1:
雙針車縫合
Joint 2 pieces
by 2N machine




Step 2:
熨褶後再用平車縫合
Folded & ironed,
then sew by
1N machine



針距 Needle Space	1/4"	3/8"
出口 Finished Size	3/8"	1/2"

KHF 20S-PNE


氣動單針背肩助縫器 (擔杆)
Singer Needle Back Yoke
Pneumatic Attachment



出口 Finished Size	3/8"
------------------	------

KHF 20D-PNE


擺氣動雙針背肩助縫器 (擔杆)
Double Needle Back Yoke
Pneumatic Attachment



出口 Finished Size	3/8"
------------------	------

KHF 39-PNE


氣動單針肩部助縫器 (左納膊)
Single Needle Shoulder Top Stitch
Pneumatic Attachment (Left)



出口 Finished Size	3/8"
------------------	------

KHF 39R-PNE


氣動單針肩部助縫器 (右納膊)
Single Needle Shoulder Top Stitch
Pneumatic Attachment (Right)



出口 Finished Size	3/8"
------------------	------


KHF 102-PNE

氣動單針接袖器
Single Needle Lap Seam
Pneumatic Attachment



出口 Finished Size	3/8"
------------------	------

KP-83




KP-83T

雪屐壓腳 (鐵氟龍底)
Ski Foot (Teflon Sheet)
防皺
Anti-puckering





KF-83

- 減低摩擦力
Lower Friction
- 避免刮破物料
Avoid scraping materials




P351KS

撬尾壓腳 (可調教)
UP Tail Foot (Adjustable)



P353

撬尾壓腳 (對稱)
UP Tail Foot (Symmetrical)




SP-705R

右高低摺邊器用壓腳
Right Compensating Foot
for Folder

尺寸 Size

1/32"

1/16"




可調教
Adjustable 

SP-734A


摺邊導帶壓腳 (可調教)
Hemming Foot for Tape
(Guiding Adjustable)

可調教傍邊寬度
Adjustable Guiding Width 5/8" ~ 1"




SP-735



左傍平壓腳 (可配助縫器用)
Left Guide Flat Bottom Foot
(Suitable for using with folder)




坑闊 Groove Width 3/8"



KZN-L
左傍刀 (可調教) 壓腳
Adjustable Left Guide Foot





KZN-R
右傍刀 (可調教) 壓腳
Adjustable Right Guide Foot



KZM 導傍高低壓腳 (可調教)
Adjustable Compensating Feet

兩邊壓腳底壓力可個別調教，適用於同時縫紉不同厚度物料
Both presser feet bases pressure can be adjusted independently,
Suitable for sewing different thickness fabrics simultaneously





KZM-L
左導傍高低壓腳 (壓力可調教)
Left Compensating Foot
(Presser Adjustable)

KZM-R
右導傍高低壓腳 (壓力可調教)
Right Compensating Foot
(Presser Adjustable)

尺寸 Size				
1/32"~1/16"	1/8"	3/16"	1/4"	5/16"

KZI 互補導傍高低壓腳
Compensating Feet





KZI-L
左傍互補高低壓腳
Left Compensating Foot

KZI-R
右傍互補高低壓腳
Right Compensating Foot


尺寸 Size			
1/16"	1/8"	3/16"	1/4"

KZB 全方位可調教傍邊高低壓腳 (間線用)
Multi-adjustable Guiding Compensating Feet



KZB
平車傍邊間線壓腳
Mult-adjustable Guiding Foot
傍邊位置/高度/壓力可任意調教
Guiding Position/ Height/ Pressure
Multi-adjustable


適用於一般/西褲褲頭間線
Suitable for General /Waistband Topstitch Guiding



PH112-4W

雙針導帶壓腳 (鑽石飾帶用)
Double Needle Guiding Foot
(For Diamond Tape)

針距
Needle Space:
1/4"



2284 縮褶針位 Shirring Gauge Set

KP2284-P5

人字縮褶導傍壓腳 (可調教)
Zigzag Shirring Guiding Foot
(Adjustable)

最大鬆緊帶尺寸 Max. Elastic Tape Size 1-1/2"


51768-8 針板 Needle Plate

針孔寬度 Needle Hole Width 10.3 mm

417920-8 送布齒 Feed Dog

齒面寬度 Teeth Width 34.5 mm

中排齒排列 Teeth in Mid-row 5T + 10T



842 縮褶針位 Shirring Gauge Set

KP842-P5

雙針縮褶導傍壓腳 (可調教)
Double Needle Shirring Guiding Foot
(Adjustable)


最大鬆緊帶尺寸 Max. Elastic Tape Size 1-1/2"

23388-5 固定針針板 Box Type Needle Plate

針距 Needle Space 1/8" 3/16" 1/4"


23388-6 固定針送布齒 Box Type Feed Dog

針距 Needle Space 1/8" 3/16" 1/4"



KL-380

雙針鏈縫左傍壓腳
Double Needle Chainstitch
Left Guiding Foot




x 1.0

1/8" 3/16"

1/4" 5/16"

3/8" 1/2"




x 1.8

3/16" 1/4"

5/16" 3/8"

1/2"



KR-380

雙針鏈縫右傍壓腳
Double Needle Chainstitch
Right Guiding Foot



x 1.0

1/8" 3/16"

1/4" 5/16"

3/8" 1/2"




x 1.8

3/16" 1/4"


5/16" 3/8"

1/2"

導帶壓腳 Tape Feeding Feet



KP112GT



KP380GT

KP112GT

雙針導帶壓腳
Double Needle Tape Feeding Foot

針距 Needle Space	3/16"	1/4"	5/16"	3/8"	1/2"
帶/朴闊度 Tape Size	5/16"	3/8"	7/16"	1/2"	5/8"

KP380GT

雙針鏈縫導帶壓腳
Double Needle Chainstitch Tape Feeding Foot

針距 Needle Space	3/16"	1/4"	5/16"	3/8"	1/2"
帶/朴闊度 Tape Size	5/16"	3/8"	7/16"	1/2"	5/8"


導帶壓腳連助縫器 Tape Guiding Feet with Folders



2284TP

人字導帶壓腳
Zigzag Tape Guiding Foot


細條寬度 Tape Width	1/4"	5/16"	3/8"
	7/16"	1/2"	



3568TP

雙針導帶壓腳
Double Needle Tape Feeding Foot


細條寬度 Tape Width	1/4"	5/16"	3/8"
	7/16"	1/2"	
針距 Needle Space	1/8"	3/16"	1/4"
	5/16"	3/8"	



KHF 83

細條面貼助縫器
Tape Attaching Folder

細條寬度 Tape Width	1/4"	5/16"	3/8"
	7/16"	1/2"	




TPT

獨立導帶管
Tape Attaching Tube

細條寬度 Tape Width	1/4"	5/16"	3/8"
	7/16"	1/2"	


9000SF 底料左/右傍邊針板 (可調教)
Lower Layer Left/Right Guiding Gauge Set




KN9000SF

可調教
Adjustable


可左/右調教 2mm
2mm Adjustable from Left/Right



底料傍邊 (可調教)
Lower Layer Guiding
(Adjustable)




左傍邊
Left Guiding




右傍邊
Right Guiding

Applicable Parts:
可用配件




KL-31E



KR-31E

(Apply with
配合 KL-31E)



KL-31E
頂部傍邊
Upper Guiding

KN9000SF
底部傍邊
Lower Guiding

KN9000SF

底料左/右傍邊針板 (可調教)
Lower Layer Left/Right Guiding
Needle Plate (Adjustable)

可左/右調教 2mm
2mm Adjustable from Left/Right

KF9000SF 送布齒
Feed Dog

KL-31E

左高低壓腳 (暗線用)
Left Compensating Foot
(Edge/Invisible Stitch)

KR-31E

右高低壓腳 (暗線用)
Right Compensating Foot
(Edge/Invisible Stitch)


普通/剪線車高低針位 (幼齒，筒用)

Gauge Sets for Binding (Fine) for Standard/ Thread Trimmer Machines

(特別設計適用於 9000C 縫紉機)


Especially Design for 9000C Machine)

KN9000C-N4




KF9000C-N4

KN9000C-N5




KF9000C-N5

KN9000C-N6



KF9000C-N6

KN9000C-M5



KF9000C-M5

Needle Plate 針板	Feed Dog 送布牙	Roll 行數	Roll Wide (Left) 行數間度 (左)	Roll Wide (Right) 行數間度 (右)	Length 長度	Needle Hole 針孔
KN9000C-N4	KF9000C-N4	4	4.5mm	7.6mm	25mm	1.5mm
KN9000C-N5	KF9000C-N5	5		10.9mm		
KN9000C-N6	KF9000C-N6	6		14.2mm		
KN9000C-M5	KF9000C-M5	5	7.7mm	7.7mm		

適用於 Suitable for:


Juki	重機	555, 8700
Juki (Thread Trimmer)	重機 (剪線)	5550, 9000
Brother	兄弟	735, 755
Brother (Thread Trimmer)	兄弟 (剪線)	7200, etc

針孔在中
Needle Hole
in the middle

5550T 普通/剪線車高低針位 (幼齒，助縫器用)


Gauge Sets for Binding (Fine) for Standard/ Thread Trimmer Machines

KN5550T-N4




KF5550T-N4

KN5550T-N5




KF5550T-N5

KN5550T-N6



KF5550T-N6

KN5550T-M5



KF5550T-M5

Needle Plate 針板	Feed Dog 送布牙	Roll 行數	Roll Wide (Left) 行數間度 (左)	Roll Wide (Right) 行數間度 (右)	Length 長度	Needle Hole 針孔
KN5550T-N4	KF5550T-N4	4	4.5mm	7.6mm	25mm	1.5mm
KN5550T-N5	KF5550T-N5	5		10.9mm		
KN5550T-N6	KF5550T-N6	6		14.2mm		
KN5550T-M5	KF5550T-M5	5	7.7mm	7.7mm		

適用於 Suitable for:


Juki	重機	555, 8700
Juki (Thread Trimmer)	重機 (剪線)	5550, 9000
Brother	兄弟	735, 755
Brother (Thread Trimmer)	兄弟 (剪線)	7200, etc

針孔在中
Needle Hole
in the middle


5550TP 帶拖輪普通/剪線車高低針板 (幼齒，助縫器用)

Needle Plate for Binding (Fine) for Standard/ Thread Trimmer Machines with Puller


KN5550TP-N4



KN5550TP-N5



KN5550TP-N6



Needle Plate 針板	Roll 行數	Roll Wide (Left) 行數間度 (左)	Roll Wide (Right) 行數間度 (右)	Length 長度	Needle Hole 針孔
KN5550TP-N4	4	4.5mm	7.6mm	25mm	1.5mm
KN5550TP-N5	5		10.9mm		
KN5550TP-N6	6		14.2mm		


適用於 Suitable for:

Juki	重機	555, 8700
Juki (Thread Trimmer)	重機 (剪線)	5550, 9000
Brother	兄弟	735, 755
Brother (Thread Trimmer)	兄弟 (剪線)	7200, etc

平車壓腳 (帶拖輪用)


Presser Feet for Single Needle Machines with Puller

P91




P91

P91L




P91L

P91R



P91R

P91F



P91F

P91 拖輪用標準壓腳

Standard Foot for Puller

P91L 拖輪用左傍壓腳

Left Compensating Foot (for Puller)

P91R 拖輪用右傍壓腳

Right Compensating Foot (for Puller)

P91F 拖輪用拉筒用壓腳

Presser Foot for Puller (Hemming use)

尺寸 Size	1/32"	1/16"	1/8"	3/16"	1-1/4"
尺寸 Size	1/32"	1/16"	1/8"	3/16"	1-1/4"
尺寸 Size		3/4"	1"	1-1/4"	

- A10 -

暗縫系列 Blind Stitch Series

KHF 107

人字暗縫 - 面貼壓腳連助縫器
Zigzag Blind Stitch
- Tape Attachment with Folder

KHF 842

雙針暗縫 - 面貼壓腳連助縫器
Double Needle Blind Stitch
- Tape Attachment with Folder

入口 Tape Size	5/8"	3/4"
出口 Finished Size	7/32"	9/32"

23388-5

固定針針板
Box Type Needle Plate

針距 Needle Space	3/16	1/4"
-----------------	------	------

23388-6

固定針送布齒
Box Type Feed Dog

針距 Needle Space	3/16	1/4"
-----------------	------	------


KHF 555

平車暗縫 - 雙環包邊助縫器
Single Needle Blind Stitch
- Double Fold Binder


入口 Tape Size	1-1/4"	1-1/2"	1-3/4"
出口 Finished Size	1/4"	5/16"	3/8"

KP 555

平車暗縫壓腳
Single Needle Blind Stitch Presser Foot



**包縫器連針位組 (薄物用)
Binder and Gauge Set for Thin Materials**



KHF 200 包縫器
Binder

入口 Tape Size	19mm	26mm	32mm	38mm
出口 Finished Size	4.8mm	6.4mm	8.0mm	9.6mm

KN-10 針板
Needle Plate

KF-10 送布齒
Feed Dog

KR-10 左傍壓腳 (包縫器用)
Left Guiding Foot (for Binder)


尺寸 Size	3/16"	1/4"	5/16"	3/8"	1/2"
---------	-------	------	-------	------	------

KP-10 左傍高低壓腳 (包縫器用)
Left Compensating Foot (for Binder)


尺寸 Size	3/16"	1/4"	5/16"	3/8"
---------	-------	------	-------	------

KH1509 關西 1509 針位組/1508 針位組4針改6針 Kansai 1509 Gauge Set/ 1508 Gauge Set (4N modify to 6N)

- 適用於 1509 縫紉機，更換不同針距
Suitable for 1509 Machine to change different needle space gauge sets
- 適用於 1508 縫紉機，4 針改 6 針
Suitable for 1508 Machine to modify by 4-Needle to 6-Needle



適用於不同尺寸
Applicable for all sizes:



KH1509 針位組 Gauge Set

- 14-591** 針板
Needle Plate
- 15-593** 送布齒
Feed Dog
- 15-594** 送布齒
Feed Dog
- 17-5760** 壓腳
Presser Foot
- 12-5910** 針頭
Needle Clamp
- 10-8290** 針傍
Needle Guard
- 66-527** 連接片
Connecting Support
- 66-519** 彎針連桿
Looper Connecting Link

針距 Needle Space


1/8" x 1/8" x 3/4" x 1/8" x 1/8"
1/8" x 1/8" x 7/8" x 1/8" x 1/8"
1/8" x 1/8" x 1" x 1/8" x 1/8"
1/8" x 1/8" x 1-1/8" x 1/8" x 1/8"
1/8" x 1/8" x 1-1/4" x 1/8" x 1/8"
1/8" x 1/8" x 1-1/2" x 1/8" x 1/8"
1/8" x 1/8" x 1-3/8" x 1/8" x 1/8"

適用於不同尺寸
Applicable for all sizes:


- 19-304 (KH)** 彎針搖桿
Looper Rocker
- 19-591 (10-9290)** 彎針座
Looper Holder
- 19-582** 彎針
Looper
- 19-592** 彎針
Looper
- 19-593** 彎針
Looper

KH1404AD 3網條導帶針位組 (關西1404專用) Gauge Set for 3 Stripe Tapes Pattern (For Kansai 1404)

適用於著名運動服裝 (如: **阿迪達**)，可同時縫製3條細條/黏性膠帶
Specially for Famous Brand (e.g. **Adidas**) Sportswares,
which can sew 3 Stripe Tapes/ PVC Tapes simultaneously.



可另選購
Optional Items



KH1404AD

3網條導帶針位組
Gauge Set for 3 Stripe Tapes Pattern

KH1404AD-NP 針板
Needle Plate

KH1404AD-FD 送布齒
Feed Dog

KH1404AD-PF 壓腳
Presser Foot

KH1404AD-NC 針頭
Needle Clamp

KH1404AD-LH 彎針座
Looper Holder

KH1404AD-RH 線撥
Retainer Holder

針距 Needle Space

1/4" x 1/2" x 1/4" x 1/2" x 1/4"

7mm x 11mm x 7mm x 11mm x 7mm

(其他尺寸，歡迎訂造 Other sizes can be tailor-made)

可另選購
Optional Items:

KHF 83

網條面貼助縫器
Tape Attaching Folder

R1404AD

滾輪壓腳
Roller Foot


適用於縫製 PVC 黏性膠帶
Suitable for sewing PVC Tapes

KTR-03


線架/網條架
Thread (Spool) & Tape Rack

56900 針位組 Gauge Sets


標準針位組 Standard Gauge Set




薄物用針位組 Gauge Set for Light Materials




厚物用針位組 Gauge Set for Heavy Duty




針位組 (拖輪用) Gauge Set for Machine with Puller



可另選購
Optional Items:



適用於不同針位組
Applicable for
Different Gauge Sets:



標準 Standard

針距 Needle Space	1/4"	9/32"
K569-NNP 針板 Needle Plate		
K569-NFD 送布齒 Feed Dog		齒數 No. of Teeth 16
K569-NPF 壓腳 Presser Foot		

薄物用 For Light Materials

針距 Needle Space	1/4"
K569-SNP 針板 Needle Plate	
K569-SFD 送布齒 Feed Dog	齒數 No. of Teeth 16 33
K569-SPF 壓腳 Presser Foot	

厚物用 For Heavy Duty

針距 Needle Space	1/4"	9/32"	3/8"
K569-HNP 針板 Needle Plate			
K569-HFD 送布齒 Feed Dog	針距 Needle Space 1/4" 9/32"	齒數 No. of Teeth 16 33	3/8" 22
K569-HPF 壓腳 Presser Foot			

拖輪用 For Machines with Puller

針距 Needle Space	9/32"
K569-UNP 針板 Needle Plate	
K569-UFD 送布齒 Feed Dog	齒數 No. of Teeth 16
K569-UPF 壓腳 Presser Foot	

適用於不同針位組
Applicable for Different Gauge Sets:

K569-NC 針頭 Needle Clamp	
K569-B 針柱 Needle Clamp	
K569-LL 彎針 Looper	
K569-ML 彎針 Looper	
K569-RL 彎針 Looper	
K569-RK 彎針座 Looper Holder	
K569-NG 針傍 Needle Guard	

可另選購
Optional Items:

KHF 25 邊縫接縫器 Lap Seam Folder				
針距 Needle Space	3/16"	1/4"	5/16"	3/8"
KHF 569 邊縫接縫器 (彈弓咀) Lap Seam Folder (Spring Type)				
尺寸 Sizes	S	M	L	XL

K569-GF 可調教導傍壓腳 Adjustable Guiding Foot	
針距 Needle Space	1/4"
可調教導傍尺寸 Adjustable Guiding Width	5/16" ~ 7/8"



35800 特大拖輪組連壓腳架 Particular Puller Set with Presser Foot Fork

拖輪直徑加大 (36mm)


- 過十字縫，輕而易舉

Larger Roller Diameter (36mm)


- Sewing crossed seam becomes easy




35874B (36)



35826-EF (36)



35875-AV (36)



35878S (36)

29478-EF(36)

拖輪組 (膠輪)

Puller Assembly (Rubber Roller)

35826-EF(36)

36mm 膠輪

36mm Rubber Roller

29478-EN(36)

拖輪組 (鋼輪)

Puller Assembly (Steel Roller)

29478-EF(36)

36mm 鋼輪

36mm Steel Roller

35874B(36)

壓腳架 (36mm拖輪用)

Presser Foot Fork for 36mm Roller

35878S(36)

壓腳柱 (36mm拖輪用)

Presser Foot Bar for 36mm Roller

KCU 氣動剪線器 Pneumatic Cutters

- 氣動與自動開關控制剪刀


- 當縫製過程完成後，物料跌下並觸動剪刀開關，剪刀便會自動把線剪斷。

- 有別於機械式切刀，除非物料於縫製後跌下，否則切刀將不會啟動。避免日常操作時誤剪衣料的危險。

- Pneumatic and On/Off Switch Operation

- The threads will be cut by scissors **automatically** when fabric falls down and turns on the switch.

- Different from other mechanical cutter operations, the cutter will not move unless the fabric falls down. It avoids to cut the fabric accidentally.



KCU-1190

氣動剪線器

Pneumatic Cutter

適用於重機 1190/1260,
兄弟 926/927

For Juki 1190/1260,
Brother 926/927




KCU-358

氣動剪線器

Pneumatic Cutter

適用於於仁 35800/
4針6線縫紉機


For Union 35800/
4-needle 6-thread
Machines



KHT 六角螺絲刀套裝 Hexagon Screw Driver Sets


KHT-5

背面磁鐵設計，可附在縫紉機上
Magnet on the back which can attach on sewing machine.



KHT-6


同時包含公制和英制
Including Metric and GB



公制 Metric	英制 GB
1.5mm	1/16"
2mm	5/64"
2.5mm	3/32"
3mm	1/8"
4mm	5/32"

KHT-7

背面磁鐵設計，可附在縫紉機上
Magnet on the back which can attach on sewing machine.



其他主要目錄 Other Main Catalogues:



厚料設備及零配件
**Spare Parts
for Heavy Duty**




女仕服裝縫製設備
**Spare Parts &
Attachments of Lingerie**



繙縫零件
**Spare Parts for
Interlock Stitch Machines**



**KHF 助縫器
KHF Attachments**



襯衫。休閒。運動
Shirts • Leisurewear • Sports

K 國興針車公司 Kwok Hing Sewing Machine Company

地址: 香港九龍荔枝角道 103-107 號地下
Address: G/F, 103-107 Lai Chi Kok Road, Kowloon, Hong Kong.
電話 Tel: (852) 2394 8163
傳真 Fax: (852) 2789 2681, (852) 2787 2033
網址 Website: <http://www.kwokhing.com>
<http://www.khsew.com>
電郵 E-mail: spareparts@kwokhing.com