



3528-7/3568-7 雙針剪線系列 2-Needle Thread Trimming Machines




KNT3568-7 針板
Needle Plate
KFT3568-7 送布齒
Feed Dog
KP3568-A 壓腳
Presser Foot

針距 Needle Space			
1/8"	5/32"	3/16"	5.2 mm
7/32"	6.0 mm	1/4"	9/32"
5/16"	3/8"	1/2"	5/8"
3/4"	7/8"	1"	1-3/16"
1-1/2"			




KNT3568U 針板
Needle Plate
KFT3568U 送布齒
Feed Dog

針距 Needle Space	
3.2 mm (1/8")	4.8 mm (3/16")
5.2 mm	5.6 mm (7/32")
6.0 mm	6.4 mm (1/4")
7.2 mm (9/32")	8.0 mm (5/16")
9.5 mm (3/8")	




KNT3568L 針板
Needle Plate
KFT3568L 送布齒
Feed Dog
KFT3568LS 幼送布齒
Fine Feed Dog

針距 Needle Space	
3.2 mm (1/8")	4.8 mm (3/16")
5.2 mm	5.6 mm (7/32")
6.0 mm	6.4 mm (1/4")
7.2 mm (9/32")	8.0 mm (5/16")
9.5 mm (3/8")	




3568-53 針板
Needle Plate
3568-29 送布齒
Feed Dog



針距 Needle Space		
3/16"	1/4"	9/32"

雙針針位 (厚物用)
Double Needle Gauge Set (for Thick Fabric)



TH25305


TH33564

TH25305
針板
Needle Plate

TH33564
送布齒
Feed Dog

針距 Needle Space			
3.2 mm	4.8 mm	5.2 mm	5.6 mm
6.0 mm	6.4 mm	7.2 mm	9.5 mm

導帶雙針針位 (厚物用)
Undercut Double Needle Gauge Set (for Thick Fabric)



TH21010-2

TH21010-3


導帶用
For Tape
Feeding

TH21010-2
導帶坑針板 (厚物用)
Undercut Needle Plate for Thick Fabric

TH21010-3
送布齒 (厚物用)
Feed Dog for Thick Fabric

針距 Needle Space			
3.2 mm	4.8 mm	5.2 mm	5.6 mm
6.0 mm	6.4 mm	7.2 mm	9.5 mm

人字針位連舌片 (可更換)
Zigzag Gauge Set with Supporting Fingers (optional)



417921K

22186K

2N 2針	22186K-2N2 (2mm)
	22186K-2N3 (3mm)
3N 3針	22186K-3N
4N 4針	22186K-4N
	22186K-S

22186K
417921K

針板
Needle Plate
送布齒
Feed Dog


22186K-2N2 (2mm)
22186K-2N3 (3mm)
22186K-3N
22186K-4N

舌片
Supporting Finger
舌片
Supporting Finger
舌片
Supporting Finger
舌片
Supporting Finger

22186K-S

螺絲
Screw

人字針位 (特薄物料用)
Zigzag Gauge Set (For Ultra-light Fabric)



TH417921

TH22186

TH22186
特薄物用針板
Needle Plate for Ultra-light Fabric

TH417921
特薄物送布齒
Feed Dog for Ultra-light Fabric

KN2284E

導帶針板
Elastic Tape Guiding Needle Plate
鬆緊帶闊 Tape Size: 8~18mm

KF2284

送布齒
Feed Dog

KHF 47B

助縫器
Folder

KN438-596A5

特厚針板 (助縫器用)
Thick Needle Plate for folder

KF438-516A5

送布齒 (助縫器用)
Feed Dog for folder




KP438-625

壓腳 (助縫器用)
Presser Foot for folder

KP938LF

人字左傍壓腳 (助縫器用)
Zig Zag Left Guiding
Presser Foot for Folder


右壓腳底寬 Right Toe Width			
6 mm	7 mm	8 mm	9 mm
10 mm	11 mm	12 mm	13 mm
14 mm	15 mm	17 mm	




KP438DG

人字雙傍面貼導帶壓腳
Zig Zag Dual Guiding
Presser Foot for Tape
Attaching

帶寬 Tape Size		
8 mm	10 mm	12 mm






KZZP-GL

可調校左傍導帶壓腳
Adjustable Left Guiding Foot for Tape
最大帶寬 19mm
Tape Maximum Width 19mm

多方位可調校互補高低壓腳 (薄物用) Multi-adjustable Compensating Feet for Light Fabric



KCP-L (3706)

左傍互補高低壓腳
Left Guiding Compensating Foot


KCP-R (3707)

右傍互補高低壓腳
Right Guiding Compensating Foot

KCP-M (266125)

中刀傍互補高低壓腳
Compensating Foot with Center Guide

多方位可調校互補高低壓腳 (厚物用) Multi-adjustable Compensating Feet for Thick Fabric



KVP-L







左傍互補高低壓腳
Left Guiding Compensating Foot

KVP-R


右傍互補高低壓腳
Right Guiding Compensating Foot

KVP-M

中刀傍互補高低壓腳
Compensating Foot with Center Guide



KB-PF1
壓腳轉駁支架 - 歐式轉日式
Presser Foot Holder Converter
- European Style to Japanese Style



KAP 多方位可調校導傍高低壓腳 Multi-adjustable Compensating Feet



適用於同時縫紉不同厚度物料:

- A) 兩邊壓腳底高度可個別調校
B) 兩邊壓腳底壓力可個別調校

Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently.
B) Adjusting both presser foot bases **pressure** independently.

重機人字 Juki Zig Zag 2284



適用於面貼綑條/鬆緊帶，
最寬32mm (可拆卸)
For tape/elastic attaching.
Max. 32mm width (removable)

K2284L

左傍高低壓腳 Left Compensating Foot

K2284R

右傍高低壓腳 Right Compensating Foot

K2284M

左/右導傍壓腳 Left/ Right Compensating Foot

面貼綑條/鬆緊帶 (可調校)
For Tape Attaching (Adjustable)



K2284GL

左導傍高低壓腳 Left Compensating Foot

K2284GR

右導傍高低壓腳 Right Compensating Foot

百福人字 Pfaff Zig Zag 938



適用於面貼綑條/鬆緊帶，
最寬32mm (可拆卸)
For tape/elastic attaching.
Max. 32mm width (removable)

K938L

左傍高低壓腳 Left Compensating Foot

K938R

右傍高低壓腳 Right Compensating Foot

K938M

左/右導傍壓腳 Left/ Right Compensating Foot

面貼綑條/鬆緊帶 (可調校)
For Tape Attaching (Adjustable)


K938GL

左導傍高低壓腳 Left Compensating Foot

K938GR

右導傍高低壓腳 Right Compensating Foot

重機/兄弟雙針 Juki/Brother Double Needle 百福雙針 Pfaff Double Needle



百福雙針
Pfaff
2N

K845L 左傍高低壓腳
Left Compensating Foot

K845R 右傍高低壓腳
Right Compensating Foot

K845M 左/右導傍壓腳
Left/ Right Compensating Foot

K845G 左右導傍壓腳
Dual Compensating Foot

針距
Needle Space
4.8 mm
6.4 mm


針距 Needle Space
6.0mm 6.4mm 7.2mm

MISCELLANEOUS

Others 其他


雜項

Round cap screws 圓杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M3 x 0.5	4, 5, 6 mm
M4 x 0.75	4, 5, 6, 8, 10, 12 mm
M5 x 0.8	6, 8, 10 mm
M6 x 1.0	6, 8, 10 mm

Head cap screws 杯頭螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5 mm
M2.5 x 0.45	4, 6 mm
M3 x 0.5	4, 6, 8, 10 mm
M4 x 0.75	6, 8, 10, 12, 14, 16, 18, 20 mm
M5 x 0.8	8, 10, 12, 14, 16, 18, 20 mm
M6 x 1.0	8, 10, 12, 14, 16, 18, 20 mm

Countersunk head screws 平杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5, 6, 8, 10 mm
M2.5 x 0.45	5, 6, 8, 10 mm
M3 x 0.5	5, 6, 8 mm
M4 x 0.75	6, 8 mm
M5 x 0.8	6, 8, 10 mm
M6 x 1.0	8, 10 mm

Head set screws 基米螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	3, 4, 5, 6 mm
M2.5 x 0.45	3, 4, 5, 6 mm
M3 x 0.5	3, 4, 5, 6, 8, 10 mm
M4 x 0.75	4, 5, 6, 8, 10, 12, 14, 16 mm
M5 x 0.8	6, 8, 10 mm

Plain washers 平介(墊片)




Diameter 直徑 (Ø)
2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm

Hexagon nuts 六角絲母




Diameter 直徑 (Ø)
M2, M2.5, M3, M4, M5, M6

Wave washers 碟形墊圈




Internal retaining rings 內卡簧



Diameter 直徑 (Ø)
8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 18 mm

External retaining rings 外卡簧




Diameter 直徑 (Ø)
8 mm, 9 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm

External diameter 外徑 (EØ)	Internal diameter 內徑 (IØ)
6 mm	3 mm
8 mm	4 mm
10 mm	5 mm
11 mm	6 mm
12 mm	6 mm
13 mm	8 mm
15 mm	10 mm
18 mm	12 mm
21 mm	17 mm
25 mm	19 mm
27 mm	21 mm
29 mm	22 mm
31 mm	24 mm
34 mm	26 mm

KHT 六角螺絲刀套裝 Hexagon Screw Driver Sets


KHT-5

背面磁鐵設計，可附在縫紉機上
Magnet on the back which can attach on sewing machine.



KHT-6


同時包含公制和英制
Including Metric and GB



公制 Metric	英制 GB
1.5mm	1/16"
2.0mm	5/64"
2.5mm	3/32"
3.0mm	1/8"
4.0mm	5/32"

KHT-7

背面磁鐵設計，可附在縫紉機上
Magnet on the back which can attach on sewing machine.



其他主要目錄 Other Main Catalogues:



厚料設備及零配件
Spare Parts for Heavy Duty



襯衫。休閒。運動
Shirts · Leisurewear · Sports



繃縫零件
Spare Parts for Interlock Stitch Machines



KHF 助縫器
KHF Attachments



女仕服裝縫製設備
Spare Parts & Attachments of Lingerie

K 國興針車公司 Kwok Hing Sewing Machine Company

地址: 香港九龍荔枝角道 103-107 號地下
Address: G/F, 103-107 Lai Chi Kok Road, Kowloon, Hong Kong.
電話 Tel: (852) 2394 8163
傳真 Fax: (852) 2789 2681, (852) 2787 2033
網址 Website: <http://www.kwokhing.com>
<http://www.khsew.com>
電郵 E-mail: spareparts@kwokhing.com
微訊 WeChat ID: KwokHing107